

# KINUSEK

JULY 1991 £1.60

**CUSTOM** 

**GAMES WITH OUR CORE PROGRAM** 



#### BEEB CLASSICS

LANDSCAPES AND

# **CRAZY CUBES**



#### GRAPHIC RESULTS

**IMAGES FROM OUR TAXAN ART** COMPETITION

# WINNING PRINTOUTS

**CHOOSING THE BEST PRINTER FOR CLASSROOM** COLOUR OR BUDGET BLACK AND WHITE

# SQUIRREL

# THE REVOLUTIONARY NEW DATABASE FOR ARCHIMEDES COMPUTERS






FRIENDLY

Squirrel is the easiest to use database yet, allowing simple point and click database creation and queries.



FAST

Modern indexing techniques mean superfast searches every time.



Images, text and sound may be stored in the same database



NETWORK COMPATIBLE

Client/server design ensures that squirrel runs just as well on networks as standalone.



INTELLIGENT

Squirrel understands days of the week, months of the year and recognises files from other popular packages.



COMMUNICATIVE

Queries may be made onto other popular computers such as an IBM or Macintosh, even remotely over telephone lines.



Fully relational reporting with an entirely new graphic approach to data selection.



Quite simply, the most professional database for Archimedes users.

Single User Version £129.00 + VAT

Econet/Site Licence £516.00 + VAT

Suitable for Acorn A3000, A310 and A400 Series.

# digital services

DIGITAL SERVICES LIMITED

9 WAYTE STREET, COSHAM, PORTSMOUTH, HANTS PO6 3BS

TEL (0705) 210600

# prices cut of the prices of th

The *ideA* range of hard disc upgrades is being welcomed as the best way forward for Archimedes and A3000 users. "IDE is the small-computer drive standard for the future," says RISC User. "ST506 is on the way out; SCSI has only a limited future in the small drive market."

#### PERFORMANCE

IDE is the only true 16-bit hard disc system currently available for Archimedes computers. All data transfers are 16-bit all the way from the disc, through the interface, to the computer (except that the A3000 internal interface has an 8-bit link to the computer).

#### FLEXIBILITY

An *ideA* system can turn your A3000 into a 20, 40 or 60 Mb workstation with no external attachments, using hard discs which sleep quietly during periods of inactivity.

The *ideA* system caters for two low profile hard discs in the same internal or external housing, allowing you to build up your capacity in easy stages without wasting money.

Then there's the *ideA* 'hard card' option – a 2½-inch hard disc on a standard podule.

#### VALUE

We think *ideA* upgrades offer the best value for your money, and we aim to keep it that way. Advanced IDE disc technology means simpler, cheaper, more reliable interfaces. Manufacturers' prices for hard discs fall gradually, and we pass these savings on to you as soon as we can.

Our upgrade prices include controller cards and fans where needed. Our disc cases are of metal construction.

#### RELIABILITY

The first *ideA* customers have been using the system successfully since last year. The A3000 internal hard disc is particularly reliable – not one has had to be returned to us.

The latest IDE discs are ruggedly designed with lap-top and portable computers in mind. You'll wait a long time to see a defect! A skilled service team is ready to back up our guarantee should the need ever arise.

#### COMPATIBILITY

The Micro User reported "no difficulty in running all fully RISC OS applications". Our IDE filing system is no different from ADFS in use, though it has a few extra features such as the facility to write-protect a hard disc. DOS partitions can be created for the PC Emulator.

#### **CONTINUED SUPPORT**

The coming months will see the introduction of many new IDE products, including tape streamers and removable discs. You may rest assured that our software and hardware will keep pace with these developments. Updates for existing users, if they ever become necessary, will be simple and cheap.

"A beautiful solution," said BBC Acorn User. Study our price list elsewhere in this magazine, and let us solve your storage problems too.

Be in at the beginning!

# Other products too good to miss!

See our other advert for prices



#### TWO (Task and Window Organiser)

Do you wish you could start applications, display directories, and open files all in one go? With TWO you can.

Do you wish your pupils were able to start work without understanding the Desktop? With TWO they will be.

Do you wish there was an easy way to tidy up your screen and find that buried window? With TWO there is.

TWO is far more than a 'sticky backdrop'. Its easy-to-use features make the Desktop a friendlier environment and will really save you time.



DrawBender distorts Draw files to follow a shape of your choice. A useful addition or cheap alternative to Poster, supplied with these three decorative fonts.

DrawBender is simple to use, without any complex menu structures. The example above uses DrawBender with FontFX – the two make ideal companions.



Baildon Electronics Oddules open the way to cheap, flexible and almost unlimited external expansion via the I<sup>2</sup>C bus already supported by RISC OS. Baildon are producing a range of Oddules which may be daisy-chained.

Ready now is the *AnDi* Oddule. It has eight digital I/O channels with high current open collector drivers, four A/D inputs, and one D/A output. AnDi is capable of emulating user and joystick ports, allowing ADVAL operation from BASIC, and the use of Concept Keyboards and analogue or digital joysticks.

#### Cross-32 Meta-Assembler

This professional table-based cross-assembler works with over 50 target processors (including ARM2 and 3), and has been used for some time on PCs. A RISC OS Desktop version by Baildon Electronics is now available. Cross-32 is user-friendly and supports conditional assembly and macros. Output is in absolute binary, or Intel or Motorola Hex formats (ideal for eprom programmers and emulators).

You can modify the tables supplied or add new ones to cater for new processors and opcodes.




ACU17, 10 Frost drive, WIRRAL, Merseyside, England, L614XL

Fax 051-632 3434 Tel 051-632 1234

### PIPEDREAM

WINNER of the 1989/90 **BBC Acorn User Award for Best** 32-bit Business Software



The bar chart in the screen shown above was produced by using the HotLink between PipeDream 3 and HotLink Presenter.

#### Major features include:

- intuitive RISC OS user interface .
- many documents loaded at once display and printing of pictures
  - within text .
  - wysiwyg display including all RISC OS fonts .
  - built-in 93,003 word spelling
    - checker file compatibility with
    - PC & Z88 PipeDream & BBC View Professional . natural, background
  - recalculation keystroke compatibility with Z88 & PC PipeDream •
    - - Z88 filing system •
  - automatic loading of VIEW,
- ViewSheet, Lotus, First Word Plus, Tab and CSV files .
  - automatic saving of VIEW,
  - Lotus, Tab, CSV and Acorn
    - DTP format files •
    - multi-field sorting .
  - 62 spreadsheet and database
  - functions external references between
- documents for 3-D modelling
  - macro file recorder .
    - slot protection •

PipeDream 3 breaks down the barriers between word processor, spreadsheet and database. With PipeDream 3, you can include numerical tables in your letters and reports, add paragraphs to your spreadsheets, and perform calculations within your databases.

PipeDream 3 has been written to take full advantage of RISC OS - if you can use RISC OS, you can use PipeDream 3. It is fully multi-tasking and multi-windowing, so you can work on many documents at once and instantly move information between them. PipeDream 3 can automatically load and save most popular file formats and is the first program to use the new RISC OS HotLink, which enables it to interact dynamically with Archimedes graphics programs, such as HotLink Presenter from Lingenuity and GraphBox from Minerva.

As well as winning the 1989/90 BBC Acorn User Award for Best 32-bit Business Software, PipeDream 3 was runner-up in the Best 32-bit Educational Software and Best 32-bit DTP/Word Processor categories.

> PipeDream 3 Breaking down the barriers

#### POWER • SPEED • FLEXIBILITY • EASE OF USE

PipeDream 3 is for all Archimedes computers with 1Mbyte or more of RAM, including the A3000.

For a free brochure, see your Archimedes dealer, or phone us on 0954 211472, or return the coupon.

PipeDream 3 costs £147.00 + VAT.

PipeDream 3	View Professional
Name	
Address	
and house of the	

Colton Software, Broadway House. 149-151 St. Neots Road, Hardwick. Cambridge CB3 7QJ, England. Tel. 0954 211472 Fax. 0954 211607. All trademarks acknowledged.



#### JULY 1991 ISSUE 108

**Editor** Barry Monk

Production Editor Pauline McLernon Technical Assistant Paul James Editorial Assistant Sharon Halpern Advertisement Manager Duncan Pringle **Senior Sales Executive** Richard Power Sales Executive Jack Manzoor Ad Production Fiona Andrews Production Manager Jennifer Jeffrey Publisher Seamus Geoghegan Publishing Director Michael Potter Editorial Director Christopher Ward

Published by Redwood Publishing, a BBC Enterprises Company, 20-26 Brunswick Place, London N1 6DJ. Tel: 071-490 1444. Telecom Gold 10081:RED001, Micronet 919992492. Bureau setting and ad typesetting by Bold Gray Design, 52 Rosebery Avenue, London, EC1R 4RP. Colour by Trumps Studio, Ware, Herts. Printed by Riverside Press, St Ives PLC, Gillingham, Distributed by BBC Frontline, Park House, 117 Park Road, Peterborough. © Redwood Publishing 1991. All rights reserved. Acorn is a registered trademark of Acorn

ABC Computers Ltd. Redwood Publishing is a registered the Audit data user. ISSN 0263 7456.

#### PRODUCED ON THE **ARCHIMEDES**

All the editorial pages in BBC Acorn User are produced on a DTP system using Acorn Archimedes 440/1 and A540 computers, Computer Concepts' Impression 2 with Laser Direct printers and Taxan monitors

**GAME SHOW** 

**FLYING HIGH** 

**PUZZLE PAGE** 

SOFTWARE SHOWCASE

NEWS	7
EDUCATION	13
COMMS	15
MUSIC COLUMN	17
NEXT MONTH	18
LETTERS	21
QUESTIONS AND ANSWERS	24
SUBSCRIPTIONS	27
★INFO	49
Our new regular section of hints and tips for eight and 32-bit micros	
GAME PLAN	55
GameCore is the stuff your very own games software could be made of	
SNEAK PREVIEW	59
Look ahead and see how well your View document will print	
POWER POSTERS	69
First steps towards designing your own posters using Edit, Draw and Paint	
SEASONED PLAYERS	77
Summer sun from your Beeb's screen and a box game to drive you batty	
YELLOW PAGES	83
THE DOTTED NINE	98
Our tests reveal that nine-pin printers still provide a quality solution – chea	ply
GOOD LOOKING	103
The PCATS hardware enhances even the Arc's graphic capabilities	
WINNING WORDS	104
The latest (and greatest?) Archimedes wordprocessor – read our verdict	
WORLD CLASS	108
Create a world of imaginative screens in the classroom with My World	
SOUND JUDGEMENT	111
Speech! for the Arc is proving to be quite a talking point	
MAKING TRACKS	113
We sound out <i>Tracker</i> , the music sequencer from The Serial Port	2488
RAISING STANDARDS	115
Why it is important to upgrade your A3000's memory – and ways of doing	git
FILING A SUIT	117
CPFS could unleash essential powers and enhance your Master 512	
THOROUGH INVESTIGATION	119
Software to back up commercial software – but is it such a good idea?	

The latest version of Magpie makes it an even more versatile educational tool

#### 73 PRINTING PRETTY



#### 62 LINING



#### 64 COMPETITION WINNERS

120

122

125

128







#### **ARCHIMEDES**

A3000 Computer A3000 + Learning Curve £599 £699 COLOUR MULTISCAN **ENTRY** SYSTEM MONO 410/1 £1099 £1159 £1288 £1448 £1488 £1648 420/1 £1299 £1359 £1699 £1759 £1888 £2048 440/1 £2995 £3065 £3184

TREE OFFERS ON ARCHIMEDES MICROS		
COMPUTER	FREE OFFER	
A3000	Upgraded to 2Mb RAM on Board + Monitor Stand	
A410/1	Upgraded to 2Mb RAM & a 20Mb Hard Disc, (A420) + Dust Cover	
A420/1	Upgraded to 4Mb RAM & a 40Mb Hard Disc, (A440), Mk II Learning Curve + Dust Cover	
A440/1	High Resolution 14" Multiscan Colour Monitor + Dust Cover	
or	Taxan 775 Monitor (Entry System) + Dust Cover	
or	Star XB-2410 24 Pin Colour Printer (Colour System) + Dust Cover	
A540/1	High Resolution 14" Multiscan Colour Monitor + Panasonic KX-P1180 Printer & Connecting Cable	
or	Taxan 795 or 775 Monitor (Entry System) or Star XB24-10 24 Pin Colour Printer (Colour System)	

EE OFFEDS ON ADCHIMEDES MICDOS

#### A3000 ACCESSORIES

540/1

3.5" External Drive	£97
Monitor Stand	£15
External Podule Case	£12
Serial Upgrade	£16
A3000 Technical Manual	£28
Dust Cover Micro/Monitor	£5
Dust Cover Micro	£9
User Port/Midi Upgrade	£44
UHFTV Modulator	£POA

#### **RAM UPGRADES FOR ARCHIMEDES**

	Address Mark Town I and I will be desired in the latest and a second a	All the second second
A3000	Upgrade to 2Mb RAM	£62
A3000	Upgrade to 4Mb RAM	£175
A305	Upgrade to 1Mb RAM	£96
A305/A310	Upgrade to 2Mb RAM	£239
A305/A310	Upgrade to 4Mb RAM	£429
A410/1	Upgrade to 2Mb RAM	£63
A410/1	Upgrade to 4Mb RAM	£117
A410/1	Upgrade to 8Mb RAM	£899
A420/1	Upgrade to 4Mb RAM	£169
A420/1	Upgrade to 8Mb RAM	£849
A440/1	Upgrade to 8Mb RAM	£739
R140	Upgrade to 8Mb RAM	£739

#### **CONCEPT KEYBOARDS**

A4 Standard Keyboard inc BBC Software £115 A3 Standard Keyboard inc BBC Software £140 A4 Archimedes Keyboard £116 A3 Archimedes Keyboard £141

#### **PLOTTERS**

ROLAND			
DXY-1100	£509	GRX-300	£276
DXY-1200	£644	GRX-400	£362
DXY-1300	£844	DPX & GRX In	clude
DPX-2500	£2369	12 months or	n-site
DPX-3500	£3385	maintenance	

#### **ARCHIMEDES ACCESSORIES**

NEW Multitasking RISC OS	£28
3.5" 800K 2nd Floppy Drive (305/310)	£109
5.25" 800K External Floppy Drive	£84
I/O Podule	
(Analogue & User Port & 1MHz Bus)	£77
MIDI add-on to I/O Podule	£27
MIDI Expansion Card	£64
Econet Network Board	£45
IEEE Interface Adaptor	£265
16 Bit Parallel I/O Card	£193
Software Developers Toolbox	£147
Floating Point Unit	£449
SCSI Adaptor Expansion Card	£167
Keyboard Extension Lead	£6
2 Podule Backplane	£24
4 Podule Backplane	£37

#### HARD DISK DRIVES (ST506)

20Mb for 410 ST506	£165
40Mb for 410 ST506	£259
75Mb for 410 ST506	£379
A3000 20Mb + Podule	£349
A3000 40Mb + Podule	£469

#### SCSI HARD DRIVES FOR A300/400 Supplied complete with controller card.

52Mb Internal	£348
105Mb Internal	£549
170Mb Internal	£829
210Mb Internal	£899

#### COMMUNICATIONS

Amstrad SM2400 V22BIS	£157
Miracom WS4000	£99
Miracom WS3000 V22	£185
Miracom WS3000 V22BIS	£247
Pace Linnett	£93
Pace Linnett 1200 V22	£150
Pace Linnett 2400 V22BIS	£209
Hearsay comms software	£48
BBC/Master Modem Cable	£14
Archimedes Modem Cable	£14

#### **BBC MASTER**

MASTER 128K with View, Viewsheet, ADFS BASIC Editor & Terminal and our Special FREE OFFER, A 5.25" Double Sided, 40/80 Track switchable 400K Disc Drive and 20 Floppy Discs.

#### **BBC B and MASTER ACCESSORIES**

Turbo 65C102 Add-on-Module	£113
Econet Module for Master	£45
Twin ROM Cartridge for Master	£12
Master Reference Manual I (No VAT)	£13
Master Reference Manual II (No VAT)	£13
Master Advanced Ref Manual (No VAT)	£16
64K Upgrade Kit for B+	£31
Acorn 1772 DFS Complete Kit	£47

#### **MASTER 128 CUMANA** DISC DRIVES

DIOCDINIVLO	
5.25" 200K Single 40T No PSU	£64
5.25" 200K Single 40T With PSU	£79
5.25" 400K Single 40/80	
Switchable No PSU	£79
5.25" 400K Single 40/80	
Switchable With PSU	£89
5.25" 400K Dual 40T No PSU	£125
5.25" 400K Dual 40T With PSU	£149
5.25" 800K Dual 40/80	
Switchable No PSU	£159
5.25" 800K Dual 40/80	
Switchable With PSU	£179
3.5" Single Drive No PSU	£64
3.5" Single Drive With PSU	£79
3.5" Dual Drive With PSU	£125
3 5" + 5 95" 40/80 Switchable	£169



SPECIALISTS in the supply of **COMPUTERS** to PRIMARY, SECONDARY and TERTIARY **EDUCATION** 

#### **ARCHIMEDES SOFTWARE**

ART/DESIGN/GRAPHICS		LANGUAGES	
Artisan II	£43	ANSI C Rel 3	£122
Atelier	£63	Assembler	£145
Autosketch II	£66		£75
Gamma Plot	£38		£75
Graph Box	£62		£145
Mogul	£18		£145
Poster	£82		
Pro Artisan	£71		£269
Render Bender 2	£56		£91
Sigma Plot	£38		£105
313111011101	230	Risc Basic	£72
DATABASES		Robo Logo	£52
AlphaBase	£34	Solid Cad	£72
Genesis	£64		£52
Multistore	£192	John Kerider	£196
Matistore		Solid Tools	£19
DESKTOP PUBLISHING		Super Dump	
Acorn DeskTop Publisher	£125	Super Plot	£19
Impression Junior	£77	SPREADSHEETS	
Impression II	£155	Intersheet	£23
Tempest	£97	Schema	£97
Tompese	1000	Sigmasheet	£53
INTEGRATED		Viewsheet	£44
Desktop Office	£103	WORDPROCESSORS	
Logistix	£83	1st Word Plus II	£68
Pipedream 3	£118	Easiword	£29
.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		Interword	£23
We also carry a wide range of GAMES	Sand	Protext 5	£129
LEISURE software, Call for details,		View	£44

#### LASER PRINTERS

FREE Pa	ralle	2l .	Printer	Cable With All Las	ers	3	
	PPM	1			PPA	1	
Brother HL-4	4	*	£719	NEC LC890XL Postscript	8	*	£2359
Brother HL-8e	8	*	£989	NEC Colourmate PS P/Script		*	£5489
Brother HL-8PS Postscript	8	*	£1489	OKI Laser 400	4	*	£539
Canon LBP-4	4	*	£649	OKI Laser 800	8	*	£989
Canon LBP-III	0	*	£997	OKI Laser 840 P/Script	8	*	£1289
Canon LBP-IIIT Dual Bin	8	*	£1394	Panasonic KXP4420	8	*	£657
Canon LBP-IIIR Dual Bin				Panasonic KXP4450i			
Duplex	8	*	£1509	Dual Bin	11	*	£1029
Epson EPL-7100	6	*	£695	Panasonic KXP4455 D/Bin			
Epson EPL-7500				P/Script	11	*	£1619
Postscript	6	*	£1189	QMS PS410 Postscript	4		£1475
HP Laserjet IIIP	4		£676	QMS PS810 + Postscript	8		£2009
HP Laserjet III	8	*	£1028	QUME Crystalprint WP Plus	6	*	£689
HP Laserjet IIID Dual Bin				Qume Crystalprint			
Duplex	8	*	£1589	S/Series II	6	*	£1059
IBM 4019E	5		£679	Qume Crystalprint			
IBM 4019	10		£949	Publisher PS 2Mb	6	*	£1599
Kyocera F800T	8	*	£949	Qume Crystalprint			
Laser Direct	6		£844	Express PS	12	*	£2539
NEC Silentwriter 2 S60	6	*	£769	Star LP-4	4	*	£719
NEC Silentwriter 2 S60P				. Star LP-4PS Postscript	4	*	£889
P/Script	6	*	£1225	Star LP-8 III	8	*	£1049
NEC Silentwriter 2 266	8	*	£929	Star LP-8 II Starscript			
NEC Silentwriter 2 290				P/Script	8	*	£1189
P/Script	8	*	£1409	All printers marked by an * i	nclud	de 1	2 months

#### **MONITORS**

SPECIAL OFFER	6047
14" Multiscan Hi-Resolution 0.28 Dot Pitch, 1024 x 768	2241

MICROVITEC		PANASONIC	
1431 Standard Resolution	£169	14" Super Hi-Res 0.29 Dot Pitch	£239
1451 Medium Resolution	£209	PHILIPS	
14M325 (CUB 3000) Medium Res.	£189	BM7502 12" Hi-Res Green	£68
1441 High Resolution	£349	CM8833/II 14" Medium Res	£169
1451AP RGB/PAL & Audio	£249	TAXAN	
2040CS 20" High Resolution	£659	770LR 14" 0.31 Dot Pitch Low Rad	£379
Touchtec 501 Touch Screen	£234	775 Plus 14" 0.28 Dot Pitch Hi-Res	£374
NEC		795 Trinitron 0.26 Dot Pitch	£427
Multisync 3D 14" 0.28 Dot Pitch	£338	970 20" 0.31 Dot Pitch	£1194

#### **PRINTERS**

#### FREE Parallel Printer Cable With All Printers

Canon BJ10e	£207	IBM Proprinter III	£199
Canon BJ300*	£359	IBM Proprinter IIIXL	£239
Canon BJ330*	£419	IBM Proprinter X24E	£339
Citizen 120D+	£98	IBM Proprinter XL24E	£419
Citizen 124D	£147	IBM Quietwriter III	£479
Swift 9	£143	IBM Quickwriter 5204	£499
Swift 24	£208	IBM Execjet 4072	£449
Swift 24X	£297	Integrex Colour Jet	£499
Prodot 9	£203	Mannesman Tally MT81	£98
Prodot 9X	£248	Nec P20	£189
Prodot 24	£225	Nec P30	£253
Epson LX400	£113	Nec P60	£374
Epson LX850	£156	Nec P70	£475
Epson FX850	£287	Nec P90	£653
Epson FX1050	£362	Panasonic KXP1081	£113
Epson EX1000 Colour	£463	Panasonic KXP1180	£121
Epson DFX5000	£1094	Panasonic KXP1123	£154
Epson DFX8000	£2054	Panasonic KXP1124i	£211
Epson LQ400	£171	Panasonic KXP1695	£297
Epson LQ550	£214	Panasonic KXP1624	£297
Epson LQ1010	£320	Panasonic KXP1654	£437
Epson LQ850 +	£390	Star LC10	£114
Epson LQ860 Colour	£449	Star LC200 Colour	£158
Epson LQ1050 +	£482	Star LC15	£184
Epson LQ1060 Colour	£604	Star LC24-10	£153
Epson LQ2550 Colour	£698	Star LC24-200	£192
Epson SQ850	£445	Star LC24-200 Colour	£227
Epson SQ2550	£637	Star LC24-15	£299
Hew/Pack Thinkjet*	£239	Star FR10 Colour*	£239
Hew/Pack Quietjet*	£307	Star FR15*	£308
Hew/Pack Quietjet Plus*	£367	Star XB24-10 Colour*	£308
Hew/Pack Deskjet 500	£303	Star XB24-15*	£371
Hew/Pack Paintjet*	£603	All printers marked by an *	
Hew/Pack Paintjet XL*	£1096	include 12 months on-site	
Hew/Pack Rug/Writer*	£848	maintenance.	

DELIVERY Archimedes Micros only: Free Delivery Hardware: £7 + VAT per box Software: £7 + VAT per order

Lasers: £15 + VAT per printer Next Working Day Service - call for details. UK Offshore - call for details

#### **ALL PRICES EXCLUDE VAT**

CREDIT CARD MAIL ORDER HOTLINE



**28** 081-680 5686 FAX: 081-760 9861



Prices are subject to change without notice. Please check suitability with the manufacturers before ordering. Goods are not offered on a trial basis. Orders are accepted subject to our standard conditions of sale – available on request. E&OE.

on-site maintenance.

Subject to availability despatch is normally effected within 2 days from receipt of cleared payment. Please allow 7 working days for cheque clearance. All orders will be fulfilled within 28 days unless otherwise notified.

Postcode.

College Computers, 14 Emmabrook Court, Sea Road, Rustington, Littlehampton, Sussex BN16 2NG

To: College Computers, 14 Emmabrook Court, Sea Road, Rustington, Littlehampton, Sussex BN16 2NG. I wish to order

QUANTITY	DESCRIPTION		PRICE	
lease state disk	ze		Delivery	
enclose cheque r charge my Acc	Total VAT			
			Total £	

# Special Offers!



### **RISC User Members' Disc** ● Printer Set-Up Utility ● Icon Bar Clock

- Maestro Music Files
   Guessword
   Game

- OI' Blue Eyes fun program Text files offering informative tips for beginners, and more advanced users
  - and other exciting and useful items

The most popular subscription magazine devoted solely to the **Archimedes** range of computers including the A3000.

**BEEBUG July** 

Magazine Disc full of high quality programs

Highly Professional Magazine Supporting Magazine Disc Quality Software Technical Backup

> RISC User offers 10 magazines a year which typically contain:

News on the world of Archimedes Reviews of the latest products

Ready to run applications

Utilities, routines and advanced programming techniques

Programs and articles on sound and graphics Series of articles for all spheres of interest:

- Into the Arc' tutorial series for beginners
- · 'Mastering the Wimp' series on Wimp programming
- 'Under the Lid' hardware series
- 'Assembler Workshop' all about ARM Assembler
- 'Beginning 'C' series on C language
- 'DTP/WP' advice on using commercial software
- 'Arcade' a round-up of the latest games Hints and tips

Postbag for your letters and answers to your questions

Technical queries and expert answers Magazine discs, containing all programs published in the magazine plus some additional items, are available to order or on subscription.



The ONLY significant magazine still dedicated entirely to users of the BBC

Model B and Master series.

In April, BEEBUG commences its 10th year of publication, providing professional, useful and interesting information to thousands of subscribers. Each magazine offers:

- seful and interesting information to thousands of sul
  A variety of useful programs to type in, or run from disc:
  Stand-alone applications
  Handy utilities and useful routines
  Entertaining games
  News from the BBC world
  Reviews of new products, and comparative surveys
  Series covering a range of interests:
  First Course' series for beginners
  Workshop' for the more advanced programmer
  Fist Porum' for users of the Master 512
  Practical Assembler' for Assembly language programmers
  BEBUG Education'
  Informative articles
- Informative articles

Postbag for your letters and answers to your questions and lots more

All programs published in the magazine are available on disc, to order or on subscription.

10 years of publication

With your subscription you will receive not only 10 magazines a year, but you will benefit from a professional organisation with 9 years of experience in software, hardware, computing publications and support.

- Showroom with friendly professional staff, where you can try out the latest software and hardware
- BEEBUG's own quality software and hardware, with special discounts for magazine subscribers
- A large range of other products, and a Retail catalogue mailed free to magazine subscribers
- Speedy mail-order service
- Workshop repairs by qualified staff
- Trade-in service to upgrade your equipment

Or	der	For	m

I would like to subscribe to RISC User Magazine starting with the July issue, and receive in addition the New Members' Disc Free

I would like to subscribe to BEEBUG Magazine, starting with the July issue, and receive in addition the July Magazine Disc Free (please indicate whether you want 5.25" or 3.5" disc)

you want 3.25 Lip of 3.5 Links; RISC User/BEEBUG Subscription Rates (1 year): £19.90 UK, BFPO, Ch.I, £29 Europe+ Eire, £35 Middle East, £38 Americas+ Africa, £41 Elsewhere Joint Subscription RISC User and BEEBUG (1 year): £29 UK, BFPO, Ch.I, £43 Europe+ Eire, £52 Middle East, £57 Americas+ Africa, £61 Elsewhere

I enclose a cheque for £\_\_\_\_\_\_\_ (all cheques must be in pounds sterling, drawn on a UK Bank) or, Please debit my Access/Visa account No.

	Lo	821											
rd Expiry Date	_		N	Signature _				_					
me													

Post Code

117 Hatfield Road, St. Albans, Herts AL1 4JS Telephone: 0727 40303 Fax: 0727 860263



#### **3D CONSTRUCTION KIT FOR** VIRTUAL REALITY ON ARC

DUE FOR Autumn release, Domark's 3D Construction Kit will enable Archimedes users to build solid, three-dimensional model environments, and then 'walk into', explore and interact with them.

The idea of solid 3D graphics is nothing new, but this is the first system to allow such free interaction in realtime, and represents a significant breakthrough.

The package has been developed by the 3D professionals at Dimension International and Incentive, and is closely based around the company's existing Freescape mainframe software, which has been used for a new TV gameshow, Cyberzone, the pilot episode of which will be hitting our screens in the next few months.

The package is far more than just a 3D object designing system - the mainframe version is actually a very highend virtual reality software system, of the type used to generate the worlds inhabited by those who don the head mounted displays in arcade





games such as those made by W-Industries. Since I saw this professional version running at a stand at the Computer Graphics '90 show last year, the system has been converted to the Archimedes. The Arc version is tipped to be the fastest and most powerful conversion of the software, and approaches the 25 per second frame-rate of its big brother.

A specially-written, full size arcade adventure game will be included with the package, and this will display some of the more impressive features of the kit. These include the ability to design environments through which any number of people can 'travel', down to a real resolution of 1mm within a very large area.

Through the use of a zoning system, the computer minimises the time taken to plot a scene based on what it knows is visible. For example, the separate rooms inside a building would be isolated zones. Objects do not have to be fixed and can also be animated for greater realism. This means that fully controllable vehicles can be designed and driven.

There are currently several Arc virtual reality hardware developments in progress, and if in the future the towns and cities that will be created with the Construction Kit were combined with future hardware developments, it would result in a very powerful, and relatively cheap, system. Domark estimates a £50 price tag for Construction Kit.

Mat Tizard

#### **NEWS IN BRIEF**

- TWO new Public Domain libraries for the Archimedes/A3000 are Arch PD and Arch Angel PD. Arch PD has 100 discs in its catalogue, which can be obtained by sending an SAE and disc to Adam Case, Arch PD, 109 Ferry Road, Hullbridge, Hockley, Essex SS5 6EL. Arch Angel PD offers a pick-and-mix service where for £1.50 the buyer chooses the software required from a list that includes graphics, demos, music, samples, comms, and so on. Readycompiled discs are also available at £1.10 each. Send for a free catalogue to Arch Angel PD, 9 Chancel Court, Chancel Lane, Pinhoe, Exeter, Devon EX4 8QE.
- IF YOU live in Derbyshire, you may like to know that the newest Acorn dealer in your area is Selective Computer Services. The company can be contacted on (0332) 690691.
- ZCL, the Acorn distributor to the computer industry, has been nominated distributor of the year by computer retailers and resellers in the UK. ZCL's chairman, Don Carter, acknowledged the honour, but added that the quality of Acorn's product played a major role in the company's success.
- EVANGELTRUST, which produces bible-based computer games and databases, has launched a competition to write a piece of Christian software which could be used by RE teachers, ministers, youth groups, and so on. The closing date for entries is December 31 1991. For further details and entry forms send an SAE to Bible Software Competition, Evangeltrust, PO Box 224, Kingston upon Thames, Surrey KT1 2NX.
- FADED prints are usually the result of a depletion of ink on the fabric printer ribbon - now the Maxiprint Ribbon Re-inker can replenish the original ribbon up to 50 times. The Maxiprint can accommodate a wide variety of ribbon cartridges, and the ink cartridges used are available in a wide range of colours. With the optional Twin Cartridge Adaptor the inker can be made to ink two- and four-colour ribbons. Contact Digitone, Hagan deg, Llys y Coed, Mountain Road, Pembrey, Dyfed SA16 0AJ.
- THE Electronic Font Foundry has just released its range of Indian fonts, including Bengali and Punjabi. Contact EFF on (0344) 28698.

#### **'SATISFACTORY' YEAR** FOR ACORN FORTUNES

ACORN claims to have had a 'satisfactory' year in 1990, particularly in the education market, which held its own compared with the general downturn in the computer market.

In the 12 months to December 31 1990, revenue was slightly higher than in the previous year (£45.5m compared to £44.9m in 1989). Whilst the operating profit before exceptional items rose by over 50 per cent to £2m (£1.3m in 1989), pre-tax profits fell by 38 per cent from £2.53m in 1989 to £1.58m.

Acorn sold intellectual property rights to Advanced Risc Machines (Arm) Ltd for £1.5m and made a provision against bad debts due from one of the company's major customers of £0.9m. Interest charges rose to £1m in 1990. Extraordinary charges of £0.56m on two investments held since the mid-1980s were also incurred.

Acorn cited its main achievement as maintaining its leading position in the UK education market.

Some 53 percent of all computers delivered to UK schools were Acorn systems, with the BBC A3000 and Archimedes outselling the eight-bit BBC Master by a factor of two-toone. Acorn systems have now been installed in 85 percent of all UK schools.

#### **PC EMULATOR** READY?

VISITORS to the recent CD-Rom '91 exhibition in London were given a sneak preview of the new multi-tasking version of Acorn's Archimedes software PC emulator.

Cumana, which is in the CD-Rom drive business, was demonstrating the possibility of Dos- or Apple Mac-based software being opened to the Archimedes via the new emulator. Other firms, such as Next Technology, will now be able to open up sales initiatives into education as soon as Acorn releases the new PCE.

The new software will run Windows 3, albeit slightly sluggishly, but Cumana proved at the exhibition that it was perfectly usable.

# The user-friendly solution to professional desktop publishing

#### Ovation

Ovation sets new standards of quality and value by offering professional features in an easy-to-use package at an affordable price. It is a complete desktop publisher providing a formidable array of features that are straightforward to learn and instinctive to use. We guarantee that you will be able to produce high quality documents within hours of opening the package.

#### Is it a word processor?

Ovation can be used just like a traditional word processor. In fact it provides more word processing features than most dedicated word processors themselves. And unlike many DTP packages, text may be typed straight in without any setting up whatsoever, and it flows from page to page with headers, footers and page numbering all done for you.

8			ocument4 *		
Lin	kable	text f	rames	S	
T out	ext Editing ext may be ty- ito the page, additional word thout having	just like a processor	Featun general i multiple do	leatures currents in memory "scale vew 2 mserted in the normal wayp	are State
100	ames or style age is full of age is autom	Print Portrait 📀	Setup Landscape	boers and footers are also of wided. All the traditional of	e will sick sets
	peafed in m	X scale: [ Y scale:	1882	nt centred, and fully tified text, tab stocs	ea.
protectio	rd equivalent to 1/72,000 in " parentich	Corner X:	8nn	ents out copy and paste	Ì
	ed together	Corner Y: [	Bnn	rai page rulers	0
	雪雪	Cancel	ŧκ	) , We	

Ovation is frame-based, with typed or imported text formatted in rectangular frames. Frames may contain their own independent story, or may be linked together causing text to flow from one frame to another anywhere in the document.



You can import pictures that are in Draw or Paint format. Once imported, pictures may be moved freely around the document, enlarged, reduced, cropped, or scaled to fit frames precisely - all in an instant.

#### Adding style is simple

Ovation provides user-defined paragraph styles and easy-to-use local effects that give instant control and can be mastered in a matter of minutes! A wide range of styles are available allowing you to create documents with a distinctive appearance. Very accurate typographical control is provided, making Ovation suitable for the most demanding professional applications.

#### Extensive graphics

An extensive range of features is provided for manipulating graphics. Paint and Draw format pictures may be imported from scanners, digitisers and drawing packages etc. and may then be instantly enlarged, reduced, cropped as required. With line drawing facilities and definable border styles, Ovation provides features virtually unheard of in its price range.

#### Laser-sharp printing

Ovation uses the RISC OS printer drivers to produce high quality printing on dot-matrix, ink jet and laser printers. It prints pages exactly as they are created on the screen, at the highest resolution your printer can deliver. The PostScript driver allows for the printing of documents on high quality laser printers and typesetting machines.

#### Spelling checker

Ovation contains a fully integrated high speed spelling checker with a dictionary of over 60,000 words and a host of other features. You can even edit the main dictionary. Requires 2Mb.



The Ovation package includes a 250-page user guide for both novices and experienced users alike, a quick reference card listing all the keyboard and mouse short cuts, 7 outline fonts (22 faces), and a range of clipart.

#### Price breakthrough!

Ovation runs under RISC OS on an Archimedes or A3000 with minimum 1Mb RAM and costs just £99.00 plus VAT.

#### Ovation is available from all good dealers

**BEEBUG Ltd.** 117 Hatfield Road, St. Albans, Herts. AL1 4JS Tel: 0727 40303, Fax: 0727 860263 Please write or phone for a brochure. This advert was produced entirely using Ovation.



#### **SUCCESSFUL PRES-ENCE AT COMPUTER SHOPPER SHOW**

VISITORS who flocked to the recent Spring Computer Shopper Show at London's Alexandra Palace were greeted with new Acorn products from Pres for the BBC A3000.

A dual podule box for the A3000, launched by Pres, allows the use of a scanner and a hard disc card together for the first time.

The A3000 can normally be expanded by adding a single standard-sized expansion card to the rear. But because the cards are intended for 400series machines, they need to be protected in a podule case on the A3000.

The A3000 normally supports only one such podule, although some external system housings allow you to switch manually between two or more.

Pres' new box can be fitted in the normal way to the rear connector on an A3000, but makes an additional connection inside the machine to allow Risc OS to address two separate cards automatically.

The system works exactly the same as it does on a 400series machine and allows

simultaneous use of a scanner and hard disc card.

Also released by Pres at the show was a 10Mbits per second link between two Archimedes. The Missing Link board slots into the Econet interface space, and provides very fast communication between two machines. The physical link can be a special serial cable, or fibre optic for longer distances.

The Missing Link can also act as a filing system - files dropped into a filer window on one machine appear in a similar window at the other end of the link.

Possible uses include swapping large sprite files or scans between machines where an Econet would be too slow and Ethernet too expensive.

 Pres has also announced that it is knocking £100 off the normal advertised prices of its 20 and 40Mb hard disc upgrades. The units come complete with the ST506 (Acorn) expansion card and all cabling and instructions.

Further details can be obtained from Pres Ltd, Box 319, Lightwater, Surrey GU18 5PW. Tel: (0276) 72046.



#### CANADIAN VISIT

REPRESENTATIVES of UK educational software producers have just returned from a sales initiative aimed at spreading the Acorn message in Canada.

The group - including Paul Richardson from ExpLAN, David Tee from Oak Solutions, Peter Stibbons from Anglia TV – gave seven major presentations of Archimedes hardware and software at venues like the Educational Computing Organisation of Ontario. Working with Paul Richardson was a team of 18 pupil demonstrators from Toronto schools who were trained (by fax!) from the UK.

In excess of 200 enquiries and orders were taken.

#### A3000 SPECIAL ACCESS

A NEW Special Access Pack has been launched by Acorn for people with disabilities and learning difficulties. Centred around the BBC A3000, the package is fitted with an Acorn serial and Morley user/analogue upgrades to enable the use of devices such as the Concept Keyboard and touchscreen.

A special utilities disc offers useful programs which can: emulate mouse movements using the numeric keypad; access other programs via a special switch input; convert the normal screen pointer to a larger size; magnify the screen to allow print and images to be seen more easily; allow text character input from a selection panel; create a flashing caret with a 'homing device' to make it easier to locate within a document.

Also included in the package is an overview booklet and a Special Needs Computing Handbook complied by Northwest Semerc in association with ACE centres. The handbook contains useful and relevant information, including sources of supply for accessories and details of the many applications available. The A3000 Special Access Pack is assembled and tested by disabled people who work for the Papworth Group of Industries in Papworth, Cambridgeshire. Priced at £795, registered disabled people and charities may obtain a £100 reduction from participating dealers upon production of their registration cards. Contact Acorn on (0223) 245200.

#### **NEWS IN BRIEF**

 AWARE of a lack of educational software to motivate older children with learning difficulties, Sherston Software has just released Sellardore Tales.

This is an exciting adventure with a high interest and low reading age. It is aimed at children who are aged 11 and over, but who have a reading age of about eight, and supports English AT 2 in the National Curriculum.

The computer adventure, Black River Quest, is accompanied by an illustrated book with 13 chapters which introduces the reader to the world of Sellardore and the main characters who reside there.

The package costs £24 and contains photocopiable activity sheets based around the book and game, as well as creative writing cards.

Contact Sherston Software. Swan Barton, Sherston, Malmesbury, Wiltshire SN16 0LH for further details.

#### DIARY DATES

- JUNE 22 The All Formats Computer Fair will be held at the New Horticultural Hall, London
- JUNE 25-27 Multimedia is holding the first European multimedia conference at Olympia 2, London, with talks on the mass market, educational applications and multimedia in business. Running alongside this will be the Multimedia 91 exhibition the first event to demonstrate what multimedia is, and to show what it could do for your company. The conference costs £875.37 (£346.62 with academic discount). The exhibition is free, but by ticket only. Contact Jacqueline Wilson/Lynne Davey on 081-868 4466 for more details.
- SEPTEMBER 5-8 The European Computer Entertainment Show takes place at London's Earls Court 2.
- OCTOBER 11-13 The highlight of the year will the BBC Acorn User Show, which takes place at the Wembley Conference and Exhibition Centre in London. Opening times will be 10am to 6pm on Friday and Saturday and 10am to 5pm on Sunday.

For further details on show ticket prices and availability, keep an eve on BAU or contact Safesell Exhibitions on (0737) 814084.



# BRING WORK HOME WITH NEW A3000 OFFICE SUITE

A NEW A3000-based home office package, priced at just under £650, has been launched to cater for the home office and small business user.

Acorn distributor Bonsai Lightning and Devon-based Minerva Software have combined to produce a special package, called the Home Office Suite, which includes a BBC A3000 and Minerva's Desktop Office software.

The latter is a fully integrated suite of database, wordprocessor, spreadsheet, charts and communications for the A3000/Archimedes. Data can be transferred between the programs, making the package a useful choice for education, small business and home use.

To coincide with the Home Office Suite launch, Minerva has produced a new version (1.01) of *Desktop Office* which includes several new facilities.

In the *DTOWord* wordprocessing section, previewing a

document will pause at the end of each screen to make reading easier. Page breaks are also shown when previewing documents and there are two new commands to control italics.

In the *DTOBase* database section, marked cards may be selected and deselected using the option on the main menu, as well as the Select option in the submenu. When setting up



a search, you can now place comparison operators in the fields to check for ranges in various ways. There is also a specialist labelling facility.

lan Goodall of Bonsai Lightning, which is handling distribution to dealers, told BAU: 'We have been looking at producing a package like this which fits between the basic A3000 and the Learning Curve. We want to appeal to the home and small business user and possibly tempt BBC Master and model B owners to consider trading up to the A3000 for home use.'

The Home Office Suite costs £649 and, for those without a monitor, a built-in HCCS TV modulator is also available for £39.95.

Anyone wishing to purchase the package should contact their nearest Acorn dealer, who can contact the Acorn division of Bonsai Lightning on 081-963 1399.

#### TECHNO-I DIGITISES

**TECHNOMATIC** has released what it claims to be 'one of the most advanced video digitisers currently available'.

The new Techno-I card, with Risc OS multi-tasking software, allows the user to grab a picture from a video source (TV, video recorder, etc) and convert it to a sprite which can then be dragged to other applications, such as art or DTP packages.

Unlike simple RGB video digitisers, Techno-I handles colour in 25 bits, with seven bits luminance and 18 bits chrominance. The on-screen viewfinder displays live colour or monochrome in real-time, can be either 1/16 or 1/4 screen area, and can be offset vertically and horizontally under user control.

Frame buffer resolution is up to 512 × 512, with programmable vertical and horizontal resolution.

Complex frame manipulation features are built into the hardware, including options to grab the current, previous and last completed frames.

The Techno-I costs £249 for the Archimedes 300/400 series and £279 for the BBC A3000. Contact Technomatic Ltd, Techno House, 468 Church Lane, London NW9 8UF. Tel: 081-205 9558.

#### I/O A3000 EXPANSION

UNILAB has developed an A3000 expansion unit which provides the essential BBC-type sockets. The I/O Box 3000 plugs into the expansion connector on the back of the A3000 and provides three user ports, an analogue port and a 1MHz bus. All the user ports are bi-directional and one has the same number of pins as the BBC printer port. The unit costs £77.58.

For further details contact Unilab on (0254) 681222.



#### ARC INTO UNIX WILL GO

**IN A BID** to integrate its standard hardware products onto campus-wide Ethernet networks, Acorn has launched a low-cost Network Gateway Starter Pack. Using an Acorn R140 Unix workstation as the gateway, the package also includes a licence for Acorn's TCP/IP Protocol Suite, providing existing Archimedes systems access to the campus Ethernet. Thick and thin Ethernet and Econet connectors and a range of networking software, including ONC, NFS and TCP/IP are pre-installed. The Network Gateway Starter Pack is priced at £2499.

• Meanwhile, Acorn has also announced a special discount on its Unix platform to lecturers, research staff and academic support staff in further and higher education establishments. Until the end of June, they can buy an Acorn R140 Unix machine for £90 per month, spread over two years. Around 47Mb of compressed software includes full implementation of Unix (BSD 4.3 with System V extensions), X-Window System (version 11), C and Bourne shells and tools, Ansi C and Fortran 77 compilers, programmers and documenters tools, plus a range of connectivity software.

• New software has also been released which allows users of the Archimedes to connect their machines to a network of Unix workstations running the industry standard X Window System. X software from Gnome Computers Ltd, developed in conjunction with Acorn, provides a low cost means of turning an Arc into an X terminal. If loaded onto a BBC A3000, for example, a colour X terminal can be established for under £1500. X comes on a standard 3.5 in floppy disc and costs £199.

For further information on all these Unix developments, contact Acorn Computers on (0223) 245200.

# RELEASES OF ARC-PCB

**NEW RELEASES** of *Arc-PCB* from Silicon Vision provide more PCB layout and schematic drawing possibilities.

Arc-PCB Professional V3.1 supports are and circle drawing for silkscreen and annotation, curved tracks for analogue design, layer swap operations, scaling of components, and so on. The top of the range Arc-PCB Schematics V4.1 includes many of the above, plus schematic drawing. V3.1 costs £375 and V4.1 costs £575. Contact Silicon Vision on 081-861 2173.

# Announcing a new era in word processing... EasiWriter for the Archimedes

EasiWriter is a full featured, WYSIWYG multi-column word processor designed specifically to work with RISC OS.

Created by the same team that wrote MacAuthor – the word processor used to write *Tomorrow's World* and by Douglas Adams to write and typeset *Dirk Gently's Holistic Detective Agency* – EasiWriter sets new standards in ease of use and quality of output on the Acorn Archimedes.

#### Power with ease of use

EasiWriter can be used as a basic wordprocessor for writing short documents, yet has the flexibility to produce complete books or multicolumn layouts incorporating sprites and Draw files created by other Archimedes applications.

#### **User friendly**

Unique, on the Archimedes, to EasiWriter is a powerful **Undo command** that lets you undo your last action, anything from typing to changing the document's margins.

#### Table editor

Creating attractive tables has never been easier. It's as simple as pressing Tab and Return – no need to set tabs. EasiWriter's built–in intelligence does the rest, automatically adjusting the width of columns as you type.

Production of Hog (thousand metres)	Casings	3				
	1985					
	Jan-Mar	Year				
Farm manufactured	67.2	255.0				
Abattoir manufactured	1 92.0	290.3				
Synthetic	98.5	1,127.1				


#### Multi-lingual

EasiWriter can hyphenate in all the major European languages and with optional dictionaries can spell check mixed language documents.

#### **Borders command**

Any part of an EasiWriter document can have borders added in a variety of styles and line thicknesses.

Rules between columns, sidebars, shadowed boxes – all can be added with a click of the mouse.



#### Structures

EasiWriter introduces a powerful new stylesheet capability for formatting entire structures – chapters, sections, lists, tables, pictures and figures.

	Section Format
Heading P	osition: 🔲 🔠 🔳
Columns — Number:	3 V O Balanced
Separation	0.25 in Justified
Sep. none	
The second second	tion on next page ndentation
Columns:3	+ Column rule:On + Heading + Page alignment
Cancel	Delete Changes   OK

For example a section style can control the position and type specifications of both its heading and paragraphs, the number of columns and separation rules between them, even its language.

#### Multiple columns

You can have up to nine columns anywhere in a document.

EasiWriter can automatically balance the text between them, keeping the length of each column the same, even as you type.


For even more professional results columns can be vertically justified.

- ☐ WYSIWYG word processor using outline fonts.
- Multiple columns.
- ☐ Headers and footers can be multi-line, multi-column and include graphics.
- □ Styles for emphasis, paragraphs and structures.
- ☐ Keyboard short cuts.
- □ Powerful multi-lingual spell checking – British dictionary supplied, other languages available.
- ☐ Hyphenates in all the major European languages.
- ☐ Left, right, centre and user definable decimal tabs.
- ☐ Insert date and time.
- Undo, redo commands to correct both editing and formatting mistakes.
- ☐ Revert to last version saved command.
- ☐ Search and replace.
- ☐ On line help.
- ☐ Multiple documents can be open at once.
- ☐ Cut and paste between documents.
- ☐ Automatic bulleted lists.
- ☐ Automatic table generation.
- ☐ Figure structure to add a caption to a picture.
- ☐ Documents can be scaled from 10% to 999% of full size for page preview and easy editing.
- ☐ Graphics can be in-line or in frames and can be scaled and cropped.
- ☐ Change case between Upper, Lower and Initial caps.
- □ Coloured text.
- ☐ Supports RISC OS printer drivers.
- ☐ Requires 2Mb Archimedes with outline fonts.

EasiWriter was developed in association with Acorn Computers.

£150.00 + VAT (£176.25 inc)

# Turbocharge your Network



Since completing development work on Econet Level 4 for Acorn, our Network Development team has devoted its attentions to the remaining problems concerning the use of Archimedes on Econet, namely, the delivery of large applications quickly into machines, efficient network printing and effective application management in the classroom.

Our solution, CLASSROM (previously known as 'Project X') will be shown for the first time at the Access IT conference at Nottingham University from the 5th to the 6th of July, but to whet your appetite, here a just a few of the outstanding features of our new system:


- ☐ Full security system to protect applications from being tampered with.
- ☐ In recent tests we loaded !Impression simultaneously into 10 machines in only 5 seconds.
- ☐ Efficient network printing.
- ☐ Full Network facilities not simply a shared hard disc system.
- ☐ Utilises your existing Econet cabling and interfaces, AND leaves the A3000 internal expansion bus free for User/Analogue ports etc.
- Allows remote starting of applications from a master machine to ease setup at the start of lessons.
- Substantially better performance than Ethernet or shared hard disc systems.
- Minimum available application delivery bandwidth of over 6 Megabytes/second on a 10 station network - a figure that INCREASES with the addition of extra stations.

If you are interested in Archimedes on networks, do not miss this exciting solution to your problems.











with

CLASSROM





### **WEATHERING THE STORM**

THE SUN was definitely shining on the Weather Reporter when it was honoured with the Silver Award in April at the Geographical Association Conference in Manchester.

On presenting the prize the Geographical Association noted that the automatic weather station, developed by Unit Advisory the for Microtechnology in Education together with Hardware Design, was 'an original item of equipment that should make an important contribution to remote sensing and weather interpretation'.

The station looks something like a television aerial, and is relatively easy to install. It works on the BBC B or Master and the Archimedes/A3000 computers, and gives similar readings to Meteorological Office data. However it does not need to be continually plugged into a computer, as the equipment's processor automatically records detailed weather data - wind speed and direction, hours of sunshine and daylight, temperature and rainfall - from the last 60 hours, and daily weather summaries over 60 days.

Whenever you wish to view the weather data you simply attach the serial lead from the Weather Reporter to the computer. The Weather Reporter software will then allow you to display the current weather data on screen, or to download the accumulated information from the processor to a disk. The software can also be used to analyse and display the readings in different ways. The downloaded data can be saved in appropriate formats for use on various machines.

The producers hope to have a new module ready by the end of the year that will measure and record atmospheric pressure and humidity.

The package costs £295, and will be of particular interest to teachers of geography, science, maths and technology at key stages 2, 3 and 4.

For further information contact Diana Freeman at The Advisory Unit for Microtech-



nology in Education, Endymion Road, Hatfield, Hertfordshire AL10 8AU.

#### LINE TO THE STARS

Electronic mail, bulletin boards and a database are just some of the facilities available on a new comms system set up by a Norwich school.

Based on an Arc running BB software, Star Net provides an on-line link between all Norfolk schools but, says Paul Welbank of Eaton School's IT department, 'at this stage any school in the country is welcome to log on'. Although contact has been established with French and German schools, Paul would welcome calls from more schools in Europe and beyond.

The IT Department previously ran a viewdata type system before concluding that it was unsuitable for transferring substantial quantities of information. Neither did it have a proper Email function.

According to Paul, 'the system we have now set up is not far behind Telecom Gold in terms of its Email facilities and is capable of handling hundreds of users around the county's schools'. It is also open to the general public.

Files can be up- and downloaded with ease. Primary and secondary schools are currently using the system for information exchange and it is

being utilised to transfer text and digitised images for collaborative newspaper projects.

Staff at Eaton are building a database of textual material which pupils can search and add to on-line, and special interest groups can set up their own message, database and file areas.

To access Star Net you need a computer, modem, telephone line and scrolling text terminal software. The number is (0603) 507216. Contact Paul at Eaton School, Eaton Road, Norwich NR4 6PP for details.

#### PRACTICAL IT

The London borough of Havering has published a comprehensive report on integrating IT into the primary curriculum. It identifies the main areas of IT for schools within a framework comprising creative skills, communication, control and information handling, and outlines strategies for incorporating these into a topic based curriculum.

By such means they explore the 'implications for providing a meaningful IT provision' in a situation where teachers are generally overworked, and there is limited pupil access to the computers.

Contact Gill Lock at the Educational Computer Centre, Tring Gardens, Harold Hill, Romford, Essex RM3 9QX.

Sharon Halpern

#### **NEWS IN BRIEF**

● IN CONJUNCTION with an archaeological officer from Cornwall County Council, Sherston Software has released Arcventure, an archaeological expedition into Roman times.

Pupils have to locate and identify 'finds' in a dig carried out in a Roman villa. The finds are then reconstructed on the screen in their original state.

Including draw and sprite files of Roman objects and people, it costs £29.95 and runs on the Archimedes/A3000. Contact Bill Bonham at Sherston Software. Swan Barton, Sherston, Malmesbury, Wiltshire SN16 0LH.

 LITTLE Red Riding Hood, aimed at five to eight-year- olds, takes the user on a journey with Red to her Grandma's house. The adventure requires number skills, money awareness and logic.

Designed for the Archimedes/ A3000 the pack also contains ideas for related activities, and photocopiable masters, and costs £14. Contact Selective Software at 64 Brooke Road, Street, Somerset **BA16 OPP.** 

LTS HAS recently released Ecos and Discover. Ecos provides access to a simulation of the world's ecology and economy and can be used at varying levels in geography and science lessons among others. The standalone version costs £32, the network version is £57.

Discovery is a text disclosure program for use in language lessons, and includes foreign language characters. The standalone version costs £25 and the network version is £20. Both programs run on the A3000/Archimedes. For further information write to LTS at Haydon House, Alcester Road, Studley, Warwickshire B80 7AN.

- TWENTY ONE photocopiable activity sheets and a teacher's guide comprise Longman Logotron's Logo Activity Sheets. Providing a range of simple activities it aims to help teachers tackle the Logo attainment targets in the National Curriculum. It costs £12 and is available from Longman Logotron, Dales Brewery, Gwydir Street, Cambridge CB1 2LJ.
- DIARY DATE: visit the National Micros for Special Needs exhibition in Oldham from October 1-3 1991. For further details contact Northwest Semerc on 061-627 4469.

# oftware

# Credit cards not debited until orders fulfilled Up-to-date stock - no obsolete versions

# add 171/2% to the total price, except for the zero-rated items marked V0. E.g., £100 x 1.175 = UK customers please

# Carriage Free in mainland UK if you pay on ordering. £117.50.

Overseas Add £6 (Europe) or £12 in your own currency). ance at cost. (Add £10 + 1% of card we will add airmail and insureach. If you are paying by credit Eurocheques not exceeding £100 the total price if you can only pay bank draft payable in England, or item if paying by pounds sterling (elsewhere) for each software

Official orders welcome. Pay-Credit cards are welcome. The date of your card, and your calcunumber (home will do), the expiry machine include your telephone leaving an order on our answering credit card company. If you are goods must be as known to the name and address for delivery of lation of the total payment due.

ment charges.

Site licences Please enquire if subject to carriage and late payment due in 14 days. Invoices

All products, prices and specifino price is shown.

and are subject to change without notice. Your order will receive our cations are offered in good faith Bunnea pliers attention immediately, but supsometimes keep

Goods are guaranteed but we do not supply them on approval

### BET Basic Editor and Toolkit **ELECTRON SOFTWARE** BBC / MASTER /

Desktop Office Desktop Enhancer Desktop Publisher

Designer Intro Decorated Alphabet A

MicS £17

(including Reader)

Lon £109

Vordpower pellmaster rom owerfont NTQ

- site licence (extra

- extra manual extra rom

ARCHIM

SOFTW

- rom in cartriage

- rom module

ICS £19

4					Aco £125	-	r Oak £77	it prices.	ilways try to	please ask for	ARE	EDES		V0 £7	100	5			CS 125	
<ul> <li>Newhall / Starter / Symbol</li> </ul>	Font Pack	- site licence (total)	FORTEX	Flying Start II	FLEXIFILE V	First Words and Pictures Cha	Financial Accountant	Film-Maker	Expression-PS	Euclid 2	E-Type	EQUASOR V	Easiword	DTP Seeds	DTP Graphics 2 (Colour)	DTP Graphics 1 (Mono)	Drop Ship	- site licence	DrawBender + Fonts	Disc Lieb
mbol	Aco		Dat	M		Cha	Si	Si	CC	Ace	415	CC	M 5	4ma	MicS	MicS	4th		CS	MIL
		£70	63	683	£101	£19	£204	£75	£19	£52	£15	£41	£31	83 ov	£17	£15	£15	£50	£12	157

Cnowledge Organiser Keyboard Player andmarks

Cla Lon

SCHEM

RISC OS S RoboLogo

If it's not on the list,

a quote. We will a

match the bes

ARC-PCB
- Professional

Sil

£276

each £41

Maps and Landscapes 1 Cha

Spark Speech! SolidTools

Sup

£16

Magpie

Level 4 File Server Letters and Pictures

World War / Victorians each £18

Cha

Sigma She

ShowPage ShareHold Score PM: School Ad

Aco

£189

SolidsRen SolidCAD - Egypt / Rain Forest / Second

Apocalypse ArcComm 2 ACCOUNTS ANSI C Release 3

ABC Basic Compile

Archway 2

# No carriage charges on UK cash orders RETAIL PRICE LIST

# 22nd May 1991

# ICS, Dept ACU18, 10 Frost drive, WIRRAL, Merseyside, England, L61 4XL Fax: 051-632 3434 Tel: (

BREVIATIONS	Cla	Clares	Min	Minerva
	0	Colton	Oak	Oak
Ace	ComT	Computer Tutorial	Pana	Panasonic
Acorn	Dat	Data Store	Pand	Pandora
Apricote	Dig	Digital Services	₽	David Pilling
Armadillo	Emr	EMR	Ser	Serial Port
Arnor	Gra	Graphics Factory	Si	Silicon Vision
Arxe	Hum F	Human-Computer	Sim	Simtron
Atomwide		lan Copestake	Spa	Spacetech
Autodesk	Ife	IFEL	Sta	Star
Baildon Electronics	ot	lota	Sup	Sup Superior Software
Beebug	Kad	Kador	Tec	TechSoft
Calligraph	5	Lingenuity	4ma	4Mation
Canon	Lon Lo	ngma	4th	Fourth Dimension
omputerConcepts	MicP	Micro Power	0	Draw format
Chalksoft	Mics	Micro Studio	0	Paint format
Circle	Mid N	Mid Midnight Graphics	10	V On special offer!
Citizen	Mit	Mitre		-

_	_	_	_	_	_	_	_	_	_	_	-	_	_	_	_	_	_	_	_	_	_																
DataVision		Cross-32 Meta-Assembler	Craftshop 2	Craftshop 1	Concept Designer	- Arc/Mac Cable	Colour Screen»Mac	Clip Art D	Clip Art A	<ul> <li>Extra Missions</li> </ul>		Children's Graphics DA	Chess 3D	Charts & Graphs	Business Supplement	Boogie Buggy	Autosketch CAD	Atelier	Artisan Gallery	Artisan II	Armadeus	Cit Citizen		a Cha	Computer	Can Canon	Cal Calligraph	Bee Beebug	Baildon E	Aut Autodesk	Ato Atomwide	Arx Arxe	Arn Arnor	Arm Armadillo	A	Þ	Ace Ace
S	Bai	er	4ma	4ma	Lon		Hum	Mid	Gra		4th	Mics	Mich	ComT	CC	4:5	Aut	Min	Cla	Cla	Cla	Mit	3	MicS	MicP	١٥	Lin	Kad	lot	Ife	S	Hum	Gra	Emr	Dig	Dat	Co
f114	£175		£28	£28	£22	£24	£90	£28	£19	£15	619	616		T 617	£45	619	693	£67	£16	£44	£59		d Midni	S	P 1	n Longm		<b>a</b>						_			크
Hyperbook Electronic Library	Hyperbook Reader	House of Numbers	Hotlink Presenter	Holed Out	History Costume	Hearsay	Hard Disc	GraphBox	GerberPlot	- education price	Genesis II		Gate Array	Gammaplot	Fourier Analysis	Fortran 77 Release 2	Pembroke	- Avant G	Font Pack	SymbolB, Vogue)	Font Pack 1 (Paladin, Swiss B	Mitre	Mid Midnight Graphics	Micro Studio	Micro Power	Lon Longman Logotron	Lingenuity	Kador	lota	IFEL	lan Copestake	Human-Computer	Graphics Factory	EMR	Digital Services	Data Store	Computer Tutorial
Electronic L	Reader	umbers	senter		tume b		Hard Disc Companion			on price			Gate Array Design/Teaching	ot	ilysis	Release 2	æ	<ul> <li>Avant Garde / Bookman /</li> </ul>		Vogue)	(Paladin, S		V On sp	ס	Ð	4th Four	4ma		•	Sta	Spa	Sim	Sil	Ser	₽	Pand	Pana
ibrary	Lon	Cha	Lin	4th	MicS	Bee	Bee	Min	S	2	Oak	Sil	ching	Min	Arm	Aco	each	cman /	CC	Bee	wiss B,		On special offeri	Paint format	Draw format	Fourth Dimension	41	Tec	Superior Software		Spac	Sir	Silicon Vision	Seria	David Pilling	Pa	Pana
	£47	£19	£43	£15	£17	£51	£35	£61	£92	663	£114	£114		£52	160	£82	£29			£43			ffori	ormat	ormat	nsion	4Mation	TechSoft	ware	Star	Spacetech	Simtron	/ision	Serial Port	Pilling	Pandora	Panasonic

Printer Driver, RISC OS Presenter II Presenter Story Presentation System

Ace

S 5.5 £149 £36

- Epson / Star / Citizen colour £13

3	Ace	4th	S Z	4ma V0 £8	MicS	MicS	4th		CS	Mit	Aco	188	Mit	Tec	
210	£52	£15	£31	83 ov	£17	£15	£15	£50	£12	£37	£112	£96	£26	£75	
	Jigsaw	Jiglet	Investigator 2 ISO C Devt System	Interdictor 2	Inertia	<ul> <li>extra manual for sites</li> </ul>	- site licence		IMPRESSION JUNIOR V	<ul> <li>extra manual for sites</li> </ul>	<ul> <li>extra hardware key for sites £15</li> </ul>	- site licence	- network version	IMPRESSION 2.1 VCC £126	
	4ma	4ma	Ser	Cla	4th			CC	OR V		for site			VCC:	
	£28	€26	£23	£27	£15	V0 £7	£435	893		83 ov	S £15	£545	£650	€126	

			-
Maps and Landscapes 2	Cha	£19	
Mark Master	Cha	£67	
Mogul	Ace	£17	
Movaword	Cha	£17	
MultiFS	Arx	£28	
Multistore version II	Min	£197	
Nevryon	45	£15	
Note Invaders	Cha	£17	
Numbers and Pictures	Cha	£17	
Numerator	Fon	£65	
Numerator Chaos	Fon	£18	
Office Tools	Si	£276	
Olympics	415	£15	
Drrery	Spa	£92	
Ovation	Вее	£78	
Payroll	Z 5	£129	
endown	Lon	£50	
- Extra Outline Fonts	9	£18	
ersonal Accounts	P	£23	111
ipeDream 3	00	£118	
rate	Cha	£17	
oster	4ma	£79	
owerband	4th	£19	
rehistoric Animals P	MicS	£16	Т
remier	Cir	£71	
- DataBase	S.	£25	55 11 15
- WordProc	Cir	£25	

	CE	0	
+101C+	£278	Sil	
A-slot A	£109	Sil	der
ABMS	£109	IIS	
OIVIO A		4ma	
OVAP V	£53	M 5	et
70104	£125	CC	
V210 4	£139	IIS	er
70107		Emr	0,
ASOCO	£69	Min	ministrator
A3000	£91	Cla	7
+	£75	Sil	
+1	Aco VO £11	Aco	tyle Guide
Fi	Aco VO £75	Aco	ce Manual
ME			rogrammer's
	Udk L49	Cak	

1 -1 1 1 1 1 1 1 1		
PRINTER	£25	C
	£25	Cir
# 3t 44010 1 103	671	Cir
st Word Plus	£16	MicS
World Wildlife P	£19	4th
	£79	4ma
World Geography Map:	£17	Cha
Words and Pictures	£118	Col
Wimp Game	£23	Apr
A CINIOC CODIC	£18	Lon
Archae Cable	£50	Lon
ViewiMac 3	£129	Min
Utility Disc 2	1,0	0
Utility Disc 1	578	Spa
- site licence	215	455
Window Organiser)	£276	Sil
TWO (Task and	10	-
Tween	210	3
Iracker	665	9
Tracer	£17	Cha
Touch Type	£17	Cha
Tools Graphics D	£15	414
Toolkit Plus	£197	Min
Timewatch	£28	Arx
l imetabler	£17	Cha
- Stell Della Flus II	£17	Ace
System Dalta Bland	£67	Cha
Super-Dump	£19	2 Cha
Studio 24 Plus	1234	100Z 1Z34
- Econet or site licer	200	3
SUCIMHEL V	-	

Lasser Direct LBP-8 8 ppm 600 dpi including toner CC £1340 LBP-4 4 ppm LC24-10 32k ram card Sta £61 Swift 24 Colour 675 Bebuit Canon Toner carridge £45
---

rckey		Ξ
	0	S
	ORGANISER	UNCTION
	N	2
	SE	KEY
CS	R	TS
30V		STRIF

# tting extra unless stated MORY, ARM3 ETC

above including fitting 2Mb # 2Mb t 4Mb t Fitting requires expertise layer Backplane Ife 00/1 / A440 / R140 bove including fitting EPOA Ife Ato £243 £215 £259 £POA

								٠,٠	•	٠,	Ĭ				-			ω	7		•						
1 st Word Plus	World Wildlife Þ	World Geography Maps	Words and Pictures	Wimp Game	<ul> <li>Arc/Mac Cable</li> </ul>	ViewnMac 3	Utility Disc 2	Utility Disc 1	- site licence	Window Organiser)	TWO (Task and	Tween	Tracker	Tracer	Touch Type	Tools Graphics D	Toolkit Plus	Timewatch	Timetabler	System Delta Plus II	Super-Plot	Super-Dump	Studio 24 Plus	<ul> <li>Econet or site licence</li> </ul>	SQUIRREL	Splice	Spelling - week by week
Aco	MicS	0	Cha	45		Hum	Dat	Dat		S		Ace	Ser	M	ot	MicS	Cla	Z.	N 5	M 5	Sil	Si	Em	CD	Dig 1		Cha
893	£24 £16		£17	£15	£24	665	£13	£13	660	£19		£25	£40	£48	£41	£24	£37	£25	£575	£54	£32	£24	£149	£475	£102	£25	619
	12111	_	_							_	-	_	_	_	_	_						_	_				_

TOURIEDO	U		
cLaser	Cal	£906	
ubble Jet BJ-10e	Can	£276	1111
<ul> <li>Sheet feeder</li> </ul>		£54	
ubble Jet BJ-300	Can	6399	
ubble Jet BJ-330	Can	£469	
(-P1123	Pana	£199	
- 32k ram for KX-P1123 / 4	3/4	£20	
(-P1624	Pana £369	£369	
iser Direct Qume	CC	9583	
iser Direct LBP-4 Card CC		£309	
ser Direct LBP-8 8 ppm	3		
600 dpi including toner CC		£1340	1
P-4 4 ppm	-	£750	7
24-10 32k ram card	Sta	£61	
vift 24 Colour	Ct	£279	
built Canon Toner cartridge	ridge	£45	
chimedes parallel printer cable £8	er cab	le £8	

IDEA3EX40 etc

Disc Buffer Board)

sion slot; can combine with PRES

Fitting if required

prices as IDEARCEX40 etc + £10 tting if required £25

- quantity of 4 V0 €10

Fitting is straightforward

ewatch Mit f	netabler Min £5	tem Delta Plus II Min f	er-Plot Sil t	er-Dump Sil t	dio 24 Plus Emr E	Econet or site licence £4	UIRREL V Dig £102	ce Ace 1	lling - week by week Cha 1
525	£575	£54	£32	£24	£149	£475	02	£25	£19

Tra	To.	10	0	10	1 1	_	Sy	Su	Su	Stu		SC
Tracker	Tracer	Touch Type	ols Gra	Toolkit Plus	Timewatch	imetabler	stem [	Super-Plot	Super-Dump	Studio 24 Plus	Econ	SQUIRREL
		Pe	Tools Graphics D	Sn	유	oler	System Delta Plus II	×	m d	Plus	et or s	IEL V
			Ð				ll Snlc				- Econet or site licence	9
Ser	Mid	lot	Z	C	Mit	Min	Min	Sil	Sil	Emr	ence	D
			MicS			1000					1	9 5
£40	£48	£41	£24	£37	£25	£575	£54	£32	£24	£149	£475	Dig £102

	at	at		•	ń	0	3	er	ā	7	S	a	=	5	•
No. of the last	£13	£13	100	660	£19	-	525	£40	£48	£41	£24	£37	£25	£575	ξ
IDEARCINOON	IDEARCIN120L	IDEARCIN80L	IDEARCIN40L	IDEARCIN40	IDEARCIN20S	upgrade	PHILIPPIN SAME ONCHORMON	A300/400/E00 and	you do use one it must be a four	will require. A backplane is o	controller card, a fan (wh	Our 'upgrades' are fully	disc mounted directly on the cor	external case, sharing the same	indicates a 1 inch high disc: two
15me	19ms	19ms	25ms	28ms	23ms		Dillam C		nust be a	backplane	a fan (	are fu	tly on the	ing the sa	high disc:
2	17	n	17	n	D			3	four	is c	\$	Ì	000	me	WO

1000	101110	DECINEDO TOTAL
6830	15000	DEARCINSON
£549	19ms	IDEARCIN120L
£389	19ms	IDEARCIN80L
£309	25ms	IDEARCIN40L
£269	28ms	IDEARCIN40
£475	23ms	IDEARCIN20S

IDEA3IN40 (ready June?) IDEA3IN60 (ready June?) Fitting if required	A3000 fully internal upgrade	IDEARCEX120L IDEARCEX200	IDEARCEX40L	case or racking system) IDEARCEX40 28m.	<u>upgrade</u> (May also be fitted to A3000 external expansion slot using a podule
June?) June?)	al upgrade	19ms	25ms 19ms	system) 28ms	to A3000 ot using a l
EPOA EPOA E25	£375	£935	£449 £499	£395	exter- podule

(External drive using internal expan-	A3000 external upgrade	Fitting if required
xpan-		£25
	ICS Task	Recomm

ICS T	Reco
Task &	mmen
Window	ted fo
w Organi	eas.

comparing hard disc prices

# Ist Word Plus First Fonts ICS FONTS

Please ask for details of our range Wordpower Power Fonts PipeDream PipeDrivers

most printers. For example: of Symbol Sets and Typefaces for itar LC-10 typefaces

Raby, Shadow, Universal Black, Caldy, Outline, Pensby, £19

or dot matrix printers with more ipeDriver Dot 1 size and line spacing etc fonts, ink colours, variable print what to do with - provides access to resident and download features than PipeDream knows

# ODDULES

Oddule Adaptor (needed with your first Oddule unless you have an I2C socket) Bai

# ARD DISC PRODUCTS

number at the end of a product name is the capacity in megabytes. An L BARGAI ntroller card.

controller card. An S indicates a 21/2 inch wide of these may be fitted in the same cradle or guaranteed and include the

-layer type. ptional with the A310 internal upgrade, but if ere needed), and everything else you IdeA

IDEA40L	40Mb	25ms	£219
IDEA80L	80Mb	19ms	£309
IDEA120L 120Mb	120Mb	19ms	£459
A3000 accessories	essories SPE	A3000 accessories IC PLINTH SPECIAL I & £18	£18
ideA controller cards and	oller card	sand	
accessories	ries	7	
En lise	1	חבר ווכם יווילה וחבר מולים	1

ideA controller cards and accessories accessories (For use with your own IDE hard discs; we can only accept responsibility for performance with discs we have tested ourselves)  IDEARCIN Acrimentes theren £110	A3000 accessories IC PLINTH SPECIAL 1 & £18
--	---

For use with your own IDE hard	a	
discs; we can only accept respon-	pon-	
sibility for performance with discs	discs	
we have tested ourselves)		
IDEARCIN Archimedes Intern £110	£110	
DEARCEX Archimedes Extern £140	£140	
DEA3EX A3000 External	£140	
Internal hard disc cradle kit	£15	
Fan kit (Standard)	£10	
Case with power supply & fan £125	£125	
Fan kit (A3000 Internal)	£15	
Recommended for backing up Beebug Hard Disc Companion	£35	
Recommended for ease of use	3	

## Tel 051-632 1234 Beware of hidden or missing extras, such as fans, when

# Seal 'n Type (spill-proof)

KEYBOARD COVERS

- A3000	Kad	£14	
SCANNERS	ERS		
can-Light A4	3	£341	
- as above + Sheet Feeder	Feeder	£432	
can-Light Junior	8	£175	
- A3000 version (internal)	ternal)	£175	
can-Light Junior 256 CC	S	£210	
- A3000 version fin	ternall	6310	

# From our postbag

- Just received TWO marvel us for time saving. \*\*
- ool. As though I've sudden! DrawBender – TWO is the best thing I've ever ime across a new and unex

ored area, very refreshing. \*\*



#### **SPEEDY COMMS TAKES OFF**

HIGH speed modems are not only becoming more common, but the prices are also rapidly falling, reflecting a more competitive market.

Whilst only a few months ago you had to spend over £1000 for the luxury of 9600bps (v32) the first v32 modem to break the £500 barrier was launched by Dataflex Design in April.

The Rapier modem was initially supplied as a PCcard, but standalone versions should now be available. A pocket version is also being developed. Of course you still get all the standard speeds (v21,v22 and v22bis) but there is no support for 1200/75. Full Hayes command sets and error correction up to MNP level 5 are included. Dataflex also offers v42 error correction v42bis compression. and Prices start at £499.

Bradford based Amber Logic has also unveiled a v32bis modem. Its Mistral range offers the same features as Dataflex's Rapier modems and also offers v29 and v27 half-duplex fax modem standards, MNP5 and v42bis error correction and compression are also supported, although the modems themselves are likely to sell for around £900 for a standalone desktop model. Contact Amber Logic on (0274) 585483.

Racal-Milgo announced a new range of v42bis Maxam modems. The Maxam IV+ costs £399, and for this you get speeds of up to v22bis including v23 (1200/75). For £799 you get its flagship model, the Maxam V+, which offers v32. All models feature MNP error correction and compression, and enhanced Haves command sets.

already Racal-Milgo is working on a v32bis version to add to its range. According to the company its MNP compression is more efficient than other modems, due to the way compressed data is passed into the data pump. Until recently, MNP was considered to be the ultimate option for modem



owners. Now, the availability of v42 means that even MNP5 is looking rather old hat. It is more intelligent than MNP5 and recognises different types of data. This means that a file should never end up longer than the original, whereas when sending a compressed file via MNP5 you can quite easily end up making the file longer than the original.

So far, one of the few BBC orientated BBs supporting v32 that I have found is Hendon College of Higher Education BB on (0443) 733343 (scrolling,8N1), so if you have access to a high speed modem, why not give it a call?

#### **PROCRASTINET**

Procrastinet is a Beeb based bulletin board run by James Coates of Ludlow Sixth Form College. Catering for BBC owners and music enthusiasts, it has large download and special interest areas, including active mail areas. James is trying to organise a Music Network based on Procrastinet. This way numerous BBs can share and pass around music downloads, either for the standard Beeb or for the Music 500/0 range of add-ons.

It is hoped that a 'Net-Mail' protocol will be developed to enable echoing of messages from one BB to another. Interested Sysops (system operators) can contact James, who will send out more details.

The Yorkshire Boys, who have their own section on Procrastinet, are building a name for themselves by writing some excellent PD demos for the Beeb using sampled sound. Quite a few downloads are available which proves that the BBC scene is still very much alive and kicking. Try Procrastinet on (0584) 876012 (viewdata, v21/v23). Users of Procrastinet, and non-modem owners, can obtain a comms related PD magazine, also written and published by James. More details can be found by logging on to Procrastinet and sending a message to James.

#### DECODED

People often confuse the various v codes, and which modems offer which speeds the most common ones are listed below for reference.

Paul Vigay

v21 = 300/300bps

v22 = 1200/1200 bps full duplex v22bis = 2400/2400 full duplex

v23 = 1200/75 hps

v26 = 2400bps, private lines only v27 = 4800bps for leased circuits

v27bis = 4800bps (equalised) for

leased circuits v27ter = 4800bps for PTSN (pub-

lic BT lines)

v32 = 9600bps for PTSN v42 = error correction and com-

pression to give 9600bps

#### **NEWS IN BRIEF**

- NOW FAX users can turn green with a range of re-cycled fax paper from Kaleidoscope. Kaleidoscope claim its new paper, simply labelled Reclaim, performs perfectly in all makes of thermal paper fax machines at no extra charge.
- OWN A FAX can't afford a separate line? You need a Faxphone 1000 which automatically switches between voice calls and a fax machine connected to the same phone line. Developed by Switch Electronics Ltd it is currently awaiting BABT approval. All necessary leads and a mains adapter are included in the price of £149.50. Switch Electronics can be contacted on (0494) 463532.
- DO YOU get lost trying to reply to off-line bulletin board messages? If so, a new program, ReaderS, should be able to help you. Written by Anthony Frost and supplied by Norwich Computer Services as part of its Careware range ReaderS lets you read and compile replies to BB messages simply and within the Risc OS desktop. You can scroll backwards and forwards through the available messages and even re-quote portions of the original text.

This simplifies the whole process of sending and receiving mail via BB and should even make your phone bills smaller if you are a frequent caller.

- FURTHER to details provided last month, I regret to say that The Rabbit Run BB has closed due to unforseen circumstances. It will hopefully re-open during the summer or early autumn. Watch this space for news.
- DO YOU run a viewdata bulletin board? If so, your board can be added to the latest UK Viewdata Directory.

Send details of your board, including its name and location, Sysop's name, telephone number, hours open, speeds supported etc, to The UK Viewdata Directory, Phantom Comms, 56 Aldham House Lane, Wombwell, Barnsley, South Yorkshire, S73 8RG.

PHANTOM BB is back on-line after a year's absence. Formed in 1986, it is one of the few original UK viewdata boards. Ring it on (0226) 340425 (viewdata 7E1). Keith Burton, the Sysop, is looking for new editors so, if you want to control your own area within the system, drop him an MBX.

#### **ARCHIMEDES**

#### A3000 PRODUCTS

**Monitor stand** (A3K1) Probably the best monitor plinth available for the A3000 & the basis of a modular system.

£24.95

System housing (A3K2) When you are ready to expand the A3000 this system housing is added, allowing up to 2 floppy drives and a hard drive to be added. £69.50

Expansion card case (A3K3) If you are adding an expansion card ('podule') to an A3000, such as a hard disc card, then you will need this podule case to connect & protect the card.

£14 95

Disc buffer (A3K6) If an extra floppy drive/s is to be connected then you will require a disc buffer. This one supports up to 3 additional drives and incorporates software control for physical to logical drive mapping & 40/80 stepping which could prove essential when using discs in 65Host or PC emulator. A key feature is the built in expansion for further cards to be added internally; also see A3K12. NB some cheaper products may only provide connection for an additional drive without buffering. £48.95

20mb hard disc (A3K7) A 20 mb hard disc drive ready to fit in A3K2, including the hard disc card and all cabling. We are not aware of any other hard disc upgrade that is treated as an internal upgrade (consult your Acorn dealer or call PRES for details).
£399.00

40 MB hard disc (A3K14) as A3K7 but twice the capacity

£499.00

3½" additional floppy drive (A3K8) 3½" disc drive & mounting brackets for A3K2.

5¼" additional floppy drive (A3K9) 5¾" disc drive & mounting brackets for A3K2 – ideally suited for 65Host or using the PC emulator.

65Host 1770 DFS & DFS Filer (A3K12) A ROM & disc upgrade for A3K6 provides — 1) a desktop DFS filer that allows DFS files to be dragged to ADFS viewers or straight into applications as Edit or Pipedream. 2) BBC 1770 DFS for use in 65Host. Automatic Icon and loader which can allow BBC DFS discs to have <SHIFT BREAK> operation. "...effectively turns your A3000 into a model B..." Acorn User Sept '90.

All prices exc. VAT



Tel: 0276 72046

"PRES's range of add-ons offers tremendous advantages. The system can grow with your pocket, it offers security and strength but most importantly it offers choice." (AU Feb.90)

The starting point is the monitor plinth, probably (we feel definitely) the best on the market @ only £24.95 (plus VAT) from there . . . System Housing, Hard Disc Upgrade, Additional  $31/2^\circ$  Disc Drive, Additional  $51/4^\circ$  Disc Drive, Podule Case, Dedicated A3000 Disc Buffer, 1770 DFS for BBC Emulator & DFS Filer for Desktop, plus more to come! (the last three products can be added independently of the other items)

Contact your local dealer or call PRES direct on 0276 72046 for advice on upgrading your A3000. We have built our reputation on honest dealing on quality products with thousands of satisfied customers.

WE STILL PRODUCE & SUPPLY OUR RANGE OF "8 BIT" PRODUCTS FOR THE electron, BBC B AND MASTER, IF YOU WANT TO KNOW MORE ABOUT UPGRADING WITH ACORN COMPATIBLE PRODUCTS... CALL FOR DETAILS.

#### SPECIAL PRICE

DUE TO A REMARKABLE PURCHASE WE CAN OFFER OUR ARCHIMEDES HARD DISC UPGRADES FOR...

#### £100.00 LESS

THAN OUR NORMAL ADVERTISED PRICES

20 & 40 MB DRIVE UNITS COMPLETE WITH THE TRIED & TESTED ST506 (ACORN) EXPANSION CARD. COMPLETE WITH ALL NECESSARY CABLING & INSTRUCTIONS FOR SYSTEM FITTING.

SUBJECT TO AVAILABILITY

BY POPULAR DEMAND WE NOW SUPPLY A MUCH WIDER RANGE OF ACORN PRODUCTS.

SO WHY NOT JOIN THE MANY CUSTOMERS WHO SAY THEY PREFER DEALING WITH US BY CALLING THE NEXT TIME YOU REQUIRE ANY ACORN RELATED ITEMS.

EDUCATION AND DEALER ENQUIRIES WELCOME

#### STOP PRESS

FOR THE MANY CUSTOMERS WHO SAY THEY WOULD PREFER TO DEAL WITH US DIRECT... WE NOW OFFER A 'ONE STOP' SOURCE FOR YOUR ACORN REQUIREMENTS. THIS INCLUDES COMPLETE A3000 SYSTEMS, A400 SERIES AND LEARNING CURVE PACKAGES. PHONE FOR DETAILS.

#### **NEW PRODUCTS**

THE S.P.A.C.E. KIT ... FIT A SECOND HARD DISC TO YOUR A400 COMPUTER.

The Missing Link (TML) ... FAST DATA TRANSMISSION BETWEEN ARCS.

FLOPPY LOCK ... DISABLES AN ARCHIMEDES DRIVE BY LOCK & KEY.

#### **COMING SOON**

TRUE PODULE EXPANSION FOR A3000.











#### AN AMPLE CREATION

I RECENTLY asked why Ample music composers tended to be a humble and apologetic lot. A new album from Ted Kirk, the man responsible for the Theory of Music programs, shatters this supposition Good for you, Ted!

His album is divided into two sections - Wishful Thinking and Instrumental - each consisting of four tunes, and comes with four A5 pages of sleeve notes.

Wishful Thinking is an integrated work which began life as a brass quintet. It has been radically re-worked, however, although it is still for five players. The first piece, Flight From Reality, is a full fivevoice fugue. Very clever, although you don't need to know it's a fugue to enjoy it. No More Drum Machines is in a modern vein but contains 7/4 and 9/4 time signatures - and no drum sounds! Son Of Superman is Ted's version of a theme (not the theme) for a superman-type movie.


The Instrumentals are even more interesting. Magic Circle contains interlocking themes, repeats and variations - tasteful stuff. Andrea's Tune is a jazz waltz - nice brush sounds here - with five improvised solos selected at random each time the piece is played. Black Hammer is an oriental heavy metal track, containing alternative solos played with a fuzz guitar sound.

Some of the pieces take advantage of the Music 3000 if attached but they will also run on a standard Music 5000 system. The album costs £3.95, and an audio cassette is available at the same price.

Contact Ted Kirk at 33 Humber Crescent, Sutton Leach, St. Helens, Merseyside, WA9 4HD.

#### PICK OF THE DISCS

This month's dip into the Archimedes SharewarelCareware bag of Norwich Computer Services' music discs brings forth Shareware 36. It contains a fix for Sound-Tracker modules which cause



exception' 'Address 'Abort on data transfer' errors. You'll know if you need it!

It also contains a rather neat, albeit very basic, MIDI recorder designed to save data from a Yamaha PSS780 portable keyboard. If you have one of these, you're laughing.

It should let you save voice and song data from portable keyboard-type instruments, saving you a fortune in Ram packs. It will also record MIDI in real-time (that is, from a keyboard as you play it) but it's not in any way a MIDI sequencer.

Careware 4 contains 18 Maestro tunes. Five are rock pieces by Queen, Supertramp and Genesis. The others are a mixture of classics, Mozart, Rossini, Gounod and Hadyn, and traditional pieces such as Narcissus and It's a Long Way To Tipperary, although some of these are very short.

It's worth remembering that Maestro files will play over MIDI but even if you don't have a MIDI interface, connecting the Archimedes' audio output to your hi-fi will greatly improve the sound. Remember too, that Maestro files can be loaded into Rhapsody (though not specifically mentioned in the manual) to give the added benefit of Rhapsody's printout and editing features.

Shareware discs cost £3, and Careware discs £7. There are also lots of other programs

available on these discs. For further details contact NCS at 18 Mile End Road, Norwich, NR47QY.

#### **MEMORY SAVER**

If you don't have Hybrid's Ample Toolbox or the SideMod utility, you may be interested in a program on the Amplinex 19 disc. It's a utility which puts Hybrid System modules such as M.PAD, M.MIX and M.STAFF into sideways Ram.

The program is menu-driven and interrogates your system disc for modules. You can create up to three banks of Rom images. Contact Amplinex at 26 Arbor Lane, Winnersh, Berks, RG11 5JD. If you haven't yet joined, send them a fiver and blank disc (plus p&p) immediately.

#### THE GENUINE ARTICLE

Hybrid has taken on the final development and distribution of Music Publisher, a scorewriting program for the BBC micro which offers automatic and authentic layout of music.

Hybrid Technology has become a division of Music Information Technology Ltd to allow them to develop new products in other areas but to ensure that the Hybrid name associated with remains Hybrid products. This coincides with a move to new premises: 88 Butt Lane, Milton, Cambridge, CB4 6DG.

Ian Waugh

#### NEWS IN BRIEF

- A FINAL reminder about The International Music Show which takes place from 10-14 July at the Olympia exhibition centre in London. The 10th and 11th are trade days, the 13th and 14th are public days and the 12th is education day. If you want to see, touch, feel and play all the latest musical instruments - be there! Contact Westland Associates Ltd, 23a Kings Road, London, SW3 4RP. Tel: 071 730 7852.
- EMR HAS been busy updating its range of music software. MicroStudio now features the automatic printing of guitar chord parts from any recorded track. This update is free to existing MicroStudio users, and is available as an update for Studio 24 Plus bringing it to V2.0H.

EMR's Music Player will play background music created with MicroStudio or Studio 24 Plus while you run any RISC OS compatible program. It costs £19.95.

EMR has also released a new disc of Studio 24 Plus music files called Symphony 2 containing music by classical composers such as Grieg, Bizet, Beethoven, Mozart and Puccini along with arrangements by groups such as Level 42, the Pet Shop Boys and Phil Collins.

I recently reported that there were plans to integrate Rhapsody files with Genesis although this has been held up by technical difficulties - that's computers for you! EMR is hoping to put EMR music into Genesis, too.

More from EMR Ltd. 14 Mount Close, Wickford, Essex, SS11 8HG. Tel: (0702) 335747.

 INSPIRATION, reviewed in March, has rapidly acquired a somewhat tarnished reputation, the early versions being rather unstable. Circumstances forced a release before the program had been thoroughly tested but the boys at Pandora have been beavering away to right the wrongs: The result is version 1.03.

Existing owners should receive a free update. If you haven't, contact your supplier or Pandora on (0273) 725536 between 10am-6pm. More about version 1.03 soon!

IF YOU have any music news, tips or topics that you would like to see covered in this column write to Ian Waugh at BBC Acorn User, Redwood Publishing, 20-26 Brunswick Place, London, N1 6DJ.

# **NEXT** MONTH

# CORNUSER

#### ANYONE FOR CRICKET?

If you go batty trying to keep track of cricket matches, this helpful database should help you sort your Gooches from your googlies

#### TOUCHTYPE

Sorry we had to hold over the review of this typing tutor from Iota - find out how we rate it next month

#### COMMS SERIES

In the final part of our series on the fascinating world of communications, we investigate 'handshaking', intelligent modems and file transfer

#### DESKTOP FOLIO

We review the long awaited interactive publishing package which is already creating great interest in the education market

> Watch out for the August issue of BAU - available July 11 1991

#### **PLUS**

#### FIRST STEPS

Our series on using the BBC A3000 continues with advice on typing in programs from our yellow pages

#### **UPGRADING THE A3000**

The second of a special two-parter on expanding the memory of your A3000 looks at 8Mb upgrades

#### **ARCCOMM 2**

How good is the revised version of Longman Logotron's comms package? Don't miss our review

#### PIECES OF EIGHT

We delve deeper into the BAU archives for more classic programs for the Beeb

#### REGULARS

- All the latest news and views from the world of Acorn
- Our ★INFO helpful advice and ideas section covering A3000. Archimedes and Beeb
- Your letters and problems
- Programs galore on the yellow pages and much more

To be sure of he coupon hand it to your scribe? See page 27

TO THE NEWSAGENT		
DEAR NEWSAGENT, PLEASE ORDER MY	REGULAR COPY OF BBC	ACORN USER

YOUR NAME

**ADDRESS** 

BBC Acorn User is published by Redwood Publishing, 20-26 Brunswick Place, London N1 6DJ. Distributed by BBC Frontline, Park House, 117 Park Road, Peterborough.

As market leaders in SCSI drives for the Archimedes and A3000, Oak Solutions has earned an enviable reputation for quality and reliability. Whilst other manufacturers may claim that their drives are 'among the fastest available for the Archimedes', we can truly claim to produce THE fastest drives for the Archimedes with sustained data transfer rates of 1.9 Mbytes per second from disc to Archimedes memory on our larger drives.

The recent introduction of the Worra Winnie range has brought the price of our SCSI hard discs within the price range of users who previously would not have been able to consider adding a hard disc to their system. And yet all drives are top quality units, at least twice as fast as conventional ST506 drives, manufactured and tested under a zero defect quality control regime and with full scope for future expansion.

The 'High Speed' range gives an extra tier of performance and additionally carries a 24 month guarantee, whilst the 'Elite' range offers the ultimate in quality and speed.

Software supplied with the SCSI card allows hard discs to be partitioned into several logical partitions, which may be write protected if required. This feature can prove invaluable in the classroom situation where applications can be stored on a write protected partition – safe from accidental or malicious tinkering – whilst still allowing a read/write partition for data and scrap files. Extra free applications now include 'Euclid', the de facto standard Archimedes 3D software package, as well as 'Disc Tree', 'RISC OS Companion' and 'Worra Battle'

The 16 bit SCSI card gives great scope for future expansion, and can support up to four hard discs, as well as tape streamers, CDROMs, WORM and Magneto Optical drives.



Please specify type of computer when ordering. Add £10 to cover P&P. Prices exclude VAT



#### Telephone for Education Prices

Oak Solutions Cross Park House Low Green Rawdon Leeds LS19 6HA Tel: 0532 502615 Fax: 0532 506868

# Oak Solutions SCSI Hard Discs with 16 Bit Controller Card

□ Over £170 worth of Free Software\*

☐ More Versatile

Plug in and go

Quality Reliability
Compatibility Performance

#### Worra Winnie Range

Internal Drives for 300/400 series		External Drives for 300/400 series and A3000	
20Mb	299.00	20Mb	344.00
45Mb	399.00	45Mb	445.00
80Mb	495.00	80Mb	545.00
100Mb	599.00	100Mb	649.00
200Mb	875.00	200Mb	925.00

#### **High Speed Range**


Internal Drives fo	or 300/400 series	External Dri and A3000	ives for 3	00/400 series
50Mb	425.00	50Mb		549.00
100Mb	625.00	100Mb		749.00
200Mb	975.00	200Mb		1095.00


#### Elite Range

#### External Drives for 300/400 series


and A3000			
50Mb	750.00	300Mb	1850.00
100Mb	950.00	680Mb	2500.00
200Mb	1300.00	Mag-Opt	4800.00

<sup>\*</sup>Drives include 'Euclid', 'Risc OS Companion', 'Disc Tree' backup software and 'Worra Battle' worth over £170






KiddiCAD works by mimicking the use of building bricks - models are simply created by placing bricks on top of one another in a realtime 3D perspective view. It really is childsplay.




# 3D Made Easy

KiddiCAD is a revolutionary new 3D CAD system from Oak Solutions, the leaders in CAD on the Archimedes.

Unlike other 3D systems, KiddiCAD has been designed specifically for use by children in the 5 to 14 age range, and completely avoids complex mathematical descriptions of planes and surfaces.



256 colours can be used within KiddiCAD, and there is an optional wire frame mode. KiddiCAD can output sprites in any mode for transfer into art packages, Genesis, DTP systems etc., and can output to a wide range of colour or monochrome printers via the standard RISC OS printer drivers.







RRP £99 +VAT
Telephone for Education Prices



#### HISTORY LESSONS

Your Letters Page in the May issue carried a letter from a history teacher. Mrs J A Rowley-Williams asks for information on databases which might allow her to file and quickly find history questions. Your reply mentions two flat-file databases designed primarily for other purposes, and fails to mention a program which has, in fact, been designed to solve this problem: Clares Knowledge Organiser, a development of an earlier program, ArcTFS.

As a history teacher myself, I designed these programs to allow fast access to variable length text items - anything from a short question to a historical source of several pages in length, or research notes. Knowledge Organiser will put over 100,000 words of text on a floppy, and well over two million on a 20Mb hard disc. If everything related to Henry VIII, was coded HVIII, the typing of this code would retrieve all items, which could then be sorted into strict chronological order for hardcopy or export to DTP.


I know that many packages now exist for the Arc, but I am surprised to find BAU forgetful of a powerful, relational freeform database, which it reviewed very favourably in November 1988 as ArcTFS, and even more favourably in August 1990 as Knowledge Organiser.

Sean O'Conaill Texellence

#### GAMES CONVERSION

As a games enthusiast I can't see why some software companies for the Archimedes, like the Fourth Dimension and Eterna, don't convert more of the hit games for the Atari and Amiga to the Archimedes.

I have seen the graphics of games like Golden Axe and Shadow of the Beast on my friend's Atari and they could easily be achieved on the Archimedes. Some big software companies have converted games like Mad Professor Mariarti, Pacmania and Twinworld to Archimedes format so why don't they bring out the rest of the brilliant



Atari and Amiga games for the Arc, and maybe even a couple of enhancements!

Also, I'm sure that Arc owners would like to see some old Beeb classics like Citadel and Palace of Magic converted and upgraded.

> William Fletcher Welvwn

Recently the Acorn games market has seen a small flood of companies, producing games for the Archimedes that you would normally associate with the higher volume Amiga and Atari market.

Virgin released Wonderland, Domark brought out Mig 29 Fulcrum and soon we should see Lemmings from Psygnosis. French company Eterna is also supporting the Arc, transferring its coin-op games to standard Archimedes format.

Keep an eye on the BAU games page for further interesting developments, you may be pleasantly surprised by what you read.

#### YELLOW FEVER

Further to the letter from B Hunt in the June issue I agree almost entirely with much of the letter, especially how typing in listings can help develop programming skills.

Over the years, as I have progressed through the BBC model B, Master 128 and now the Archimedes, I would guess that at least 50 percent of my knowledge of BBC Basic is due to the typing in of such listings. However what I do

disagree with is the subject of checksums.

I have been an avid reader of BBC Acorn User since issue one. As far as I can remember, you pioneered the inclusion of checksums in your magazine for a few issues in the early days. For some unknown reason these were stopped! Please, oh please, bring them back, especially for the longer listings, they really are worth their weight in gold when it comes to debugging.

Finally, where is listing 3 for the PicList utility, published in the May issue?

> M A Bodley Lincoln

Mr Hunt's letter suggested checksums make typing more of a chore and we, here at BAU, tend to agree. Checksums do make typing in more of a 'chore' ie, a 'mechanical' process ensuring the checksums match. We think readers find they learn more from correcting programs using their own brain power.

We still think the best way of debugging a program is to run it, see where the mistake occurs and then search for the procedure that contains the possible cause of the error.

Of course, if anybody has any different ideas then please let us know.

Listing 3 for PicList, which was left out of the yellow pages by mistake, is as follows:

Set Pic-List\$Dir <Obey\$Dir> IconSprites <PicList\$Dir>.!Sprites

RMEnsure ColourTrans 0 RMLoad System:modules.Colours WimpSlot -min 96K -max 96K <Obey\$Dir>.!RunImage

It must be entered into an Obey file created by Edit and saved as !Run in the !Piclist directory. An Obey file called !Boot should also be created, containing the following line:

Iconsprites <Obey\$Dir>.!Sprites.

#### **DRIVERS VIEW**

Having used your printer driver generator for some time, I discovered how to overcome the problem of the first embedded code being used as the second if ESCAPE is pressed during printing.

The solution is simple but not obvious, it only needs each code to be duplicated.

To do this you enter the code to turn the effect on in both the on and off position of the table. Then use the next letter to switch the effect off by entering the off code in both positions. This way, the embedded code implicitly turns on or off the printing effect when it is encountered.

Also, if your printer does not support ESC 64 RESET, all the off codes can be included at the beginning of the text, giving the same effect.

You may also include another code if and when less than three parameters are needed. Two useful examples of this are:

24,27,64 - Clear printer buffer and reset

18,27,84 - Condensed off, Super/Subscript off

William Woodhall Yeovil

#### STAR LETTER

The Letters Page is one of the most important pages in the magazine. It is the page where you can let us, and all our readers, know what you think about the magazine, your computer, software, or anything else you think readers would be interested in. To encourage you to write to us, we will be offering £15 for the best letter we receive each month. Send your letters to The Editor, BBC Acorn User, 20-26 Brunswick Place, London N1 6DJ.



# Professional Upgrades for the A3000

To really make the most of your A3000 you need more than the basic 1Mb of memory.

The Oak Solutions A3000 RAM card offers an increase in memory to 2Mb or a full 4Mb, to greatly enhance the usefulness of the machine. The RAM card has low power consumption and gives off a minimal amount of heat so that reliable operation is ensured.

The card is easy to fit, and, of course, is fully compatible with all A3000 upgrades such as Econet, disc buffers and internal and external podules.

# RAM

 2Mb
 65.00

 2Mb Upgradeable
 85.00

 4Mb
 199.00

# Monitor Stand

The Oak Solutions A3000 monitor stand provides a low cost entry point to our A3000 expansion system, as well as a superb way to make the most of your A3000 desk space.

The stand bridges the A3000 whilst still allowing access to the mains switch, disc drive and reset button. Unlike some other systems, the A3000 can be pushed underneath the stand, out of the way, when not in use. The stand is of strong steel construction, finished in a sturdy powder coat paint coloured to match the A3000.

Monitor Stand

£21.00


At last, a professional range of User Port upgrades for the A3000. Our internal expansion podules are available in three varieties. The entry level model provides a fully functional BBC user port, supported with fully 'Acorn Legal' software - ideal for interfacing with the Concept Keyboard.

The next model in the range has a BBC analogue port in addition to the user port, and the top model in the range has both these ports as well as a floppy disc buffer interface to allow extra 51/4" and 31/2" drives to be added to your system.

# User-Analogue Port and Disc Buffer

Concept Keyboard Port	£45.00
User-Analogue Port	£54.00
User-Analogue Port + Floppy Disc Buffer	£65.00

Oak Solutions Cross Park House Low Green Rawdon Leeds LS19 6HA Tel 0532 502615 Fax 0532 506868



Oak Solutions Cross Park House Low Green Rawdon Leeds LS19 6HA Tel: 0532 502615 Fax: 0532 506868



I have a BBC micro fitted with a disc filing system and am searching for a program to assist me in the transfer of programs from tape to disc. I am having problems in locating a suitable program, although a friend who owned a BBC said that there were lots available. Can you help?

> **HR** Angus Ashford

A Due to alterations in the copyright laws there are now fewer programs of this nature available. I would certainly have recommended Tape to Disc or The Replay Rom packages published by Vine Micros but they have been withdrawn from sale. Perhaps a reader has one for sale? However, I have heard that Clares Micro Supplies still markets a package called Replica 3, which is a powerful disc-based tape to disc package which will transfer many games to disc that some of the public domain programs will not. You could also try Watford Electronics which may still have its own tape to disc Rom which was similar to one of the Vine products.

I'm used to using MicroSoft Basic, or GW Basic on the IBM PC and find that with BBC Basic the LPRINT command is missing. How can it be emulated?

A Tate Smethwick You are quite right, A BBC Basic does not have the LPRINT command of

Microsoft Basic. However a

# QUESTIONS ANSWERS

simple BBC Basic program can emulate LPRINT. For instance if you wished to have a line like

LPRINT "BBC Acorn User" in BBC Basic you should use

20 PRINT "BBC Acorn User" (where VDU 2 turns on the printer).

I have heard that the Archimedes suffers from problems with the serial port? Is this true, as I am thinking of using an A310 for communications work? If everything is okay can you recommend a comms package?

> T H Huxton Liverpool

A When the Archimedes first appeared, there were some fairly obsure but inhibiting problems with the serial port system, getting the machine off to a poor start in the comms world.

However, this has been solved with Risc OS, and the upgrading of the hardware chip.

Before Risc OS there were two major comms programs, Hearsay from Beebug and ArcTerm from Serial Port. These are now available in Risc OS versions but they do not multi-task.

David Pilling markets a package called Risc OS Terminals which does multitask. The package actually contains three applications one for viewdata mode, and the others for Ansi (VT100) terminal emulations. They are straightforward to use and will work well with most viewdata and BB systems.

I have written my own software for transfering text files from the Cambridge Computer Z88 and my BBC A3000, however I am experiencing some difficulties with the transfer of data between the two machines. What help can you offer?

Robert Newmark Sunderland

A wonder if you have your machine correctly configured when using higher baud rates. Incidentally the official Z88 to Arc transfer package which uses the Cambridge Computer PC Link package works at 9600 baud.

I use this regularly on my A310 without problems, For use with this the Arc is configured \*CONFIGURE baud 7 (which is 9600 baud) \*CONFIGURE Data 4.

The Z88 must be set to 9600 baud with no parity and Xon/Xoff protocol.

You may find it worth getting hold of the public domain package for data transfer between the Z88 and the A3000 written by D J Holden of 39 Knighton Park, Sydenham, London SE26 5RN.

What is the biggest hard disc drive that an A3000/ Archimedes can access? Who will supply me with one and what would it cost?

> John Miles Swindon

A Oak Computers sells a 640Mb SCSI external drive. However Acorn's software will only access 512Mb per logical drive. It will cost you around £4000.

Q Since purchasing one of the first BBC A3000s sold I've been very busy writing software for this super machine. I am worried about people exploring and exploiting my code and am therefore most interested in protecting my software by a form of password protection or encryption. Are there any packages around that you could recommend?

**Andrew Lootle** Kingswood

H	you have a particular problem with an Acorn micro, commercial
5	oftware or a program you are trying to write yourself, then BBC
A	corn User might be able to help. The BAU Post A Problem service
C	uarantees to give you a personal answer to your problem within 10
V	vorking days – and for just £4.

Write out your problem with as much detail as possible and, if a program is involved, include a disc or cassette. Fill in the coupon and send it and your problem along with a cheque or postal order for £4 (including VAT) made out to Redwood Publishing. If you require recorded delivery, please add the cost of this.

Please note that debugging readers' own programs or those from other magazines is a complex task and we cannot guarantee to give a full solution. Unless the problem can be spotted quickly, the Post A Problem service will only be able to make general comments. The Post A Problem service will answer the problem and return all corresponding material received within 10 working days of receipt. If we fail to match this promise then your cheque or postal order will be returned - you just can't lose!

BBC	Acorn User Reader Serv	ice
0-26	Brunswick Place, London, Na	6D.

Name
Address
Daytime phone number I enclose a cheque/postal order for £4 made out to Redwood Publishing and an SAE with my problem.
Office use only: Date inDate OutReference

A I think you will find Encode, a program published by Beebug for the Archimedes and BBC A3000 to be what you need.

The program is published on Risc User Special Disc Volume 3.

I have had an Acorn Electron for many years and I now find that the power supply unit has failed. I'm experiencing some difficulty in obtaining a replacement main power adaptor for it. What do you recommend?

> Robert Burnie Southgate

As you may know Acorn no longer manufactures the Electron, although I'm sure it holds some parts, or could advise you of a suitable source. Try its Customer Services Department (0223) 245200.

You may be able to get your mains power adaptor repaired. Clarke Computer Services, which specialises in repairing BBC computers for the educational market, can be contacted at Abacus Centre. Manor Buiness Road, Ealing W13 0AS, Tel: 081-566 7292. You could also consider the purchase of a separate power supply unit of the correct voltage and amp to connect to your Electron. Maplins may be a good source for such a device.

I am about to write some database software for my BBC Master Compact that will enable me to computerise my telephone directory.

However, I realise that I need some help in writing routines to add and delete records from the file. Can you recommend any books that will offer me both basic advice, and more specialist knowledge?

J F Thorton Lampeter

A For basic information on data structures and data handling in BBC Basic I recommend BASIC Programming on the BBC Microcomputer by Neil and Pat Cryer, published by Prentice Hall.

Two more specialist books on file handling are File Handling on the BBC Microcomputer by Brian J Townsend, published by MacMillan, and Filing System and Databasees for the BBC Micro by A P Stephenson and D J Stephenson, published by Collins. Beebug has also recently published a book called File Handling for all - on the BBC Micro and Acorn Archimedes by David Spencer and Mike Williams.

I am confused over the function of the Q parameter used with the \*SRLOAD command with my Master 128. Can you explain what it is for and what it does?

> Dr R Giaccio Australia

The optional Q parameter used in \*SRLOAD speeds up loading by using OSFILE rather than OSBGET. As it uses I/O main memory as a buffer, from OSHWM onwards, it will corrupt data in memory unless you have a co-processor.

We have a number of Q We have a hand school, and a parent recently donated a Tandy DMP 200 printer. We are delighted of course, but are having problems getting it to work properly. Could it be that it is incompatible with the BBC computer?

> R Howitt Windsor

A The Tandy DMP 200 printer is Epson compatible and should work with a BBC computer without any problems.

It should work with a standard BBC Centronics ribbon cable attached from the printer port to the printer itself. You may have to alter some settings inside your DMP 200 to enable it to be used with its parallel interface. These are called DIP or DIL switches, and your printer manual should help you with this alteration.

You can also use the printer with the RS-423 port, also known as the serial port on the BBC model B.

If you continue to have problems with your printer, you can contact Tandy direct on (0922) 710000.

#### **ACORN CUSTOMER HOTLINE**

Unfortunately, there were a few errors in last month's Acorn Customer Hotline column which I would now like to correct.

Contrary to last month's column, the Risc OS Extras disc is not available from Acorn Direct, however, it can be obtained from your local Acorn authorised dealer. The correct version number of NetFS should be 5.53, and Econet, which was omitted altogether, is 5.48.

Last month's article also documented the version number of 65Host as being 1.40, but the correct version number for the application is actually 1.60 and the module's version number should be 1.19.

To find out what version number of the module you have, run the 65Host application, and exit the emulator by typing \*QUIT, followed by RETURN, Press the function key F12 to access the command line, whereby the star prompt(\*) will appear, then type \*HELP MODULES followed by RETURN. Press RETURN at the next star prompt.

 We have had a number of enquiries regarding the use of the Archimedes/A3000 range of computers with Open University courses. Acorn has spent some time working together with the Open University, and the PC Emulator is now approved for use on various courses.

Any users wishing to use the PC Emulator for a particular course, should contact the Open University in Milton Keynes.

 The printer drivers for the First Word Plus wordprocessor can be found on the First Word Plus utilities disc in the directory '1wp\_print.config'.

However, on the various bulletin boards mentioned in the Comms column each month, there are now a number of First Word Plus printer drivers which users have modified for their own printer types if different from the printer drivers supplied with First Word Plus.

If you wish to contact these bulletin boards you will of course need a modem and a serial upgrade for the BBC A3000, plus suitable driving software.

For many years now Acorn has been dedicated to the area of

computers in Special Needs. With the launch of the Acorn Special Access system (see the News pages) Acorn has included a disc containing a number of utilities, some of which are public domain and some of which have been specially written by Acorn.

The utilities include different screen modes to provide larger text sizes. And there's Flasher which makes the caret (the cursor used when entering text) flash so that it can be seen more easily, and BigPointer which provides a large pointer. There are also a number of other functions supplied which help to meet the requirements of a wide range of users with special needs.

In between the BBC model B and the BBC Master 128 Acorn produced the BBC model B+.

Here in the Customer Services department we have a large number of enquiries from users who think that they have a model B when they actually have a model B+. The B+ is recognisable in that, when switched on, it behaves differently to the Beeb. When switched on, the B+ displays the following message on screen: Acorn OS 64K (or 128K).

Furthermore, by typing \*FX0 followed by RETURN the operating system version number displayed on the B+ will be 2.00.

If your B+ only has 64K fitted it is possible to add a further 64K of sideways Ram to the system by using the Acorn upgrade product ANB27. This costs £34.75 (ex VAT), a price which includes expert fitting by your local authorised Acorn dealer.

 If you need to contact Acorn for any reason please do not phone us if at all possible. We would prefer people to write, and the address is Acorn Computers Limited, Fulbourn Road, Cherry Hinton, Cambridge CB1 4JN.

I would be interested to hear any ideas as to what topics you would like to see covered in the Acorn Customer Hotline column. Please note that the ideas can only cover Acorn software or hardware products, as I am not permitted to cover third party hardware or software.

Please send any ideas to me at the above address.

Peter Dunn

### The Complete Upgrade Solution

















- Uses only eight RAM devices
- User upgradeable from 1 to 4 Mb
- Four layer printed circuit board
- Low power consumption
- Available without RAM devices

Bare card - £35 2nd Mb - £56 4th Mb - £159

- Includes MEMC1a upgrade
- Large capacity OS ROM sockets
- No soldering required
- Four layer printed circuit boards
- Courier collection of your machine

2nd Mb - £225 4th Mb - £299

- 400 series RAM upgrade kits
- Supplied with full fitting instructions
- 410/1 to 420/1 requires 1Mb
- 420/1 to 440/1 requires 2Mb
- 410/1 to 440/1 requires 3Mb

1Mb - £35 2Mb - £65 3Mb - £99

- Uses only eight RAM devices
- Suitable for A440, A400/1 & R140
- Fully RISC OS compatible
- Four layer printed circuit boards
- Courier collection of your machine 8 Mb upgrade - £749
- New series Aleph One ARM3
- 3 to 4 times performance increase
- Surface mount technology
- Four layer printed circuit board
- Courier collection of your machine
   ARM 3 upgrade £399
- Increases resolution with all Multiscan monitors
- Doubles desktop work area
- Custom modes for Taxan and Eizo monitors
- Suitable for all Archimedes computers
- Free with any multiscan monitor from Atomwide
   Atomwide VIDC Enhancer £29
- Syquest removable disk systems
- Including one cartridge, drive unit and all cables
- 42Mb removable cartridges
- High-flow fan fitted for improved cooling
- Please phone for prices on other SCSI related products
   Atomwide Syquest drive unit £470 42Mb disks £64
- All products are cross-compatible
- Combination deals available on all products
- Typical combination A310 4 Mb and ARM3 £675
- Dealer enquires welcome
- Phone for full details on all products

All prices exclude VAT at 17.5% but include delivery







23 The Greenway Orpington Kent BR5 2AY Tel 0689 838852 Fax 0689 896088

# FREE MONTHLY DISCS

WHEN YOU SUBSCRIBE TO BBC ACORN USER



Every month, BBC Acorn User is packed full of useful features and programs for all the Acorn machines. That's why BAU is renowned as the leading magazine for Acorn computer users. Now, as an additional service to new subscribers we are offering FREE monthly discs with every 12 month subscription to the magazine.

#### THE MONTHLY DISC

Each monthly disc contains all of the programs listed on the yellow pages in each issue, so you can save yourself the time, frustration and effort of typing them in by subscribing today.

If you purchased each monthly disc separately, it would cost you up to £5.95 per disc. So, with a 12 month subscription to BAU, you could receive discs worth over £70 absolutely FREE!

#### WHAT DO I DO?

Simply fill in the coupon below and send it to:

BAU Subscriptions, PO Box 66, Wetherby LS23 7HL. Or ring the credit card hotline number: (0937) 842489

NB: offer applies to UK subscriptions only, for details of overseas subscriptions see order form on page 81.



#### COMPATIBILITY

The 3.5in disc is compatible with the A3000/Archimedes, BBC model B, BBC Master and Master Compact with 3.5in drive and ADFS.

The 5.25in disc is 40/80track DFS and is suitable for use with BBC B/B+ and Master computers with a 5.25in, 40 or 80-track drive. So, no matter which Acorn machine you have, you can take advantage of this fabulous offer now.

would like to subscribe	to BBC Acorn Us	er for 12 months at	the cost of £22.95 and receive	ve
ny FREE monthly discs.	(Discs are only se	nt from the beginni	ng of a subscription period).	

			a tunk man a kanan dari ka
NAME		SIGNATURE	
ADDRESS			
Page 1			
Disc size required (please tick) -	□ 3.5in	Renewal	
	□ 5.25in	New Subsciption	
☐ I enclose a cheque/PO made pay ☐ I wish to pay by Access/Visa	yable to Red	lwood Publishing Ltd.	
Card Number		Expiry Date	



Please Note Our New Telephone Number

### 7el: (0772) 623000 (4 Lines)

Fax: (0772) 622917

Orion will not charge extra if you wish to pay by credit card









#### **Acorn Computers**

BBC Master 128K	£399.00
BBC A3000	£599.00
BBC A3000 Learning Curve	£680.00
Archimedes 410/1	£1099.00
Archimedes 420/1 Learning Curve	£1267.23
A440/1 (47 Mb HD, 4Mb Ram)	£1699.00
A540 (100Mb HD, 4Mb Ram)	£2995.00

0% Finance available over 12 months On A3000 LC & A420/1 LC with or without Acorn Monitor Promotion Ends 30th June 1991

We will try to match or beat any price advertised in this magazine, please phone for best prices.

We operate the Acorn **Education and Teachers Phase** IV Purchase Schemes.

#### Special Offer when purchased with computer!!

A3000 - £35.00 discount off subsequent items bought with computer, plus either 2Mb Upgrade F.O.C., 4Mb for £100.00

A410/1 - 20Mb HD + Upgraded to 4Mb F.O.C. A420/1 - 42Mb HD + Upgraded to 4Mb F.O.C.

A440/1 - ARM 3 F.O.C.

A540 - 4Mb Ram Upgrade F.O.C.

This offer cannot be used in conjunction with any other offer.

#### **Monitors**

Acorn Colour Monitor (AKF17)	£200.00
Philips CM8833 II Colour Monitor	£209.00
Microvitec CUB 3000	£199.00
Taxan MultiVision 775 (0.28 d.p.)	£389.00
Taxan MultiVision 795A (0.26 d.p.)	£469.00
(FST Black Trinitron Anti-Glare Tube)	
Taxan Viking II (19" Mono, MS)	£749.00

#### Cables

Arc to Monitor + Audio 2m (Not 8833 II)	£8.65
Arc to 8833 Mk II Monitor Cable + Audio	£8.65
Arc Parallel Printer Cable 1.8m	£5.25
Arc Parallel Printer Cable 3m	£10.40
Arc to BBC Serial Cable 2m	£6.95
Arc Keyboard Extension Cable 2m	£7.75
Arc Mouse Extension Cable 2m	£7.75
Surge Protector Plug	£10.49
4 Gang Protector Socket	£17.95
Arc Keyboard Replacement Cable	€ 6.95
Arc Mouse Replace. Cable (State Type	£ 6.95

51/4

DS/DD 96tpi

#### A400/1 Accessories

Items marked with an * can be used on	A300/540
1Mb Ram Upgrade	£45.00
2Mb Ram Upgrade	£85.00
3Mb Ram Upgrade	£120.00
Above memory fitted for £1	0.00
Ethernet Card	£219.00*
Acorn SCSI Card	£239.00*
Arm 3 Upgrade	£399.00
Floating Point Rom (AKA20)	£469.00
Com. Con. Scan-Light Mk II A4	£369.00*
Com. Con. Sheet Feeder for above	£149.00*
Com. Con. Scan-Light + Feeder	£454.00*
Com. Con. Scan-Light Junior	£174.00*
Acorn Midi Expansion card	£65.00*
I/O Expansion Card	£79.00*
Midi Upgrade for above	£27.00*
Acorn Midi Expansion Card	£65.00*
Lingenuity SCSI Card	£169.00*
VIDC Enhancer	£27.00
Econet Module	£48.00*
Beebug Disc Buffer	£29.00

#### A3000 Accessories

Orion 1 Mb Ram Upgrade	£65.00
(Expandable to 4Mb using only 8 chip	s)
Orion 3 Mb Ram Upgrade	£169.00
Upgrade from 2Mb to 4Mb	£149.00
Acorn Monitor Stand	£27.00
Serial Upgrade	£18.00
User Port/Midi Upgrade	£46.00
Morley Analogue/User Port	£68.00
PRES Disc Buffer Board	£48.95
PRES DFS Reader (A3K12)	£19.95
PRES Monitor Stand	£24.95
PRES System Housing	£69.50
31/2" Drive for PRES System Housing	£75.00
51/4" Drive for PRES System Housing	£99.95
Lingenuity SCSI Card	£149.00
Wild Vision External Expansion	£129.00
CC Scanlight Junior A3000	£174.00
CC Scanlight A4 Mk II A3000	£369.00
CC Sheetfeeder for A4 Scanner	£149.00
CC Scanlight A4 + Sheetfeeder	£454.00
RTFM Joystick Interface + S/W Disk	£34.95
Serial Port Joystick Interface	£18.95
Voltmace DeltaCat Joystick	£26.00
CONTRACTOR OF THE PARTY OF THE	

#### **Spares**

Orion can supply spares for any machine Acorn have produced mostly from stock. With next day delivery available or you can take advantage of our in house repair service. We can also supply parts for other computers and printers.

250


500

1000

#### **Bulk Diskettes**

All our Disks come complete with labels etc. and are 100% certified error free. In the event that a disk fails it will be replaced immediately.





N/A £14.00 £26.00 £60.00 £115.00 £210.00



MF/2DD 1Meg £9.75 £19.50 £34.00 £77.50 £145.00 £270.00 £12.50 £25.00 £45.00 £106.25 £200.00 £375.00

Discounts available for trade orders - Phone for prices

#### **Books (No Vat)**

Programmers Reference Manuals	£77.00
BASIC V Guide	£19.45
A3000 Technical Guide	£28.95
A540 Technical Guide	£65.00
Basic V: A Dabhand Guide	£9.95
Archimedes First Steps	£9.95
Archimedes Assembly Language	£14.95
Archimedes Operating System	£14.95
C: A Dabhand Guide	£14.95
Budget DTP: A Dabhand Guide NEW	£12.95

#### Extra Manuals

Acorn D.T.P.	£10.00
1st Word Plus Release 2	£10.00
ANSI C Release 3	£20.00

#### Orion - TV Modulator

Near Monitor Quality Picture Improved Sound through the television Integral Mains Adapter (One Box) No Podule expansion slot is taken Suitable for A3000 & A400 Series Only £65.00 - Bought with computer £49.00

#### **Printers**

C.C. Qume Laser Direct	£859.00
C.C. 600 DPI Expansion Card	£309.00
Canon LBP4 Laser for above	£699.00
C.C. 600 DPI LBP8 Laser Direct	£1319.00
Canon Bubblejet BJ300	£399.00
Canon Bubblejet BJ330	£449.00
Canon Bubblejet BJ10e	£269.00
Star LC10	£125.00
Star LC 200 Colour	£175.00
Star LC24-200 Mono	£205.00
Star LC24-200 Colour	£249.00
Star LC24-10	£170.00
Citizen 120D+ (Parallel)	£115.00
Citizen 124D	£165.00
Citizen Swift 9	£162.00
Citizen Swift 24	£225.00
Citizen Swift 24x (132 Column)	£329.00
Panasonic KX-P1081	£129.00
Panasonic KX-P1180	£138.00
Panasonic KX-P1123	£172.00
Panasonic KX-P1124i	£239.00

#### **Orion Hard Drives**

Orion SCSI drives are high speed, typically 750K - 1200K per second, they are extremely quiet, and the external drives come in a small case unlike those of some of our competitors. Price includes SCSI expansion card

#### ST506 Internal (A410)

ZUMD Drive	1139.00
42Mb CMS Drive	£249.00
47Mb Rodime Drive (Same as 440/1)	£299.00
SCSI Internal (Suitable for A	300 & A400)
40/45 Mb Drive	£369.00
75/80 Mb Drive	£499.00
105 Mb Drive	£549.00
175 Mb Drive	£949.00
SCSI External (Specify A300	0 or A400)

0120 00

SCSI External (S	pecify A3000 or A400)
40/45 Mb Drive	£429.00
75/80 Mb Drive	£599.00
105 Mb Drive	£799.00
175 Mb Drive	£1049.00
24E Mb Drive	C1600 00

SyQuest 42Mb Removable Drive £699.00 Larger drives available on request please phone



#### **Opening Hours**

Mon-Sat 9am - 5.00pm

Acorn Qualified Dealer Acorn Component Level Service Centre Acorn Econet Installation & Service Centre



#### Ribbons (Compatible)

Amstrad DMP2000/3160	£2.55
Brother M1009,M1109	£2.95
Brother M1509	£5.95
Brother M1724	£5.95
Brother HR10,15,20,25,35 Fabric	£3.25
Brother HR10,15,20,25,35 Multistrike	£4.65
Canon PW1080A	£3.85
Citizen 120D/Swift 24	£3.05
Epson LX80,86	£2.25
Epson FX80,MX80,LX800,LX850	£2.95
Epson LQ500,LQ800,LQ850	£3.00
Epson MX100	£3.00
Epson LQ1000,LQ1050,FX1000	£3.50
Epson LQ2500,LQ2550	£3.55
Epson EX800	£4.45
Panasonic KXP1081,1090,1080	£3.65
Panasonic KXP1124	£3.55
Seikosha GP100	£3.20
Star LC10	£2.55
Star LC24/10	£3.95
TANGER THOUSE MAINS DAY	

#### **Ribbons (Branded)**

Amstrad DMP2000/3160	£5.50
Canon BJ130 Bubblejet	£10.00
Canon BJ10e	£16.29
Canon BJ300	£12.00
Citizen 120D	£3.25
Citizen Swift 24 Black	£3.95
Citizen Swift 24 Colour	£13.75
Citizen Swift 24x Black	£8.00
Citizen Swift 24x Colour	£14.75
Colourjet 132/Canon PJ1080 Black	£8.60
Colourjet 132/Canon PJ1080 Colour	£14.60
Epson LX80/86	£3.75
Epson FX80,MX80,LX800	£4.50
Epson LQ400,550 Fabric	£5.25
Epson MX100,FX1000,FX1050	£5.75
Epson EX800/1000 Black	£7.25
HP Paintjet Black	£21.00
HP Paintjet Colour	£26.00
HP Deskjet + (Permanent Ink)	£13.20
Panasonic KXP145	£7.50
Panasonic KXP140	£9.35
Panasonic KXP115	£7.50
Star LC10	£3.80
Star LC10 4 Colour	£5.75
Star LC200 Black	£5.00
Star LC200 Colour	£9.75
Star LC24/10 / LC24 200 Black	£4.75
Star LC24 200 Colour	£11.50
Canon LBP4 Toner Cartridge	£59.00
Canon LBP8 Toner Cartridge	£69.00
Qume Crystal Print Toner Set	£67.00
Qume Crystal Print Drum Set	£89.00

#### **Software**

DTP	ing Au
Impression II (CC)	£145.00
Impression Junior (CC)	£74.00
Tempest D.T.P. (Clares)	£99.00
Ovation D.T.P. (Beebug)	£99.00
Desktop Folio (ESM)	NEW £79.00
Spreadsheets	
Sigmasheet (Minerva)	£39.95
Schema (Clares)	£99.00
WordProcessors	
1st Word Plus Release 2 (Acorn)	£69.95
EaslWord (Minerva)	£31.95
Protext 5.0 (Arnor)	£119.00
Integrated Packages	
Pipedream 3 (Colton)	£119.00
Desk Top Office (Minerva)	£99.00
Databases	
Datavision (Silicon Vision)	£127.45
Flexifile (Minerva)	£119.00
Multistore (Minerva)	£199.00
Genesis II (Oak Solutions)	£119.00
Knowledge Organiser (Clares)	£42.00
Accounting Software	
Financial Accountant (S. Vision)	£233.75
Home Accounts (Minerva)	£39.45
Business Accounts (Minerva)	£325.00
Office Tools (S. Vision)	£318.75
Shareholder (S. Vision)	£165.75
MicroTrader Accounts	£199.00
MicroTrader Stock Control	£75.00
Languages	
ANSI C Release 3 (Acorn)	£125.00
RiscForth (S. Vision)  Music	£127.45
	004.00
Armadeus (Clares)	£61.00
Rhapsody (Clares) Tracker (Serial Port)	£39.95 £38.95
Utilities	130.95
	£22.95
Arc DFS (Dabs Press) Dot Matrix Colour Printer Driver (A	
Education	(Ce) £13.00
Maths Pack (HS Software)	£11.95
Reading Pack (HS Software)	£15.75
Bumper Pack II (HS Software)	£15.75
Graphics Manipulation	
Poster + Fonts (4Mation)	£79.00
Render Bender (Clares)	£58.00
Solids Render (S. Vision)	£127.45
CAD	ozii w. Yacan
ARC-PCB (S. Vision)	£165.75
PCB Professional (S. Vision)	£318.75
SolidCAD (S. Vision)	£127.45

Games	
Arcpinball (Shibumi)	£18.00
ARCticulate (4th Dim.) NEV	N £18.00
Ballarena (Systeme)	£14.75
Blowpipe (Eclipse)	£14.45
Boogie Buggy (4th Dim.) NEV	N £18.00
Chess (Micropower) NEV	N £14.45
Chocks Away Version II (4th Dim.)	£18.00
	N £14.45
Chocks Away Compendium NEV	N £28.00
Drop Ship (4th Dim.)	£14.45
E - Type (4th Dim.)	£14.45
E - Type 100 Miles (4th Dim.)	£12.75
E - Type Designer (4th Dim.)	£12.75
Gumshoes (4th Dim.) NEV	N £18.00
Holed Out (4th Dim.)	£14.45
Holed Out Designer (4th Dim.)	£14.45
Holed Out Vol. 1 or 2 (4th Dim.)	£12.75
Hostages (Superior)	£14.45
Iron Lord (Cygnus)	£14.45
Inertia (4th Dim.)	£14.45
Interdictor 2 (Clares)	£26.00
Mad Professor Mariarti (Krisalis)	£14.45
Manchester Utd. (Krisalis)	£19.50
Master Break (Superior)	£14.45
Microdrive 3D USA Courses	£14.75
Mig-29 Fulcrum (Domark) NEV	
Minipack 5 (C.I.S.)	£23.95
Nevryon (4th Dim.)	£14.45
	N £14.45
The Olympics (4th Dim.)	£14.45
Pipemania (Empire)	£16.45
Powerband V. II (4th Dim.)	£18.00
The Real McCoy (4th Dim.)	£21.50
The Real McCoy 2 (4th Dim.) NEV	
Turtles Tour the World (E. Crayon)	£14.45
Twin World (Cygnus) Speech (Superior) NEV	£14.45
Speech (Superior) NEV Superior Golf (Superior)	V £14.45 £14.45
	£14.45
Square Route (Computereyes) Wimp Game (4th Dim.)	£14.45
	£19.50
World Champ. Boxing Man. (Krisalis)	£19.50 £14.45
WorldScape (Eclipse)	114.45
Graphics - Art	
Artisan II (Clares)	£49.95
Pro Artisan (Clares)	£79.00
Atelier (Minerva)	£79.00
The Clipart Collection Vol. 1 NEV	
Graphics - Presentation	
Hotlink Presenter(Lingenuity)	£46.95

Artisan II (Clares)	£49.95
Pro Artisan (Clares)	£79.00
Atelier (Minerva)	£79.00
The Clipart Collection Vol. 1	NEW £19.95

Hotlink Presenter(Lingenuity)	£46.95
Graphbox (Minerva)	£62.45
Wisc	

PC-Emulator (Acorn)		£94.00
Investigator II (Serial Port)	NEW	£22.95

#### Instant Finance available up to £1000


Puchases can be made at our premises and instant credit is available with Lombard Tricity Finance Ltd (Subject to Status). Finance is over 36 months on any purchase over £100 (APR 36.8%\*).

10% Deposit is required. Identification will be required, ie Driving Licence, Bank Card or Credit Cards.

Written details are available upon request.

\* Subject to change without notice

Where to find us!



#### All Prices Exclude VAT.

Please add VAT @ 17.5% to all prices

Dept. BAU 7, Units 18e & 18f Boxer Place, Moss Side Employment Centre, Leyland, Preston, PR5 3QL.

#### Callers Most Welcome

We are situated 3 miles from M6 J28. All offers subject to availability. Government & Educational Orders Welcome.

Next Working Day Delivery in UK - £5.50 Ex. Vat Carriage on Export Orders charged at cost.

#### Minimum Order Value £10.00 Minimum Educational Order Value £15.00

75% of all goods despatched within 24 hours, subject to stock levels.

Send for fact sheets on technoSCAN. technoTablet. Multipod & Hard Disk Upgrades

## **ECHNOMATIC**

Techno House 468 Church Lane, London NW9 8UF

Tel: 081-205 9558 Fax: 081-205 0190

Mon-Fri: 9.15-5.30, Sat: 10.30-4.00

All prices ex VAT. Prices are subject to change without notice. Please add carriage (a) £8.00 (Courier) (b) £4.00 (c) £2.00 (d) £1.50 (\*) Courier included

#### rchimedescomputers

#### **TECHNO LEARNING CURVE**

A3000LC + Cub 3000 Fitted with 2MB RAM A420/1 + Cub 3000

£829

Fitted with 4MB RAM

£1389

#### Archimedes Learning Curve 0% FINANCE AVAILABLE

A3000 LC with Acorn

Colour Monitor

£925

A420/1 LC with Acorn Colour Monitor

£1485

Please ring or write for a personal quotation

#### Archimedes A410/1

A410/1 with Cub 3000 A410/1 with Taxan 770 + LR £1265 £1425

410s enhanced to 2MB and 20MB Drive

#### Archimedes A440/1

A440/1 Cub 3000 A440/1 Taxan 770 + LR £1855 £2055

Free PIPEDREAM 3 with A440/1

**New A540** ARM3 + 100MB SCSI

fitted with 8MB RAM upgradeable to 16MB

£3299

A540 plus Taxan 795 Carriage £8/computer

£12/system

#### **HP Deskjet 500** £309(a)

#### technoTablet

Our 12" by 12" working area technoTablet offers a resolution of 1000 lines/in and connects through the serial port of the computer. The tablet can take over virtually all the functions of a mouse simplifying the use of graphics packages.

A four button puck moves over the special surface, its cross-wires allowing simple and accurate transfer of drawings. The optional stylus will make tracings, line drawings etc much easier and more accurate.

The driver software is genuine RISCware and provides commands to turn the tablet on or off select relative or absolute coordinates, change puck movement sensitivity and scaling.

The package includes the tablet, puck, software and mains power supply, no connections are required to the ARC main board.

#### technoTablet

£209(a)

including Stylus

£15(d)

PC mouse drivers and art package

£12(c)

#### STOP PRESS

techno-i available now £249(a) Send for details and free demo disc

#### What we offer in addition to efficient sales service and professional backup!

We not only offer professional advice when you are purchasing your system but we will also provide friendly assistance afterwards. All our products carry a 12 month full warranty for parts and labour.

### LEARNING CURVE PACKAGES

#### **ARCHIMEDES**

An Archimedes 420/1 with 2 MB RAM + 20 MB Hard Disc and First Word Plus wordprocessor Genesis database Acorn Desktop Publisher PC Emulator and DOS software Informative video and parental guide to the National Curriculum

**0% FINANCE AVAILABLE** 

Special offers must end June 30th

#### A3000

with 1MB ACORN A3000 **Tutorial Video GENESIS Database** PC Emulator FIRST WORD PLUS Wordprocessor the parents guide to the national

curriculum **0% FINANCE AVAILABLE** 

#### Probably the definitive monochrome scanning package!

The all NEW technoSCAN II package provides full monochrome operation at 400 dpi as well as 8 and 16 level grey scale scanning and provides

the following features: Suitable for all Archimedes micros and integrates fully with the multitasking RISC OS environment.

Advanced memory management releases memory when not required allowing scanning and DTP in a 1MB computer. Flexible zoom control allows palettes to be

imported, tailored and resaved with more powerful tone and tinting features than most painting

Interactive help and a superb manual.

Direct printing with RISC OS drivers. Saves sprites direct into PAINT and DTP or to

Saves sections and palettes into any graphics mode.

At the same low price as the well tested original.

technoSCAN II complete with £149(b) interface card and manual

technoSCAN II for A3000

technoSCAN II upgrade for techno SCAN

£22.50(c)

£175(b)

#### **MULTIPOD PROFESSIONAL**

The MultiPod is a single-width Podule for the Archimedes which incorporates five high-quality devices in one:

- Video digitiser
- Sound sampler
- Analogue/joystick port
- RS232 serial port
- **BBC Rom Sockets**

make an easy link with the familiar Risc Os Desktop environment. For most users this ought to provide sufficient control over the hardware features, but to accommodate advanced users several \*Commands and SWI calls are supported. There are no Rom sockets in the A3000 version of the board.

The software provided with MultiPod works in combination with the on-board Podule Manager to

MultiPod 300/400 series £145(b) MultiPod for A3000 MultiPod RGB Filterset £15(d) **B&W CCTV camera plus lens** £200(b)

Special prices for educational establishments. Please ring for details.

#### technoSCSI Packages for Archimedes

The technoSCSI interface card from Brainsoftware uses state of the art components to handle up to 4 SCSI drives with data transfer rates of up to 1.5 Mbytes/second (synchronous mode up to 2.8 Mbytes/ second) Supports SCSI tape streamers, scanners and laser printers.

#### A300/400 technoSCSI

For A300 & A400 Archimedes a full 16 bit MEMC controller with tagged cache and both internal and external SCSI connectors £179(b)

#### A3000 technoSCSI card with USER PORT

Now for A3000, a new internal 8 bit technoSCSI card with on-board BBC compatible user port. £179(b)

#### SCSI DRIVES

An expanding range of internal and external SCSI drives with 24 ms, or better access times and fast data transfer rates.

All drives are supplied with cables and external drives are housed in stylish, compact metal cases.

We carry a full range of printers from Hewlett Packard, Epson, Panasonic, Canon, Integrex, Ring for prices.

EL: 081-205 9558

A300 SERIES
UPGRADES Send for Details

## **TECHNOMATIC**

Techno House 468 Church Lane, London NW9 8UF Tel: 081-205 9558 Fax: 081-205 0190

Mon-Fri: 9.15-5.30. Sat: 10.30-4.00

All prices ex VAT.

Prices are subject to change without notice.

Please add carriage
(a) £8.00 (Courier)
(b) £4.00 (c) £2.00
(d) £1.50
(\*) Courier included

#### Archimedes SOFTWARE

#### WORD PROCESSORS

First Word Plus Rel. 2
Pipedream 3
Graphics Writer
Spell Master

£65(c)
£119(c)
£19(d)
£25(d)

#### **SPREADSHEETS**

 Sigmasheet
 £45(c)

 Pipedream 3
 £119(c)

 Schema
 £90(c)

#### UTILITIES

ARC DFS £25(c) PC Access £30(d) **DFS** Reader £12(d) Clares Buffer Module £5(d) Clares Toolkit £5(d) Disc Sharer (Econet) £135(d) Printer Spooler (Econet) £80(d) PC EMULATOR £89(c) RISC OS EXTRAS '91 £10(d) SID Utilities Disc 1 £5(d) SID Utilities Disc 2 £5(d) SID Utilities Disc 3 £5(d) ChangeFSI new version £10(d) Snippet RISC Paintjet driver £27(d) £15(d) **Acorn Fonts** Starter Pack £35(d) **Newhall Font** £35(d)

#### **LANGUAGES**

ANSI C Rel 3
TWIN
Arch Assembler
RISC BASIC Compiler
RISC FORTH

E129(c)
£125(c)
£125(c)

#### **COMMS PACKAGE**

 Hearsay
 £50(d)

 Arc Comm
 £25(d)

 Arc Comm 2
 £54(c)

#### **DATABASES**

Multistore £199(c) Knowledge Organiser £42(c) System Delta Plus £57(c) Progs Ref. Manual for above £25(d) Ancestry £60(c) Genesis £79(d) **DataVision** £82(c) £15(d) Alphabase Deltabase £15(d)

#### **DESKTOP PUBLISHING**

Acorn Desktop Publisher
Ovation

Impression Junior
Impression II
Tempest
Desktop Folio

£110(c)
£79(c)
£79(c)
£149(c)
£95(c)
£85(c)

#### **EDUCATIONAL PACKAGES**

Craftshop 1 £27(d) £27(d) Craftshop 2 £85(d) Poster **Jigsaw** £27(d) Jiglet £27(d) Snippet £27(d) Desktop Folio £85(c) Poster £79c)

RAM & ARM 3

1MB Upgrade (410/1)

2MB Upgrade (420/1)

3MB Upgrade (410/1)

ARM 3 - 25 MHz fitted by us

AEDA external floppy drive adapter

#### **EMULATED PACKAGES**

View/Viewsheet/

Viewstore each £47(d)
Interword/sheet each £35(d)
Interchart each £35(d)

#### ART/GRAPHICS/CAD

AutoSketch 2 £65(c) ProArtisan £70(c) Artisan 2 £45(c) Arcol £49(c) Atelier £65(c) Gammaplot £39(c) Presenter II £35(c) Graph Box £59(c) Revelation £69(c) TARS

From the producers of ARCOL, allows 3D objects to be designed and their nets to be printed & then assembled.

#### SILICON VISION

SolidCAD £120(c) Realtime Graphics Language £86(c) Super Dump £22(d) Super Plot £29(d) £120(c) Solids Render Robo Logo £60(c) Solid Tools £279(c) **Financial Accountant** £135(c) Presentation Manager £35(d) FilmMaker £65(c)

£49(c)

£79(c)

£149(c)

£375(\*)

£30(c)

£90(b)

£179(b)

£349(a)

£699(a)

£399(a)

£799(a)

**£POA** 

#### NEW

#### techno-l

A Real-Time Colour Video Digitiser totally controlled from the desktop. Grab video images and save them as sprites for use with art and DTP packages. *Techno-I* encodes colour in uvL colour space and mimics the human visual system by manipulating hue, saturation and luminance.

#### Features include:

- 25 bit colour, 7 bits luminance,
   18 bits chrominance
- ☐ Real-Time colour viewfinder
- ☐ 2 frame buffers giving 512 by 512 resolution
- ☐ Image scaling to 1280 by 1024 in any 256 colour mode
- □ Supplied complete with the latest Change FSI release
- ☐ Single width podule utilising surface mount technology
- All adjustments from Desktop no presets!
- ☐ Auto black level and gain control☐ Compatible with PAL, B, G, H, I,
- ☐ Compatible with PAL, B, G, H, I, M, N, NTSC 4.43 MHz NTSC M.
- ☐ SVHS Upgrade available soon.

#### NO PRINTED PICTURE CAN DO IT JUSTICE!

techno-I 300/400 £249 (b)
techno-I A3000 £279 (b)
Special Educational Price is available

Send for full details and free demo disc.

#### Archimedes EXPANSION OPTIONS

A400 SERIES

#### A300 SERIES

#### A310 SPECIAL OFFER £350(a) RAM & ARM 3 Extra 1MB £260(\*) Extra 3 MB £320(\*) ARM 3-25 MHz fitted by us £375(a) Backplane £45(b) FAN £13(c) AEDA external floppy drive adapter £30(c) External 5.25 40/80 floppy drive £90(b)

#### **Hard Drives & Controllers**

techno HD Controller for 2 drives £149(b)
Internal ST506 drives supplied with
mounting bracket, cables &
instructions.

20 Mb 40ms £165(a)
40 Mb 25ms Autoparking £240(a)
50 Mb 28ms (as A440/1) £330(a)
External Drives see A3000 upgrades in 3rd column
External HD Adapter Plate £30(c)

#### **SCSI Drives & Controller**

as A400 Series in 2nd column

# External 5.25 40/80 floppy drive Hard Drives & Controllers as A300 Series in 1st column SCSI Drives & Controller technoSCSI card technoSCSI card with internal 40 MB Drive technoSCSI card with internal 105 MB Drive technoSCSI card with external 40 MB Drive

technoSCSI card with external 105 MB Drive

technoSCSI card with external 313 MB Drive

#### 4300 & 4400 SERIES

A300 & A400 SERIES			
Acorn I/O expansion Card	£80(b)	technoTablet	£209(a)
MIDI Add-on to I/O card	£37(c)	Stylus for tablet	£15(d)
MIDI Expansion Card	£66(c)	16 bit Parallel I/O card	£195(b)
MultiPod Video Digitiser/Sound Sampler MultiPod Filter Set for Video Camera (RGB)	£117(b) £15(d)	AD C1208 A to D Convertor	£495(b)
technoSCAN II Hand held Scanner	£149(a)	Dual RS232 Serial card	£195(b)
Wild Vision Chroma Genlock CG2	£215(b)	IEEE Interface	£283(b)
Tracker Ball – new low price	£30(c)	Arc Prototyping board	£35(c)

#### A3000 UPGRADES

 1Mb
 £56(c)
 3MB
 £149(c)

 AEDA external floppy drive adapter
 £30(c)

 External 5.25" 40/80 floppy drive
 £90(b)

#### **Hard Drives & Controllers**

Cased techno HD Controller

External ST506 drives are cased with mains PSU.

20 Mb 40ms Cased, PSU & Cables

40 Mb 25ms Autoparking, cased

50Mb 28ms (as A440/1), cased

For 300/400 please state drive 4 or drive 5

#### **SCSI Drives & Controller**

Internal 8 bit technoSCSI card & USER PORT £179(b) technoSCSI card with external 40 MB Drive £399(a) technoSCSI card with external 105 MB Drive £799(a)

Acorn MIDI/user Port £49(b) MultiPod Video Digitiser/Sound Sampler £145(b) technoSCAN II Hand held Scanner £175(a) Wild Vision Chroma Genlock CG1 £215(b) Tracker Ball - new low price £30(c) technoTablet (needs serial upgrade) £209(a) Stylus for tablet £15(d) Serial Port Upgrade Kit £19(c)

#### A3000 Technical Manual

£29(c)

#### **ARCHIMEDES MODEM PACK**

Miracom WS4000 lead and ARC Comm Software Modem Pack £129(b) Serial upgrade required with A3000

#### TEL: 081-205 9558

**Archimedes Applications** Software for Business & Leisure. **Ring for lists** 

### **TECHNOMATIC**

Techno House 468 Church Lane, London NW9 8UF. Tel: 081-205 9558 Fax: 081-205 0190

Mon-Fri: 9.15-5.30. Sat: 10.30-4.00

All prices ex VAT. Prices are subject to change without notice. Please add carriage (a) £8.00 (Courier)

(b) £4.00 (c) £2.00

(d) £1.50

#### rchimedes monitors

Microvitec CUB 3000 14" RGB

Med Res, specially designed for ARC £195(a) £5.50(d) Dust Cover for CUB 3000

Philips CM8833 14" RGB Med. Res.

TTL/Linear Mono/Colour, Stereo

sound, Full UK version £209(a)

Acorn 14" Colour Monitor

£199(a) with stereo sound

**TAXAN 775** 

MultiSync 14" colour, ideal for Archimedes hi res modes. Our price includes tilt and

£379(a) swivel stand.

**TAXAN 795** 

Flatscreen multisync colour complete £429(a) with Atomwide VIDC Enhancer

A3000 Monitor Stand £17(b)

#### **MODEMS\***

MIRACOM WS4000 V21/23 £105(b) MIRACOM WS3000 V22 £195(b) MIRACOM WS3000 V22bis £249(b) PACE LINNET V21/23 Ext. £105(b) PACE LINNET V21/23 Int. £95(b) ARC/BBC cable (state type) £10(d)

\*All models carry a BABT Approval

#### **EPSON PRINTERS**

#### Epson LX400

Epson's budget priced 9 pin printer offers quality and reliability with Epson's advanced paper handling technology, draft and NLQ print in variety of typestyles and fonts: £124(a)

#### Epson LQ range

Epson's 24 pin printers with superior draft and letter quality, variety of typestyles and fonts, high res graphics, advanced paper handling and Epson's reliability:

£180(a) LQ400 180cps draft 60cps LQ £235(a) LQ550 180cps draft 60cps LQ LQ850+ 264cps draft 88cps LQ £409(a)

#### **Epson Laser Printers**

EPL 7100 6 pages/min with up to 6000 pages per cartridge scaleable fonts up to 960pt.

EPL 7100 (includes, free 0.5Mb kit) £699(a)

#### NATIONAL PANASONIC

£125(a) KXP1081 + Master Printer Lead KXP1123 24 pin 240cps draft £179(a) 53 cps LQ. With 42K buffer

#### INTEGREX

132 Inkjet Colour Printer £515(a)

#### **HEWLETT PACKARD**

HP Laserjet III £1035(a)\* HP Laserjet IIIP NEW £695(a)\* £619(a)\* Paintiet

\*FREE 12 months on site maintenance contract included.

#### CANON

Bubblejet BJ-300E £365(a) £99(c) Cut Sheet Feeder for above £215(a) Bubblejet BJ10E Portable Cut Sheet Feeder for above £45(b) LBP4 (for Laser Direct Hires) £665(a)

#### **ROLAND PLOTTERS**

**DXY 1100** £515(a) **DXY 1200** £649(a) **DXY 1300** £849(a) **SKETCHMATE A4** £349(a)

#### **CABLES**

Arc BBC Serial Link inc software	£15(d)
Arc BBC Serial Cables	£7(d)
Arc PC Serial Cables	£7(d)
Arc Parallel Printer Lead	£7(d)
Arc Keyboard Extn Lead	£7(d)
Arc Scart Lead	£7(d)
Arc Dust Cover	£8.50(d)
Arc/CM8833 Lead with Audio Jack	£10(d)
High Quality Mouse Mat	£3.50(d)

#### **Master Series & Accessories**

#### **MASTER SERIES**

BBC Master 128	£379(a)
Microvitec 1431 Std Res 14"	£169(a)
Philips CM8833 Med Res 14"	£209(a)
Rom Cartridge	£13(d)
32K RAM Cartridge and Utilities	£12(d)
Turbo Module	£115(b)
New Master OS Rom	£39(d)
IEEE Interface	£229(b)

We carry a full range of software and

accessories for BBC B and Master as well as spares and upgrades.

Acorn 1772 DFS kit for BBC B £49(d)

#### **ECONET ACCESSORIES**

Econet Starter Kit	£85(b)
Econet Socket Kit	£29(c)
Econet Bridge	£174(b)
Filestore Hard Disc E40S	£799(a)
Econet module	£49(c)
LEVEL 4 FILE SERVER	£189(d)
Econet Bridge	£174(b)
Printer Server Rom	£41(d)
10Station Lead Set	£34(d)
Master FS Utility Disc	£17.25(d)
Disc Sharer (for ARC)	£135(d)
Printer Spooler (ARC)	£80(d)
<b>Econet Referral Centre Installat</b>	tion & Consultant

#### **DISC DRIVES**

5.25" Single Drives 40/80 switchable:

TS400 400K/640K (d)083

PS400 400K/640K with integral

£90(b) mains power supply

5.25" Dual Drives 40/80 switchable:

TD800 800K/1280K £160(b)

PD800 800K/1280K with

£160(b) integral mains power supply

PD800P 800K/1280K with

integral mains power supply and

monitor stand £179(a)

PD400/PS351 are Compact/Archimedes compatible. PD800/PD352/PD853 are Archimedes compatible.

#### 3.5" 80T DS Drives

PS351 3.5" single drive with integral mains power supply in a 5.25" case.

TD352 Dual 800K/1280K £126(a)

PS352 3.5" dual drive with integral mains power supply in a 5.25" case.

£139(a)

£95(b)

### technoCAD for Master 128

technoCAD will meet the needs of most professional applications and it is an ideal tool for teaching CAD in technical schools, CDT £50(c) departments and collages.

#### NOVACAD **Computer Aided Draughting** System for BBC

Novacad can drive a plotter to produce drawings of highest quality ... Novacad is excellent. It is flexible, genuinely easy to operate without much practice, ... and a pleasure to use. Deebug Dec86 NOVACAD T/M Version £39(d) £49(c)

NOVACAD T/M + Plotter DG Plotter Driver Generator £12(d)

#### **EPROMRYTER**

\*Highly sophisticated & Advanced Programmer \*All current single rail eproms handled State of the Art Programming Algorithms The single rail eproms handled by the EpromRyter are:

- 2716 2732 2764 27128 27256 27512 27513 27011 2516 2532 2564 (NMOS & CMOS)
  - One time eproms P27XXX, 87CXXX etc. Also A suffix eproms such as 27XXXA

for Master & BBC

£89(b)

081-205 9558

#### **PRINTER SWITCH-BOXES**



These high quality 3 and 4 way printer switch boxes are ideal for use in schools and colleges. The switch is extremely cost-effective it will allow up to four computers to share just one printer by simply pressing a button. All versions come complete with cables. The PS4/7 boxes have 2 x 3.7m + 2 x 1.7m + 0.4m to the printer, the PS3/6 have same but only 1 x 3.7m bata buffers are fitted to the extra long 3.7m cables to give reliable data transfer.

3. / III	cables to give remaine data transie	
PS3	3 BBCs to 1 Printer	£59.50
PS4	4 BBCs to 1 Printer	£69.50
PS6	3 Archimedes to 1 Printer	£67.50
PS7	4 Archimedes to 1 Printer	£77.50
	The second section of the second section is a second section of the second section of the second section is a second section of the second section of the second section section is a second section of the second section sec	



This quality switch box is designed for the Archimedes / A3000 range of computers and IBM PC compatibles. The ribbon cables supplied are 2 x 1.5m + 0.4m to the printer. The unit can also be used with a parallel plotter.

2 Archimedes to 1 Printer ..

These useful switch boxes are ideal for use in the office or at school. No need to keep swapping cables over just press the button! The cables supplied are 2 x 1.7m + 0.4m with appropriate connectors fitted. Both version may be used with a Both version may be used with plotter if required. Super value. with a



#### **32K RAM MODULE**

Store all your ROMs on disc then load them into the RAM module as and when required. Plugs into just one sideways ROM slot giving two separate 16K banks, Complete with write switch software on 40 or 80 track disc plus full documentation.

RM2 32K RAM module ..... £25.95



#### Terrell Electronics

7-B ESSEX GARDENS HORNCHURCH ESSEX RM11 3EH

PLEASE ADD 15% VAT TEL: 040 24 71426 POST & PACKING PREE EDUCATIONAL AND GOVERNMENT ORDERS WELCOME \* QUANTITY DISCOUNTS

QUANTITY DISCOUNTS

#### UNIVERSAL TELETEXT ADAPTOR

- RISC-OS version multitasks
- Computer controlled tuning
- Download and save pages
- \* User programmable via SWIs & OS calls.
- \* Unique composite video & audio output.
  \* High performance T.V. front end.
- \* Fully mains powered unit in metal case.

\* Upgrades available for existing users.

The ARC/A3000 version contains many powerful features making it very easy to use, i.e. point and click at page numbers. SAE for details.

Prices include:-User port lead TTX V1.60 S/ware User notes RRC R

Parallel port lead TTX V1.08 S/ware User notes A3000/ARC

Podule socket lead TTX V2.00 S/ware User note A3000/ARC

#### A3000 MEMORY UPGRADES

- Low power design, only 8 chips
- \* 1 Meg upgradeable to 4 Meg.
- Easy to fit, just plugs in. +
- Screw fixed for reliability.
- \* PCB size only 175 x 50mm.

1 MEG £70.00 inc VAT & P+P

(Gives 2 Meg total memory)

4 MEG £170.00 inc VAT & P+P (Gives 4 Meg total memory)

NOTE: Memory prices fluctuate. please phone for our best quote

SAE for full details

#### **ARM 3 PROCESSOR**

- Cache operation at 24 MHz
- \* RISCOS !Armspeed software.
- 3 + times speed increase.
- DIY plug in design.
- \* Fits A300/400 series.

Introductory price ....

£299.00

#### A305/310 4 MEG MEMORY UPGRADE

- Low power 8 chip design
- \* DIY fitting, just plug in.
  \* Accepts our ARM 3 processor.

Introductory price..

£260.00

SAE for details of above products



TEL: 0702 230324

DEPT AU. GROUND CONTROL ALFREDA AVENUE HULLBRIDGE **ESSEX SS5 6LT** 

ALL PRICES INCLUDE VAT AND P&P MAIL/TELEPHONE ORDERS ONLY PLEASE **EDUCATIONAL AND GOVERNMENT ORDERS** 

WELCOME

#### **ACORN APPROVED** LONDON DEALER

Wide range of software and hardware stocked

**EDUCATION ORDERS WELCOME** 

#### PHONE FOR BEST PRICES

Easy to get to Train: WOOD ST Station (British Rail) Road: Bottom of M11. just off North Circular Tel No: 081-521 1784





**AUTOMATIC SERVICES** 217 WOOD STREET WALTHAMSTOW **LONDON E17 3NT** 

From Britain's Largest Supplier of **Educational Software** 

230 Page Guide To The Best Educational Software For BBC Nimbus Archimedes & IBM All Ages · All Subjects

For Your Free Copy Contact School Hill Centre Chepstow Gwent NP6 5PH Telephone 0291 625439 Fax 0291 279671

PRI	CE BREA	KER T.	D.K. VERE	BATUM DIS	CS
QUANTITY	5.25 DS/DD	3.5 DS/DD	3.5 DSHD	BOXES 5.25	BOXES 3.5
10	5.00	7.00	15.00	1.00	0.95
25	10.00	15.50	31.50		
40					5.50
50	16.50	27.00	54.00	6.00	
80					6.00
100	26.00	38.50	64.00	6.50	
200	48.00	71.00	127.00		
500	118.00	158.50	310.00		
1000	218.00	300.00	612.00		

ALL PRICES INCLUDE POSTAGE, V.A.T. LABELS AND ENVELOPES • 100% ERROR FREE FULL REPLACEMENT GUARANTEE EDUCATION AND GOVERNMENT ORDERS WELCOME

A.S. COMPUTER SUPPLIES 84 HAMILTON ROAD, READING RG1 5RD • 0734 669354

### Watford Electronics

(A member of the Jessa group of Companies - Established 1972)



Jessa House, 250 Lower High Street, Watford WD1 2AN, England Tel: Watford (0923) 37774 Tlx: 8956095 Fax: (0923) 33642

Acorn

The sign of Quality

Shop Hours: 9am to 6pm (Mon.-Sat.) Thursday 9am to 8pm. FREE customer car park. All prices exclusive of VAT; subject to change without notice & available on request.

The choice of Experience

### Archimedes micro

System	Basic	Mono	Colour	Multiscan
410/1	£1099	£1159	£1278	£1448
420/1	£1299	£1359	£1478	£1648
440/1	£1699	£1759	£1878	£2048
540/1	62995	£3065	£3178	

#### **Archimedes A3000**

FREE MAINTENANCE ON SITE

A3000 Microcomputer

£599 A3000 + Learning Curve pack £699

• 3.5" External Drive£99 • Dust Cover Micro Monitor Stand £16 External Podule

Serial Upgrade £17

● Technical Manual £60 SCSI Card £149

25 only

 Dust Cover for Micro + Monitor £9 User port/MIDI €45 upgrade

• UHF TV Modulator £30

#### Unbeatable Sale Offers on Archimedes Micro

When you purchase an Archimedes Micro from Watford, look what you get FREE with it

Micro	Free Offer
A410/1	Upgraded to 2MB RAM & a 20MB Hard Disc. (A420)
A420/1	Upgraded to 4MB RAM 40MB Hard Disc (A440), MK II Learning Curve pack and Acorn DTP pack
A440/1	High Res 14" Multiscan Colour Monitor
540/1	High Res Multiscan Monitor & Panasonic KX-P1180 Printer
A3000	Upgraded to 2 Megabyte of RAM & a A3000 Monitor plinth.

+ 12 months FREE On-Site Maintenance

(P.S. Instead of the above Hardware upgrades on A410/1 & A420/1, we will fit the 30MHz Turbo Board if required. Please specify your requirement when ordering.)

Archi Accessories	
NEW Multitasking RISC OS	£29
3.5" 800K 2nd Floppy Drive (305/310)	£118
• 5.25" 800K external Floppy Drive	£85
• I/O Podule (with Analogue port, User port,	
& 1MHz bus)	£76
MIDI add-on to I/O Podule	£29
MIDI Expansion Card	£65
Sound Sampler Mono (Armadillo)	£129
Sound Sampler Stereo /Midi (Armadillo)	£186
Chromalock Podule (Wild Vision)	£275
Econet Network Board	£44
Archimedes IEEE Interface Adaptor	£269
Dual RS232 Podule	£195
16 bit parallel I/O Card	£195
<ul> <li>Archi replacement mouse – New design</li> </ul>	£32
PC Emulator NEW Faster Version	£62
Software Developers Toolbox	£149
Floating Point Unit	€455
SCSI Adaptor Expansion Card	£162
Keyboard Extension Lead	£6
2 Podule Backplane	£25
4 Podule Backplane	£38
Fan for above backplanes	83
Risc Os Extras Software Disc	£5
<ul> <li>Smoked Perspex Low profile Keyboard Cover</li> </ul>	83
Ethernet Card	£220

#### 0% Finance Now Available

On Acorn Archimedes A3000 and A420/1 with learning curve packs. (Please telephone for details)

#### 8 Meg RAM Upgrades

● R810 - A	410/1 upgraded to 8MB	£740
● R820 - A	420/1 upgraded to 8MB	£689
● R840 - A	440/1 upgraded to 8MB	£579
	140 upgraded to 8MB	£579

#### **Turbo Charge Your Archimedes**

Increase the speed of your Archimedes by a factor of THREE to SIX times (depending on the software you are running), with Watford's ARM3 Upgrades.

• ARM-3	20MHz Upgrade Board	£325
	30MHz Upgrade Board	£375
• MEMC	1A Upgrade	€42
	rice includes a FREE Chip ext	

Archimedes Micro, then not only will we fit the card Free of Charge but we will also reduce the price by £40 i.e. You pay only £285 for ARM3 20MHZ & £335 for ARM3-30MHz)

#### **Archimedes RAM Upgrade**

All our memory upgrades are simple to fit. No soldering required. Fitting instructions supplied.

• R302-A3000 - to 2MB RAM Upgrade	£52
• R304-A3000 - to 4MB RAM Upgrade	£169
R311-A305 - to 1MB RAM Upgrade	£50
• R312-A305/310 - to 2MB RAM Upgrad	de £235
<ul> <li>R314-A305/310 - to 4MB RAM Upgrad</li> </ul>	de £425
• R412-A410/1 - to 2MB RAM Upgrade	£39
• R413-A420/1 - to 4MB RAM Upgrade	£75
• R414-A410/1 - to 4MB RAM Upgrade	£105

#### **Archimedes Hard Disc**

Watford's ST506 Hard disc drives for A310 & A410 series fit internally into the space provided. The 'simple to follow' fitting instructions supplied makes drive fitting very easy. All disc drives are auto parking. 40Meg & 53Meg drives are fast 24mS type, while 20MHz are 28mS.

S. A310 upgrades require a backplane and a fan.

• 3HDP - Hard Disc Podule only	£135
• 3HD20 - 20Meg H' Disc + Podule for 310	£289
• 3HD40 - 40Meg H' Disc + Podule for 310	£389
• 3HD50 - 53Meg H' Disc + Podule for 310	£474
4HD20 - 20Meg Hard Disc for 410	£165
• 4HD40 - 40Meg Hard Disc for 410	£245
• 4HD50 - 53Meg Hard Disc for 410	£335
A3000 20Meg Hard Disc + Podule	£345
A3000 40Meg Hard Disc + Podule	£459

#### Convert your Archi 410 to a 420 or 440 with Watford's unique Upgrade Kits

		The state of the state of
UP10 -	to 2MB RAM + 20MB Hard Disc	£210
UP15 -	to 2MB RAM + 40MB Hard Disc	£315
UP20 -	to 4MB RAM + 20MB Hard Disc	£265
UP30 -	to 4MB RAM + 40MB Hard Disc	£345
UP40 -	to 4MB RAM + 53MB Hard Disc	£475

#### Silicon Vision

Gerber Plot	295	Super Dump	£2:
Solid CAD	£120	Solids Render	£12
Super Plot	£30	Solid Tools	£27
Arc PCB Professional			£27
Realtime Solids Modeller			£13

#### STAFF VACANCIES

Watford Electronics is the leading supplier in the Acorn computer field and has established itself in the PC compatible market with its Aries PC computers. In its eighteen year history, Watford has always kept itself at the forefront of the new technology. Due to our latest expansion, we require staff to man our **BBC/Archimedes and PC Technical** Departments. Applicants will be required to be familiar with BBC/Archimedes hardware and software, and PC staff will need to be familiar with PC computer hardware. Good rates of pay, excellent prospects. Subsidised company accommodation is available to single persons if required. Telephone Keith Archer or Shiraz Jessa for interview, or write to us enclosing your CV.

#### Archi Mouse Port Splitter

Continuous plugging and unplugging of the mouse is not only inconvenient but can also damage your micro. Our handy little Archi mouse port splitter unit eliminates this risk by allowing you to connect a mouse and a joystick or a tracer ball simultaneously to your Archimedes micro. The miniature slide switch on the box enables you to select the speciest to be used. select the socket to be used.

#### **Graphics, Art, Design & Games**

GRAPHICS		Manchester United *	£19
Atelier	£65	Nevryon	£14
Artisan II	£47	Olympics	£15
Artisan Gallery	£16	Pipe Mania	£19
Autosketch II	268	Pirate	£16
Craftshop 1 & 2	£28	Power Band	£20
Euclid 2	£52	Puncman 1 & 2	£16
Graph Box	£59	Puncman 3 & 4	£16
HotLink Presenter	£42	Pysanki	£15
Kermit	£46	Real McCoy	£22
	£19	Real McCoy 2	£23
Mogul Poster	£79	Redshift	£14
Pro Artisan	£72	Return to Doom	£16
	258		€54
Render Bender		Revelation	£15
Snippet	£26	Repton 3	
Tween	£25	Rotor	£20
GAMES		Splice	£25
ArcPinball	£18	Sporting Triangles	€24
Apocalypse	£21	Star Trader	£14
Arcade 3 Compil.	£12	Superior Golf	£15
Arcade Soccer	£15	Talisman	£12
Arc Pinball	£18	The Pawn	£19
Arc Trivia	£18	Thundermonk	£11
Avon	£16	Timewatch	€24
Ballerina	£16	Trivial Pursuit	£23
Blowpipe	£16	Twin World	£17
Break 147	£20	U.I.M.	£23
Bug Hunter	£14	White Magic	£15
Caverns	£14	White Magic 2	£15
Chess 3D	£17	Wimp Game	£15
Chocks Away	£18	Worldscape	£16
Conqueror	£18	Miscellaneous	
Cops	£14	Ancestry	£59
Corruption	£18	Arccomm Pack	£24
Crisis	£23	Arcterm 7	€69
Drop Ship	£15	Armadeus Sound	260
Enthar Seven	£22	BBC DFS Reader	£6
E-Type	£17	Equasor	€40
E-Type Designer	£15	FlexiFile	298
E-Type Extra 100		Genesis	£65
miles	£15		£125
Family Favourites	£15	Hearsay Comms	LILS
Fireball 2	£19	Pack	€50
	£15	Investigator 2	£22
Holed Out Designer	£15	JX Archi Colour Printer	
Holed Out Golf	£15	Driver for Citizen &	
Hostages			£15
Ibix the Viking	£14	Star	
Inertia	£15	Numerator	266
Inter Dictor 2	£26	Presenter 2	£35
Iron Lord	£15		£145
Jet Fighter	£10	Revelation	£62
Jiglet	£25	Rhapsody in Blue	239
Jigsaw	£27	Speech!	£16
Magpie	£39	Toolkit (Clares)	€42
Man at Arms	£16	Touchtype	£40
MahJong Patience	£15	Tracer	€46

#### LANGUAGES (Archimedes)


ISO-PASCAL; FOR	RTRAN	177 £7	7 each
Assembler; LISP;	Prolog	X £14	9 each
ANSI C Rel. 3	£125	BASIC Compiler	£77
Cambridge Pascal	€60	Logotron Logo	£55
Macro Assembler	£40	Risc Basic	£120
Robo Logo	£69	Risc FORTH	£110

#### Minerva's Archimedes Software

Home Accounts*	£36	Sales Ledger*	£53
Stock Manager*	£53	Purchase	
Nominal Ledger*	£53	Ledger*	£53
Ancestry	£59	Reporter	£29
System Delta+	£55	Mailshot*	£29
System Delta + Re	eferenc	e Manual	£25
Order Processing/			£53
School Administra			£118
* Requires System			

NEW Business Accounts Packages
Nominal Ledger, Order Processing/Invoicing,
Purchase Ledger, Sales Ledger & Stock Control Price: £78 per Module or £299 for the complete Software Suite

#### ULTIMUM - Archimedes A3000 **Podule Racking System**



#### THE ONLY LOGICAL WAY TO **EXPAND YOUR A3000 COMPUTER**

The accepted standard for Archimedes computer expansion is the Acorn Podule, designed initially to fit the old 310, and also for the later A400 and A400/1 series micros. The podules fit inside these computers up to four at a time. The A3000 is the little brother of the family, but can only have one podule at a time, plugging into the back of the

Other attempts have been made to expand the A3000 by trying to introduce a 'mini-podule'. This is impractical for many reasons, amongst which is the reluctance of manufacturers to produce them. Nobody wants to re-design podules already produced. Some cannot be produced on a 'minipodule' as they are far too complicated and simply

Watford Electronics listens to the demands and requirements of its customers, and we are glad to say that we have come up with the only real solution to the A3000 expansion problem. The ULTIMUM Podule Racking System allows up to three FULL SIZE standard Archimedes 300/400 series podules to be fitted to the computer. In addition, there is also provision for a hard disc drive and a podule to be fitted internally. Since the ULTIMUM Podule Racking System takes

proper full size podules, you will be able to use any of the currently available peripheral equipment, from companies like Computer Concepts, Armadillo, Acorn and of course, our own brand. Fitting the podules to 'ULTIMUM' is simple. They are neatly fitted inside the metal case of the rack, avaiding the provinces within method of barrains.

avoiding the previously untidy method of hanging the podule off the back of the computer, risking

the podule off the back of the computer, risking damage to both, it and to the computer. 'ULTIMUM' has its own power supply, so no strain is put on the A3000 power supply. There is also an IEC mains output socket for an Acorn type monitor so reducing the number of plugs required to go to the mains. The ULTIMUM is rigidly clamped over the top and under the computer, and allows direct access to the floppy disc drive and reset button, rather than obstructing access as on other systems. The mounting method employed is so systems. The mounting method employed is so firm that the computer could even be safely transported without the assembly falling apart.

Price: £125

#### Archimedes A300/A400 SCSI Hard Disc Offer (while stocks last)

100MB Hard Disc Upgrade complete with Controller card, Cables, Formatter and Manuals

> RRP: £1030 Offer Price: £475

#### Archimedes to BBC Serial Link Mk 2

Using this simple data link, it is possible to solve all your BBC to Archimedes data transfer problems. The kit is supplied with a disk, and the necessary cable to connect the two computers. New RISC OS Version Only £15

#### **Archimedes External Disc Drive Interface**

With this interface it is possible to connect almost any 5.25"/3.5" disc drive with its own power supply to the Archimedes. Upto 4 disc drives can be connected. Fully Buffered Board. NO SOLDERING is involved. Supplied complete with necessary lead. A300/A3000 £21 • A400


#### Special Education Prices

All education establishments qualify for special education prices on micros, etc. Please write in or telephone (0923) 37774 or 50335 for written

#### BBC MASTER

MASTER 128K Micro incl. Acorn's View, Viewsheet, ADFS, BASIC Editor & TERMINAL plus FREE OFFER (see £399 (carr £7) below)

#### FREE OFFER



A 5.25" Double Sided, 40/80 track switchable 400K Disc Drive complete with cables and a Utilities disc incl. 2 games, plus

Gemini's OFFICE MATE & OFFICE MASTER packages on Disc consisting of: Database, Spreadsheet, Beebplot graphics. Accounts packs: Cashbook, Final Accounts, Mailist, Easyledger, Invoice & Statements, Stock Control.

FREE with every BBC Master purchased from us during June

#### **ADD-ONs & ACCESSORIES**

Turbo 65C102 Add-on Module	£115
Econet Module for the Master	£45
Twin ROM Cartridge for Master	29
Quad ROM Cartridge for Master	£14
Master Reference Manual I	(No VAT) £14
Master Reference Manual II	(No VAT) £14
Master Advance Ref Manual	(No VAT) £17
64K Upgrade Kit for B+	£32
Acorn 1772 DFS Kit complete	£49
ECONET Upgrade Kit for BBC B	£42
ALL ECONET UPGRADES Availab	le
ARIES' IEEE Interface for BBC B &	Master £238
Morley Teletext Adaptor with ATS R	tom £99
Ecolink	£270



**CREDIT CARD 24 HOUR Ansaphone Hot Lines** (0923) 50234 or 33383

#### Desk Top Publisher

£125
£135
£79
£95

#### Archi Wordprocessors

Pendown Archi	£49	Archie Spell Maste	er £39
Wordwise + Disc	£24	PD Spelichecker	£40
Image Writer	£25	View	£45
Interword Disc	£24	Graphic Writer	£23
1st Word Plus - 2	€69	EasyWord	£30

#### **Databases**

AlphaBase £36	Multistore	£195
Knowledge Organiser£45		

#### **Spreadsheets**

Intersheet Disc	£24	Viewsheet	£45
Sigmasheet	£39	Schema	£92

#### **Business Graphics**

GammaPlot	£39	Sigmaplot	£39
Interchart Disc	£20		

#### Integrated Packages

Logistix	£79	Pipedream 3	£119
<ul> <li>Desktop Office –</li> </ul>			
Charts, Wordprod	cessor	r Spreadsheet,	
Communications			£98
<ul> <li>Desktop Folio –</li> </ul>	Words	processor, Desktop	
& Interactive Pub	lishing	g. Ideal for school	
environment.			£85

#### Watford's Scottish Dealer

We are pleased to announce the appointment of Messrs Computer Depot as Watford's official Scottish Dealer. The full range of our BBC/Acorn products is now available from their Dundee, Edinburgh & Glasgow shops. Their technical staff will be very happy to discuss all your peripherals' requirements.

#### **Education Software**

- Advanced Folio: 7-14 years. Has the simplicity of a basic wordprocessor with the presentation quality of a Desk Top Publisher £38
  Colourcopter & Numbercopter: 4-7 years. Flying
- start in pre-reading and pre-number skills
- Colourcopter includes 7 programs to develop matching, sorting, coordination, letter & word
- recognition Numbercopter: Includes 8 programs to develop memory, sequencing, logic, number, more and gone away, word order and rhythm skills
- Best Four languages 5-11 years: Four best selling programs which encourage children to work together to improve their linguistic ability
- Hands on Spelling 5-11 years: Promotes a visual approach to mastering spelling, linking the skill with other National Curriculum areas as

hand writing, talking and reading.	£30
Asian Folio - Guiarati 80T	£45
Best Four Languages	£35
Best Four Maths	£35
Frieze 7-16 years	£37
Kaleidoscope 7-16 years	£37
Merlins Castle	£22
Maths 9-13 years	£25
Number in the National Curriculum	£55
<ul> <li>Screenprint pack of 5 5-16 years</li> </ul>	£150
Time Traveller 7-16 years	£40
The Lost Frog	£22
<ul> <li>World Map Study 7-16 years</li> </ul>	£35
(More Educational software on page	

#### **Archi A4 Scanner**



This new A4 image scanner from Watford Electronics is supplied complete with ROM based podule software. Features provided include facilities for zooming in on an image and inverting the image in X and Y directions, saving and printing of the sprite created. Interactive help is supplied using the !HELP application on the Acorn

applications discs.

The 216mm scanning width can cope with both desktop scanning of single sheets, photographs, diagrams, etc., with its fast ten page automatic document feeder, but it can also detach from the feeder to become a convenient hand-held full page

feeder to become a convenient hand-held full page scanner for larger documents or pictures. Scanned image control can be freely adjusted in increments of 10 dots per inch from 100 up to 400 dpi resolution with 64 levels of grey scaling. A built in shading controller and manual brightness control achieve optimum image clarity.

Unlike some scanners, which use a red light source, the Watford scanner uses a yellow/green source which vastly improves the light/dark contrast, thus eliminating the effect where any redbased colours are faded down to white and so do not show up in the scanned image.

All these features and facilities combine to make the Archi Page Scanner the fast and convenient

the Archi Page Scanner the fast and convenient way in which to add that extra impact, interest and clarity to documents, reports, instruction sheets, manuals, news letters, etc., from your Archimedes DTP package.

#### **Introductory Prices:**

Archi A4 Scanner	£349
Sheet Feeder for above	£95
Scanner + Sheet Feeder	£419

#### Z88 Portable Micro



£185

#### FREE

With every Z88 purchased from us, we are giving away absolutely FREE, a Z88 to BBC Interface Link, 4 rechargeable batteries and a compact Mains Battery Charger worth £38.

#### 788 ACCESSORIES

200 AC	CE	SOURIES	
• 32K RAM Pack or 3	2K E	PROM Pack	£18.00
• 128K RAM Pack or	128K	EPROM Pack	€42
• 512K RAM Pack			£175
<ul> <li>Z88 Eprom Eraser U</li> </ul>	Jnit		£33
<ul> <li>Z88 Spellmaster for</li> </ul>	Pipe	dream	£51
<ul> <li>Z88 Carrying Case</li> </ul>			83
<ul> <li>Z88 Computing Boo</li> </ul>	k		£9.95
AA Nicad Rechargeable Battery			£1.50
Battery Charger Compact & Fast			£6
<ul> <li>Z88 Serial Printer C</li> </ul>	able		83
<ul> <li>Z88 Parallel Printer</li> </ul>	Cabl	е	£25
<ul> <li>Z88 to Archi Link</li> </ul>			£15
<ul> <li>Z88 to BBC Link</li> </ul>	£20	• Z BASE	€56
<ul> <li>Z88 to PC Link II</li> </ul>	£30	• Z TAPE	£42
<ul> <li>Z88 to Macintosh</li> </ul>	£52	• Z TERM	£42
<ul> <li>Z88 Mains Adaptor</li> </ul>	29	<ul><li>Z88 Modem</li></ul>	£149

#### Archi Real-Time Digitiser



#### Now supplied with NEW RISC OS Version Software

Watfords' Archimedes Video Digitiser is the most sophisticated digitiser ever designed for a micro. It provides a fast and flexible means of capturing images from a video camera or recorder for display and manipulation on the Archimedes range of Micros. Off-air televison signals may also be digitised via a video recorder or TV tuner. Please write for further details.

#### Price £175

A Set of Colour Filters for colour image grabbing using a video camera New Risc-OS Software Upgrade £39

#### Archi Graphic Tablet



The Archi Graphic Tablet offers performance and accuracy comparable to other tablets priced at well over £400, and has the useful addition of a liftable cover, which can hold tracing material or menu templates securely. The package is supplied complete with sophisticated Archi software. (Now, fully LinCAD compatible. Recommended by Linear

Graphic for use in Education).
(FREE this month, PC Mouse Drivers & Art package)


#### Special Price £199

(Price includes Tablet, Leads, Software & Puck) Stylus Optional Extra £15

Archi Graphic Tablet Junior. Working area 9" x 6". Price includes Stylus

#### **Disc Plonker** Rack

When using ones micro, there is a tendency to have more than one Disc on the desk. This exposes them to the hazards of fingerprints, scratches, dust, coffee and



Protection at Only: £2

#### Acorn & Watford DFSs

Watford sophisticated DFS ROM	£16.00
<ul> <li>Watford DFS Kit complete</li> </ul>	£69.00
· We will exchange your existing ROM for	or
Watford's ultimate DFS ROM at only	£12.00
DFS Manual (comprehensive)	€6.95
Acorn DNFS ROM	£17.00
Acorn ADFS ROM only	£25.00
Acorn 1772 DFS ROM Kit	£49.00
(The single Density DES system is now a	old

technology. Like Acorn, Watford too have decided to replace it with the their more up-to-date 1770 DDFS interface. We have informed most of the software houses of this decision in order that they can ensure compatibility with our highly sophisticated and fully Acorn compatible DDFS).

#### Watford's Mkll 1772

#### Single/Double Density DFS

Many of our customers have wanted to use our superior DDFS and Acorn ADFS together. Now our Mk II DDFS Board with its 1770 Disc Controller, has been adapted to allow the use of Acorn ADFS as well. It also has all the commands of the Acorn's 1770 DFS, plus the added features.

Added features include:

- Acorn ADFS compatible Use ADFS on our DDFS board.
- Tube host Code No longer any need to have the DNFS in your machine to use Co-Processors, even the CoPro and Master 512.
- Auto 40-80 Track sensing no need to fuss with 40/80 track switches (even works with protected
- An extremely powerful 8271 emulation ensuring compatibility with almost all software. New low profile – small footprint board. Fits with all third party ROM boards.
- Option to double the speed of file handling operations - BPUT and BGET.
- Operates in both single and double density
- OSGBPB has been recoded, increasing still further the speed of file handling.

Please note that not all DDFS's are capable of providing either the full 80% storage increase or of allowing a file the full size of the disk - Ours allows both of these!

If you already have a DDFS (any manufacturer), and wish to upgrade to our MkII version, then simply return your existing ROM and DDFS board and we will supply the new DDFS for only £39.00.

SPECIAL PRICE

 DDFS Manual (No VAT) £6.95

 We will exchange your existing DFS Kit for our sophisticated DDFS for only

£30. £30.00

Please note, as the MkII DDFS is a hardware and sofware upgrade, it is not possible for existing Watford DDFS users to simply exchange the ROM

#### 3M - Diskettes

3M - SCOTCH Diskettes with Lifetime warranty from Watford Electonics your 3M Appointed Distributor

• 10 x 5.25" S/S D/D 40T (744)	£5
• 10 x 5.25" D/S D/D 40T (745)	£5
• 10 x 5.25" S/S D/D 80 Track (746)	£7
• 10 x 5.25" D/S D/D 80 Track (747)	£7
• 10 x 5.25" 1.6M D/S D/D High Densi	ity for IBM
XT and AT	£11
• 10 x 3.5" S/S D/D 40/80 Track	£7
• 10 x 3.5" D/S D/D 40/80 Track	£8

#### Top Quality 3.5" & 5.25" **Diskettes**

£13

• 10 x 3.5" Double Sided High Density

To complement our range of Quality Discs and Disc Drives. WE are now supplying SPECIAL OFFER packs of 10 Lifetime guaranteed discs. Each disc has a reinforced hub ring. Supplied complete with selfstick labels and a Plastic Library Disc Box.

10 x M3 3.5" D/S D/D 80 Track	£7
10 x M9 3.5" D/S High Density	£12
10 x M4 5.25" S/S D/D 40 Track	£5
10 x M5 5.25" D/S D/D 40 Track	£5
10 x M7 5.25" D/S D/D 80 Track	£7
10 x M8 5.25" D/S H/D Hi-Density	£12
M2 3" Double Sided	£2.50 each



**CREDIT CARD 24 HOUR Ansaphone Hot Lines** (0923) 50234 or 33383

#### **Quality Disc Drives from** Watford

All our Disc Drives are Double Sided and will operate in both Single and Double Density modes. All 5.25" Disc Drives are 40/80 track switchable. For ease of use, the switches are front mounted. Various UK "manufacturers" of disc drives for the BBC micro (more accurately, "packagers" label other manufacturers drives with their own name). We buy the high quality NEC and Mitsubishi drives in large quantities directly from the manufacturers, package them and sell them at "dealer" prices direct to the public.


if you look around the popular BBC micro press, you will find that the prices we quote for the top quality, new slimline disc drives are, virtually without exception, are the best around. These prices, coupled with the backup of one of the country's largest distributors of BBC peripherals provides a superb deal.

Unless you anticipate using dual drives in a fully expanded BBC system for long periods of time with little ventilation, then we suggest that our range of "CL" disc drives without the PSU (Power Supply Unit) would be quite adequate (extensive tests within our workshops have confirmed this). All drives are supplied complete with a SPECIAL UTILITIES Disc, Cables and Plugs. The Drives with power supply have a mains moulded plug for safety purposes. Ideal for Schools & Colleges. When using a BBC Micro, most people find themselves short of desk space. The Watford's BBC Micro plints for manifest.

BBC Micro plinths form an ideal way of recovering some of this precious space. Your BBC Disc Drive and Monitor can all occupy the same vertical footprint and still be comfortably situated. With the Watford Double plinth, your Disc Drive is mounted vertically at one side, leaving a very valuable area directly in front of you for such useful items as spare discs, pen, paper, reference manuals, etc.
Follow the trend with a Watford plinth. (Turn to the
6th page of our advert for the Plinths).
P.S. All our 5.25" Disc Drives with PSU are
compatible with the Compact Micro. All you require
is our special Compact Disc Drive cables designed

#### "Test Bureau Approved for Use in Education"





#### Our Disc Drives conform to BS415

Type Description		
Disc	Drive without PSU	
• CLS400S:	Single, 40/80 track 400K Double sided Drive	£72
•CLD800S:	Twin, 40/80 track, 800K	¢142

#### Disc Drive with PSU

•034003.	Double sided Drive	£82
• CD800S:	Twin, 40/80 track, 800K	

£155 Double sided Drives

Special Cable to connect both 3.5" and 5.25" Disc Drives simultaneously to the BBC Compact £13

#### Disc Drive/DDFS Offer



- The popular CLS400S 40/80 track switchable
- · Watford's popular Mk II DDFS Interface (allows up to 720K storage). Will run both in single & double density modes
- · A comprehensive DFS Operating manual Bargain at Only £119 (Offer valid until stocks last)

#### 3.5" DISC DRIVE



These top quality 3.5" Double sided, 80 track, are attractively finished in BBC beige. They are supplied complete with all cables and a Utilities Disc.

Type	Description	
	Disc Drive without PSU	
• CLS35:	Single Disc Drive, 400K	£62
• CLD400S:	Twin Disc Drives, 800K	£109
	Disc Drive with PSU	
• CS35:	Single Disc Drive, 400K	£83
• CD35:	Twin Disc Drives, 800K	£126
IPS CSSSice	unnlied in a twin case with a	

is supplied in a twin case with blanking plate to enable easy expansion to a dual drive at a later stage)

#### **Disc Drive Sharer**



#### (Ideal for educational establishments)

A low cost alternative to the Econet system.Watford's Intelligent Disc Drive Sharer allows you to connect 3 BBC micros (model B, B+ and Master series) to a single or double disc drive. Running under any DFS or DDFS, this intelligent unit will automatically queue the computers. Each computer has a status light dedicated to it. If it is green you will get immediate access to the disk, and red means that you are next in line. The unit plugs directly into the disc drive socket on each computer and is powered by the mains. (N.B. Not for use with ADFS.

Price includes 3 Cables

#### **Disc Drives in Monitor Stand**



• CDPM 800S - Twin 5.25", 800K Double sided 40-80 track switchable disc drives mounted in an attractively finished Beige colour plinth for the BBC B & Master 128K micros. Supplied complete with integral power supply, cables and Utilities disc. The mains switch with neon On/Off light indicator, and the two 40/80 track switches are mounted on the front panel for ease of use.

£165

• DP35 800 - Same as above except, one disc drive is a 5.25" and the other is 3.5".


£154

#### Floppy Head Cleaner Kit

The heads in floppy drives are precision made and very sensitive to dirt. The use of cleaner Kit is a sensible precaution against losing valuable data. It is recommended to clean the drive head once a week, it is very simple to use. Available in 3.5" & 5.25", please specify.

Price £4

#### Antistatic Lockable Disc Storage Units




Gives double protection – Strong plastic case that affords real protection to your discs.

Antistatic helps avoid data corruption whilst in storage. The smoked top locks down

Dividers and adhesive title strips are supplied for efficient filing of discs.

M35 - holds up to 50 5.25" discs	£4.95
	£6.95
M25* - holds up to 25 3.5" discs	£4.95
	£6.50
M10 - holds 8 of No. 10 Data Cartridges	£15

#### Not lockable **Plastic Library Cases**



Holds up to 10 x 3.5" Discs. Holds up to 10 x 5.25" Discs. £1.50

#### **Dust Covers** (For our Disc Drives)

Single CLS (without PSU)	£3.20
Single CS (with PSU)	£3.25
Twin CLD (without PSU)	£3.85
Twin CD (with PSU)	£3.90

#### **Disc Albums**

Attractively finished in black leather-look vinyl. Stores up to 20 discs. Each disc can be seen through the clear view pocket.

£4

#### Special Bulk Offer on Discs


(Supplied packed in Anti-Static Lockable Storage Units) (Lifetime warranty on Discs)



#### **BULK PACK DISCS in lots of 100**

Туре	S-S 40T D-9	3 40T I	D-S 80T
<ul> <li>Without Sleeves 5.25"</li> </ul>	£30	£35	£40
• With Sleeves 5.25"	£33	£38	£43
• 3.5" D/S D/D	£29 for 50	£52	for 100

Continued  $\rightarrow \rightarrow \rightarrow \rightarrow \rightarrow \rightarrow \rightarrow \rightarrow \rightarrow$ 



• 1431 - Standard Resolution Monitor



#### **Microvitec Monitors**

• 1451 - Medium resolution, suitable for word	
processing in mode 0	£209
Cub3000 Medium Res for A3000	£189
• 1441 - High res, exceeds the capabilities of	the
BBC Micro	£359
• 2040 CS 20" Hi Res	£675
Dust Cover for Microvitecs	£5.50
Touchtec 501 Touch Screen	£239
Now 3 years Parts & Labour warranty on a Microvitec Monitors	all

#### Multiscan Colour

A STATE OF THE PARTY OF THE PAR		the state of the s	
• Eizo 9060S	£389	NEC 5D	£1299
● Eizo 9070S	£579	● Taxan 770LR	£379
● NEC 2A	£255	Taxan 775	£375
NEC 3D	£345	Taxan 795-PC	£425
NEC 4D	£679	Taxan 875	£725
<ul> <li>VIDC Enhance</li> </ul>	er Board		£25
IPS Tava	705 mo	nitor is supplied wi	th.

a FREE VIDC enhancer board)

#### **Philips**

•	BM7502	12" Hi-res Green Monitor	£70
0	CM8833	14" Med. Res Colour Monitor	£178

#### STAR BUY

PHILIPS 14" Medium Res, dark glass, attractively finished Colour Monitor . A pushbutton switch toggles between Hi-Res monochrome green text mode and full colour display. (Please state the type of Connecting Lead you require).

ONLY £176

**Dust Cover for Philips Monitors** £6 (Securicor carriage on Monitors £7)

#### **Spare Monitor Leads**

BNC Lead for Zenith or Philips	£3
Skart Monitor Lead	£5
RGB lead for TAXAN Monitors	£3
Archimedes Colour Monitor Lead	£7.50

#### Anti Glare VDU Screen

These extremely effective, easy to install, 12" & 14" VDU screens eliminate harmful glare, improves contrast on colour monitors. Increases productivity in offices. A must for wordprocessor users.

#### Canon Bubblejet Printers

			D'ble	Ink
	Printer	CSF	Bin	Cart
BJ10E	£205	£54		£18
BJ300	£354	\$83	£65	£12
BJ330	£399	£110	£79	£12
• Spare	Battery pac	k for BJ10E		£33

#### **NEC Pinwriter Printers**

• P20	£198	● P70	£485
● P30	£257	● P90	£655
● P60	£379		

#### Be Satisfied Before You Buy

We have on display, various Micros, Printers, Disc Drives, Monitors, etc. Call in at our showroom to evaluate before you buy.

#### **Concept Keyboards**

Standard A3 Keyboard with BBC Software	£143
Standard A4 Keyboard with BBC Software	£117
Archi A3 Keyboard	£144
Archi A4 Keyboard	£118

#### **FREE On-Site Maintenance**

This month we are also offering at no extra cost to all our customers, 12 months, On-Site Maintenance on all Multiscan colour monitors, all Panasonic printers, and all Laser Printers, Roland Plotters and of course the full range of Archimedes micros. Should the machine fail, simply telephone the maintenance engineer, who will call in within 12 working hours. (Offer applicable only when bought at prices advertised in this advert. UK mainland only).

#### **Hewlett-Packard Printers**

• # Desk Jet 500	£309	<ul> <li>Paintjet</li> </ul>	XL	£112
Desk Writer (Mac)	£482	• Quiet Je	et Plus	£359
<ul> <li>Desk Jet Cartridge</li> </ul>	£15	• HP Thin	k Jet	£239
Paint Jet Colour	£589	<ul> <li>Rugged</li> </ul>	Writer	£83
# Now 3 years exten	ded Pa	rts & Labour	warranty	
Paintjet Cartridge	es Bla	ck £19;	Colour	£2:
<ul> <li>Desk Jet 500 256k</li> </ul>	RAM	cartridge		£12
• HP Epson FX Emu	lation C	Cartridge for	Desk Jet	25
HP Ar	ple Tall	k Interfaces	for	
<ul> <li>Scan Jet</li> </ul>	£299	• Paint Je	t	£PO/
<ul> <li>Desk Jet Unlimited</li> </ul>	(Book	No VAT)		£19.7

#### **Panasonic Printers**



FREE with every KX-P1081 & KX-P1180 Printers: A printer lead (please specify type required) and a Dump Out 3 ROM for the BBC Micro or 1,000 sheets of paper for other micros (please specify) • KX-P1081 9pin 80col. 144/28 cps £122 • KX-P1180 9pin 80col. 192/38 cps £129 • KX-P1123 24pin 80col. 192/63 CPS £158 KX-P1124i 24pin 80col. 192/63 CPS £215 KX-P1624 24pin 132col. 192/63 CPS £299 KX-P1695 9pin 132col. 330/86 CPS £299

 KX-P1654 24pin 132col. €429 Above prices include FREE, Watford's 12 months on-site maintenance

#### Panasonic Accessories

#### **Cut Sheet Feeders**

KX-P1592/1595 (P32)	£175	KX-P1540 (P35)	£175
KX-1124 (P36)	£85	KX-P1180 (P37)	£79
KX-P1624/1695 (P38)	£124	KX-P1123 (P37)	£79

#### **Buffers**

P12	4K buffer Board for 1081	£55
P42	32K buffer Chip for 1592/1595	£16
P43	32K Buffer Chip for 1540/1124/1180	£16

#### Serial Interfaces

P17 P1081/1592 £32 P19 P1124/1180 £55

#### **Citizen Printers**

120D Plus	€96	124D Printer	£138
Prodot 9	£205	Prodot 24	£225
Prodot 9X	£245	Swift 24#	£205
Swift 9	£138	Swift 24X	£279
Prodot Cut S	heet Feed	er	£120
Swift 24 Cold	our Option		£29
Swift 24 Ribb	ons Bla	ck £4	Colour £13

# Special Offer this month - A FREE Colour option cartridge with every Swift 24 printer purchased

#### **Star Printers**

LC10 9pin 80col, 144/36 CPS

• LC15 9pin 136col. 180/45 CPS	£180
• LC24-10 24pin 80col, 180/60 CPS	£150
• LC24-15 24pin 136col. 200/67 CPS	£295
• *FR10 9pin 300/76 CPS 31K 16 fonts	£229
FR15 Wide carriage version of above	£290
• *XB24-10 24pin 80col. 240/80 CPS	£299
XB24-15 24pin 80col. 240/80 CPS	£365
XB-24 Colour Kit	£29
• LC-200 Colour 9pin 80col. 180/45 CPS	£158
e LC-24-200 24pin 80col. 222/67 CPS	£189
• LC24-200 Colour 24pin 80col. 222/67 CPS	£222
*FREE Colour Ribbon with these printer	S

#### Star Accessories

	Collect	reeuei	
LC10/200/24-10	£65	LC15/LC24-15	£125
XB24-10	280	XB24-15	£139

#### Sorial Interferen

	Jeriai linteriaces	
SPC-10	LC10; LC10-II; LC10-Col; LC15;	
	LC24-10; LC24-15; LC-200; LC24-200	£49
8K Ser	LC-200; LC24-200; FR10; FR15;	
	XB24-10: XB24-15	664

#### Paper Roll Holders

LC-200;	LC24-20	); LC24-200 colour	£29
---------	---------	--------------------	-----

#### Ruffers

32K Ram Card	for LC/XB24-10: 15: LC200	€55

#### Ribbons

LC10; LC10-II; LC15	Black £4;	Colour £6
LC-200; LC24-200	Black £5;	Colour £12
XB24-10; XB24-15	Black £5;	Colour £12

#### **Laser Printers**

4ppm

£655

£875

£123

Canon LBP-4

- Carlott EDI O IIII I	oppill	21000
Canon LBP-8 IIIT	8ppm	£1389
● Epson EPL7100	6ppm	£689
HP Laserjet III	8ppm	£1025
HP Laserjet IIID	8ppm	£1539
Laserjet IIIP	8ppm	£689
Panasonic KX-P4420	8ppm*	£648
Panasonic KX-P4450i*	11ppm*	£1025
<ul> <li>Panasonic KX-4455 Postsc</li> </ul>	ript 11ppm*	£1699
<ul> <li>Qume Crystal Print Publishe</li> </ul>	er 2	£1899
Star LP-8 III		£979
Star LP-8 Star(post)script		£1195
Star LP-4 4ppm		£705

## Star LP-4PS Postscript 4ppm \* Now 2 years warranty

	Laser	TOHEIS	
Canon 2 & 4	£54	Laserjet II & IIP	£55
Epson GQ	£18	Laserjet III	£75
Star LP-8	£69	Qume Crystal	£56
KX-P4420/50	£22		

#### Laser RAM Upgrades

• IIP & III 1MB	£74	● EPL7000 2M	£365
• IIP & III 2MB	£109	• GQ5000 512K	£95
• II & IID 1MB	£76	● KX4420/50 1M	£115
• II & IID 2MB	£112	• KX4420/50 2M	£159
• II & IID 4MB	£299	• KX4420/50 4M	£349
Canon LBP4 1M	£175	Star LP8 1M	£143
Canon I BP8 2M		Star I P8 2M	£285

Laser	Drum &	Deve	loper	
<ul> <li>Epson Drum</li> </ul>				£129
Panasonic 4420	Drum	260	Developer	£59
Panasonic 4450	Drum	£93	Developer	280
e Ouma Deum		CZC	Dovolence	CEC

#### Jetpage Postscript Cartridge

FOR HEALT	£255 IID & IIID	1203
	NEW - HP Laserjet	

Various Font Cartridges	£45
Superset Font	£195

#### **Integrex Colour Jet**

Colour Jet 132 Printer	£515
Paper Roll	£6.50
BBC Screen Dump Software	£10
Colour Cartridge	£19.50
Black Cartridge	£11.25
● 100 A4 OHP transparencies	€55

8K Serial Interface Optional

Watch this space for our **NEW LAUNCH** for Archimedes micro products

Epson Printers			
DFX5000	£1089	LQ860 Colour	£465
DFX8000	£1999	LQ1050+	£475
EX1000	£456	LQ1060	£599
FX850	£283	LQ2550+	€709
FX1050	£358	LX400	£109
FX1060	£599	LX850	£150
LQ400	£166		Control of the said
LQ550	£209	SQ850	£439
LQ850+	£385	SQ2550	€645
(	Cut Sheet	Feeders for	
LX400/800/	850/LQ400	0/500/550	£69

EX800/FX800/850/LQ800/850 £130 FX/LQ 1000/1050/SQ850 £159 LQ 2550 £390 SQ2550 £390

**Tractor Feed for** LQ800 £44; LQ850/FX850 £69; LQ1050/ FX1050 £85; LQ2500 £90; LQ2550 £90.

#### Accessories

EX800/1000 Colour Option	£45
EX800/1000 Colour Ribbon	£14
LQ2500 Colour Option	£65
Multifont Card for LQ550/850/1050	£95

#### **Epson Printer Interfaces**

All these interfaces fit inside the printer RS232 + 2K Buffer £32 £52 **IEEE 488** RS232 + 8K Buffer

#### **Printer Leads**

BBC Centronics 4' long	£5
BBC Centronics 6' extra long	£7
Compact's Special Centronics Lead	£7
Archimedes Printer Lead 6'	26
Nimbus Centronics Lead	26
IBM/Archimedes Parallel Lead 6'	26
IBM/Archimedes Parallel Lead 5 metres	£13
IBM/Archimedes Parallel Lead 10 metres	£19
Double Ended 36 way Centronics Lead 4'	£7
Double Ended 36 way Centronics Lead 6'	£9
MSX Centronics Parallel Lead 4'	£12
RS232 Leads (Various)	P.O.A.
IBM Keyboard extension lead coiled	25

Plotters			
• HP7440	£425	● HP7475	£599
	Roland	Plotters	
• DXY1100	£515	DXY1200	€645
• DXY1300	€845	• DXY2500	£2375
• DPX3500	£3289	Sketchmate	£379
Reland plotte	or Pone Fil		67 50

#### Roland SketchMate

The Intelligent Graphic Plotter

The Intelligent Graphic Plotter
It is very compact and lightweight. In restricted space, it can be operated in a tilted position. Is compatible with virtually all CAD software as well as a wide range of business softwares. Specifications: Plotting area: 297 x 216mm. Number of Pens — 8. Magnetic Paper holder. 5K Buffer. Parallel and RS 232 Serial interfaces. Accessories: 8 pens, AC Adaptor, 4 x Magnetic paper holders, User manual, marking sticker, Rubber sticker, 10 x A4 test paper, 2 x A4 OHP transparency film. Dimensions: 360(W) x 410(D) x 105(H)mm. Weight 2.6 Kgs.

£379



**CREDIT CARD 24 HOUR Ansaphone Hot Lines** (0923) 50234 or 33383

#### **Listing Paper (Perforated)**

• 1,000 Sheets 9.5" x 11" Fanfold Paper	£7
• 2,000 Sheets 9.5" x 11" Fanfold Paper	£11
• 1,000 Sheets 9.5" x 11" NCR 2 Part Fanfold	£21
• 1,000 Sheets 15" x 11" Fanfold Paper	29
2,000 Sheets 15" x 11" Fanfold Paper	£16
• 1,000 Sheets true A4 Fanfold Paper 70gms	£11
• 2,000 Sheets true A4 Fanfold Paper 70gms	£21
Tolonrintor Poll (Foons paper)	CA

(All our Fanfold paper is Micro perforated leaving a smooth clean edge when the tractor feed strips are detached).

Carriage 1K Sheets £2.50, 2K Sheets £3.00

#### **Printer Labels**

#### (On continuous fanfold backing sheet)

1,000 90 x 36mm (Single Row)	26.00
1,000 90 x 36mm (Twin Row)	€6.25
1,000 90 x 49mm (Twin Row)	£7.50
1,000 102 x 36mm (Twin Row)	€6.75

#### Special Offer

Hitachi/Acorn 12" High Resolution, ergonomically designed Colour Monitors. Supplied complete with a swivel base and a BBC lead.

Only: £145 (While stocks last)

#### **Printer Ribbons & Various Dust Covers**

Type	Ribbons	<b>Dust Covers</b>
Brother HR15/20	£6.00	
BBC Micro		£3.50
BBC Master	_	£4.00
Archimedes Micro pair		£9.00
Citizen 120D	£2.75	£4.50
DMP2000	£2.75	£4.75
EX800/1000	£3.50	£5.00
RX/FX80/85/800/MX80	£2.95	
FX/MX/RX100/1000	£3.95	
Kaga/Taxan KP810/815	£3.25	£5.00
LQ400/500/550/800/850	£3.25	€6.00
LQ1050/LQ2500	£4.00	-
LX80/86/800/850	£2.75	£4.50
LX400	£3.50	£5.00
M1009/GLP	£2.95	£3.75
NEC P2200	£4.50	£5.00
Panasonic KX1080/81	£3.25	€4.75
Panasonic KX-P1124	£7.50	£5.00
SQ2500	£23.00	£5.50
Star LC10/NL10	£2.75	£5.00
Star LC24-10	£2.95	26.00
Olivetti Ink Jet		
Cartridges (set of 4)	£9	

Our attractive Dust Covers are manufactured from translucent PCV. The seams are stitched and edges are taped to prevent splitting due to

#### **Original Panasonic Ribbons**

	Guaranteed to	last 3	millio	n cha	racters	
P110	for KX-P1081,	1592	& 159	5		£7
	for KX-P1180 for KX-P1540				X-P1124 X-P1624	
	r Ribbons for K	X-P10	081, 15	592 &	1595 <b>£9.95</b> €	each

#### Professional Printer Stand



professional

80 Column version £24 (carr. £3) 132 Column version £29(carr. £4)

#### Universal **Printer Sharers/Changer**

Connect up to 5 Micros to 1 printer or 5 Printers to 1 Micro with our combined, Sharer/Changer. These Units are made to a very high standard. For extreme reliability, they all have Printed Circuit Boards mounted inside the case, (not a Spaghetti Junction of wires). Internal connection is made via high quality ribbon cables.

(Ideal for School environments)

Connects	Serial	Centronics
2 to 1	£16	£17
3 to 1	£22	£24
5 to 1	£32	£36

(Cables extra at £6 each. Please specify type required when ordering

#### 2 Way Compact Printer Switch

A handy 2 way printer switch. Enables one micro to be connected to 2 printers or vice versa. Centronics £18; Serial £17 (Cables extra at £6 each)

#### **Auto Printer Sharer Switch**

Connects	Serial	Centronics
2 to 1	£40	£45
4 to 1	£62	£59
8 to 1		£89

#### 256k Multi Spooler


These Auto Centronics Printer Sharers have built-in 256K of Printer Buffers. They can be used as Auto Sharers, Printer Buffers or both. • 4 ln/2 out £169

2 ln/2 out8 ln/1 out £199

#### **Compact Converter Units**

£36 Parallel to Serial £37 Serial to Parallel


#### Plinths for the BBC B & Master 128K Micros



Protect your computer from the heat of your VDU. Our micro plinths have slots for maximum ventilation. The single plinth is suitable for a BBC and VDU, whilst the double height version provides enough room for our stacked disc drive and other peripherals like, Eprom programmer, music unit or simply discs & stationary. The computer slides neatly in the lower section allowing easy access to remove the lid. Colour: Matching BBC Beige.

Single BBC Plinth 420 x 310 x 105mm £13 Double BBC Plinth 420 x 310 x 210mm £24 Single Master Plinth 490 x 310 x 105mm £14 **Double Master Plinth** 490 x 310 x 210mm £26 (Carr. Single plinth £2; double plinth £3)

#### Perspex Printer Stand



Give your Computer System a touch of Class with our elegant, smoke finished Perspex Printer stand.

80 Column version 136 Column version £16 (carr £3) £20 (carr £4)



Quest Mouse III & Quest Paint	£59
Quest Mouse III, Quest Paint, AMX	
Stop Press & Pagefont	£89
Quest Mouse III only	£30
Quest Paint Software only	£34
Quest Font Disc (22 Text Fonts)	£15
Quest Mouse Mat (Red or Blue or	
Green please specify)	£3
<ul> <li>Quest Colour Dump Disc – This new</li> </ul>	
software allows you to print direct from	
Quest Paint to your Integrex Colour	
Printer	£18
(P.S. Quest Paint is not compatible	
with BBC Compact)	

Quest Paint is the winner of the BBC Acorn User 1990 Award for the Best Art/Graphics software

# Con Quest

Quest combined with ConQuest and Acornsoft GXR ROM make up THE MOST POWERFUL drawing packages available for the BBC range. Quest Paint is able to take advantage of almost any additions to your machine, such as Shadow or Sideways RAM. ConQuest takes this principal even further, by utilising the otherwise normally incompatible Sideways RAM facility by holding pictures in them.


ConQuest ROM Package £30 (Price includes software in ROM and a comprehensive Manual). (Not Compatible with BBC Compact)

#### **ARCHI MK II MOUSE**

An extremely reliable replacement mouse for Archimedes Micro £32

#### Quest - Tracer ball

An attractively finished, extremely reliable, mouse replacement, input device. Requires very little desk space. Connects directly to your BBC B, BBC Master or Archimedes Micro.



QT-10 BBC/Master Version £27 QT-20 Archimedes Version £30

#### RB2 Marconi TRACKER BALL

RB2 (AMX/Quest compatible)	£45
RB2 including Quest Paint	£75
RB2-A for Archimedes	£46


#### THE NEW Mk III AMX MOUSE

## Inc. Super Art package ONLY: £59 (carr £3)

(Please specify for BBC, Master or Compact)

MOUSE MAT	£3
AMX MOUSE ONLY	£29
AMX SUPERART Package AMX STOP PRESS – A Desktop publishing software. Works with	€34
Keyboard, Joystick or a mouse PAGE-FONTS – Over 20 Fonts for	£32
use with AMX Pagemaker	£13
AMX DESIGN (ROM)	£55
AMX XAM Educational	£15
AMX EXTRA EXTRA	£16
AMX MAX A gem of desktop	
(ROM)	£20

#### **WE Mouse House**



Treat your mouse to a cosy Mouse House. This handy little gadget solves the problem of where to store your mouse when it is having a rest. Made of sturdy plastic, the WE Mouse House attaches to the side of your computer, monitor, disc drive or desk

It protects it from damage when not in use, yet within easy reach when you need it again. At £4 it does not cost a rodent's ransom.

Price £4



Our Mark II Light Pen is the very latest in light pen technology. It is totally insensitive to local lighting conditions and works with many different monitors. The pen only responds to the High Frequency light produced by your monitor/TV. An LED indicates when valid video data is being produced. A conveniently located switch is also fitted. (Price includes FREE software Disc and Operating Manual)

Only £21

#### FLEET STREET EDITOR

Software pack for BBC Micro	£33
Software pack for the Master	£39
Admin Xtra Disc Utility	£13
Fonts N Graphics Disc Utility	£13

## BEEB VIDEO DIGITISER



"Test Bureau Approved for Use in Education"

Using any source of composite video (colour or monochrome) and the Watford Beeb Video Digitiser, you can convert an image from your camera into a graphics screen on the BBC Micro. This uses the full graphics capacity of the BBC micro in modes 0, 1 or 2. The video source may be a camera, video recorder or television, and is connected via the video output socket. The software supplied includes a sophisticated, fast screen dump routine.

Images produced can be compressed, stored to disc, printed on an Epson compatible printer, directly used to generate graphics, analysed for scientific and educational use or converted to other formats e.g. Slow Scan TV or receiving a picture from a remote camera using a modem. The output from the digitiser exactly matches the graphics capability in each mode, with up to 8 levels of grey in mode 2. The unit connects into the User Port and automatically scans a complete picture in 1.6 seconds.

### £109 (Carr. £5)

(BBC B+ and Master compatible, except Master with Econet)

(Price includes) Digitiser Unit, Software in ROM & a Comprehensive Manual)

#### The Beeb HandScan

Hand-held Scanner for the BBC Micro



Watford Electronics are pleased to announce the launch of the first hand held scanner for the BBC Micro. HandScan is a compact unit which will allow photographs, diagrams, or any other documents to be digitised quickly and easily, to then be used in a desk top publishing package, art program, or even in your own Basic programs! These useful devices have been available for faster and more expensive micros for some time, but only now is Watford Electronics able to offer the BBC Micro computer.

The HandScan plugs directly into the 1MHz bus on the BBC while a comprehensive set of utilities provided by the sophisticated ROM firmware. The scanner has a resolution of either 100 DPI or 200 DPI when accuracy is essential. Pictures as wide as 4" may be scanned in mode 0 and various types of dithering may be selected to simulate the grey levels of a scanned picture.

All necessary software has been included in the firmware to allow the scanner to read images directly into our Wapping Editor with little more than the click of the mouse. The digitised picture may then be incorporated into your magazine, newsletter, report or any other document.

Beeb HandScan & Firmware



Winner of the BBC Acorn User 1990 Award for the Best DTP/Word Processor

#### The Wapping Editor

The Wapping Editor from Watford Electronics represents a breakthrough in Desktop Publishing for the Beeb. The package includes a 64K ROM containing ALL the software needed to get into print fast; a very sophisticated graphics module, professional quality typesetting software, a word processor, a comprehensive font editor for designing your own typefaces, and a variety of printer dumps. This mouse-driven system is designed for the BBC B, the B+ and Master computers and will take full advantage of any Sideways and Shadow RAM that may be fitted. It will run under DFS, ADFS and Network filing systems and requires as a minimum just a single 40 track drive.

Included with the system is a utility disc containing several high quality fonts, various utilities and a ROM image of a Support ROM. A comprehensive 100 page manual completes the package. The Support ROM contains routines to allow an area to be rotated to any angle or distorted to any four-sided shape. Also included are facilities to draw ellipses at any angle and sectors, segments and arcs (in Master or BBC B with Acorn GXR). Another of the features of the Support ROM is a 'Turbo DFS' which gives DFS access times comparable with those of ADFS.

#### **Page Layout Section**

The Wapping Editor may be used to create pages of any size from an A6 to a full A3 page. If none of the eight default page types suit your purpose, the stand-alone page creation program may be used to create pages to your own requirements. By using proportionally spaced fonts and genuine microspacing it is possible to print over 150 characters across an A4 page. A unique feature of the Wapping Editor is the 'A5 x 2' page size allowing two A5 pages to be printed side by side onto a single A4 sheet.

The graphics module incorporates the facilities like: pencil, brush, airbrush, polygon, circle, eclipse, fill, cut & paste, etc.

Text may be typeset, either justified or unjustified, in any font anywhere on the page. Simply select which font and text document you wish to use, and pull out a rectangle on the page where you want the text to be — it's as simple as that! Multiple columns may be printed just as easily and a special 'expand' feature may be used to expand the microspacing so that the document exactly fits the space defined.

#### Word-Processor

The integral word processor is the ideal tool for producing your text documents, although text can of course be read in from any of the other popular word processors such as View, Wordwise etc.

#### The Font Editor

The font editor module will allow you to design your own typefaces or to modify the ones provided on the utility disc. This sophisticated editor has numerous functions designed to take the tedium and frustration out of producing good looking, well balanced fonts. Each character may be individully proportionally spaced and characters of any size up to 16 x 16 pixels may be defined.

Pictures may also be 'grabbed' from a video source by using the Watford BEEB Video Digitiser.

Wapping Editor Software Pack £69

#### Wapping Editor Software Pack Wapping Editor plus Mouse

(Wapping Editor only works with Master Compact if a Mertec Expansion box is fitted)



At the request of many of our customers we are now able to offer training in the use of Wapping Editor DTP package. For further information please telephone 0923 37774 and ask for Tim or Shiraz

#### Wapping Art Disc

Over 250K of clip art to cut and paste into your Wapping Editor pages. Pictures include maps, transport, people, media, sport, games etc. Two 'ratio' screens for use with hi-res and rotated A5 pages to ensure images are not distorted when printed out.

Music writing symbols in the form of pattern and brush for quick production of manuscripts are included together with staves.

There are two prepared hi-res pages layed out for printing labels, both single and double width. Ready made label designs are included but these can be easily replaced with your own designs.

A Mode 0 screen dump routine is also included. To pack such a large amount of data onto the discs the screens have been compressed and routines to compress and expand Mode 0 screens are included on both discs. Using the packing routine you can archive large numbers of screens onto a single disc.

£15

#### Wapping Font Disc 1

Sixteen additional fonts, including smaller version of Oberon and Daisy and two new sizes of the standard font for the Wapping editor.
Also included are three Mode 0 screens containing giant 'headline' fonts to cut and paste to create extra smooth headlines.
Supplied complete with instructions.

#### Wapping Font Disc 2

This new addition to our Wapping range of DTP software provides you with additional 23 fonts for the Wapping Editor DTP pack. (80 track discs only).

#### **Laser Direct**



By using the power of the Archimedes RISC processor, it offers the best of both worlds – print speed up to 5 times faster than typical Laserjet compatibles – uses outline fonts so that any font can be scaled to any size – works with all programs that use RISC Os printer drivers. Ideal for use with Genesis, IDraw, Acorn DTP, Impression, etc. Includes 50 sheet paper tray and a single sheet/envelope tray. Requires one expansion slot and at least a 2Mbyte Archimedes. A very compact printer, a very low initial cost and very low running costs.

#### Special Price: £849

- Special High Res Laser Direct Card 600
   DPI for Canon LPB4 Laser Printer £325
- LPB4 Printer plus High Res Card £1025

(For demonstration, call in at our retail shop)




£89

CREDIT CARD 24 HOUR Ansaphone Hot Lines (0923) 50234 or 33383

All prices are exclusive of VAT

#### Archi Mk II Hand Scanner



Watford Electronics is now able to offer a complete hand held scanning package, possibly the most essential addition to any desk top publishing system, for only £149. The package includes the most comprehensive utility software available for the Archimedes, a high quality hand held scanner, and all necessary documentation to get you going straight away.

#### SCANNER

The scanner is capable of scanning up to an amazing 400 dots per inch (DPI)! The scanning area is 4" wide, and the height is only limited by the maximum amount of memory available. The dot resolution may be switched to 100, 200, 300 or the maximum 400 dpi. One of four operating modes may be selected offering either pure monochrome scanning, or one of three grey level modes. The grey level modes use different size dither patterns to represent up to 16 shades of grey. There is also a dial to allow the "brightness" to be adjusted over a wide range, in order to optimise the quality for any specific image. The scanner interface is a standard, single width, expansion card (podule) which plugs into the Archimedes' backplane. The socket on the rear panel connects the scanner by 1.8 metres of cable.

#### SCANNER SOFTWARE

Full use is made of the windowing and the multitasking facilities of RiscOS. The software is supplied in a 64Kbyte ROM located on the interface board. The scanner appears as a small icon on the desktop icon bar, and the software is retrieved from the ROM simply by clicking on that icon. As you scan a page, the image appears in the scanning window on the screen, scrolling up in real time. The other facilities included in the software are.

Cropping and scaling to any size including stretching and squashing in X and Y direction separately.

Colour tinting. X and Y flip.

Edge detection which turns solid objects into outlines.

Selective directional copying which allows features (i.e. lines or text) to be made thicker or thinner.

Scanned images may be saved as sprite files or transferred directly into other RiscOS applications (DTP, Draw, Paint) simply by dragging the sprite file into the application's window. Sprites may also be generated using anti-aliasing. This greatly improves picture quality and is particularly effective when scanning material with a range of grey tones, such as photographs. Images can be printed on any printer that is supported by a RiscOS printer driver, with optional settings for portrait or landscape modes, image scale and positioning. Images are printed using the full resolution of the printer and are not limited to the screen resolution.

On-screen help is provided via the RiscOS interactive help facility. Calls are also provided in the ROM for users wishing to write their own software, incorporating the use of the scanner.

AHS-4 Archi 300/400 Version AHS-3 Archi A3000 Version £149 £175

Continued  $\rightarrow \rightarrow \rightarrow \rightarrow \rightarrow \rightarrow \rightarrow \rightarrow \rightarrow$ 

#### 16K Disc Ram Module

(16K Sideways RAM Module)

Complete with such features as read and write protection, these new modules from Watford Electronics are ideal for the hobbyist, software developer and ROM collector.

Key points to note about this new addition to the

Watford range of products are:


- · Write protection (useful in a variety of circumstances)
- Compact construction
- No overheating or overloading problems.
- Free utilities disc supplied
  Can be used as a 16K PRINTER BUFFER.
- Ideal for profressional software development.
- Supplied with utilities software disc.

Only: £29 (carr £2)

Optional Battery back-up fitted

£3

#### Solderless Sideways ROM **Socket Board**



The key features of this new, no fuss, easy to install quality product from BBC leaders Watford Electronics are as follows:

- Increase your BBCs capacity for ROMs from 4 to
- No soldering required.

- Very low power consumption.
  Minimal space required.
  Compatible with Torch, DDFS, RAM Card, 2nd
- Processor, etc.
  Socket 14 takes two 6264 RAM chips.
  Read protect to make RAM "Vanish") allows recovery from ROM crashes.
  Battery backup option for RAM chips.
  Supplied ready to fit with comprehensive instructions
- instructions.

Price: Only £35 Battery Backup fitted £39 Battery Backup only £3 16K Sideways RAM £8.50 (carriage £3)

 Sideways RAM Utilities Disc for Solderless ROM ROM Images and the facility to use Sideways RAM as Printer Buffer.


#### **User Port Splitter Unit**



Gone are the days when you had to plug and unplug devices from the User Port. This extremely useful little device allows two units to be connected to the User Port simultaneously, and select between them simply by toggling a switch. This device is particularly useful for those people using Quest Mouse and the Watford Video Digitiser or any similar combination

Excellent Value at £22 (carr £2)

#### Sideways ROM **ZIF Socket System**



Allows you to change your ROMs quickly and efficiently, without opening the lid. The ZERO INSERTION FORCE (ZIF) socket is located into the ROM Cartridge's position.

- Very simple to install. NO SOLDERING required.
   The ZIF (Zero Insertion Force) eliminates the possibility of damage to your ROM pins when inserting & extracting.
- . The low profile of the socket allows unrestricted access to the Keyboard.
- · All data and address lines are correctly terminated to ensure correct operation of suitable ROMs with the BBC micro. We also supply a purpose designed see-through storage container with anti-static lining, allowing you to store up to 12 ROMs, protecting them from mechanical and static
- This versatile hardware solves the problem of running out of socket space. Simply lift the ROM from the ZIF & insert a different one (No pulling or pushing of Cartridges. It is a must for professionals and Hobbyists alike.)
- · BBC, B and B+ compatible.

ONLY £18 (carr £3)

#### **BBC B Low Profile Cartridge System**

Complete System consists of: Low profile ROM Cartridge, Socket housing, Cable assembly, 5 labels and a library storage rack for the BBC B.

 Complete System £11

Spare Cartridges £2.75

 Spare Rack £1.65

#### **ROM Cartridges for the BBC** Master

Will accept the new larger Piggy Back ROMs like: Interword, Interbase, Quest, Conquest, etc.

Twin £9; Quad £14

#### Commander Joystick

Watford Electronics' new Commander Joystick for the BBC B and Master 128K has a unique dual mode of operation giving selective free floating or self centring fully variable control in both X and Y axis directions. Commander is particularly good for flight simulation and drawing programs.

- Direct connection to BBC Analogue input port no interface needed.
  Fully compatible with all BBC Joystick controlled
- games programmes. Switchable springs allow selection of floating or
- centring operation. Trim adjusters for both X and Y axes for fine
- centre adjustment.
  Convenient stick mounted fire button with
- additional base buttons.

Launch Price: £15



## ARIES CORNER

#### B-32 Shadow RAM Card

Like the BBC B+, the B32 provides 20k of shadow screen RAM and 12k of sideways RAM. Unlike the B+, the B32 has simple software commands which allow the user to reconfigure the RAM as 16k of shadow RAM and 16k of sideways RAM, or all 32k as sideways RAM.

With the B32, the programmer gets up to 28k of RAM available for Basic, Logo, Cobal, Forth, Lisp and BCPL programs in any screen mode. The business user gets extra memory for View, ViewSheet, Wordwise Plus, Interword and many other applications. For advanced applications, the

ViewSheet, Wordwise Plus, Interword and many other applications. For advanced applications, the scientific user gets access to a massive 47k of data storage using the Acorn approved ★FX call.

Sideways RAM enables you to load sideways ROM images from disc, allowing you to have a large library of sideways ROMs (subject to the copyright holder's permission) stored on disc. The B32's sideways RAM can also be used to extend any operating system buffer (such as the printer buffer) or to load tape programs into a disc system. The B32 simply plugs into the 6502 processor socket on you BBC micro − no flying leads to connect and no soldering. Provision of the onboard ROM socket means that the Aries-B32 control ROM does not use up one of your existing ROM sockets.

Recommended by Computer Concepts for use with their Inter series of ROMs.

Price: £69 (carr. £3)

#### Aries B-12 Sideways ROM Board

The B-12 provides a total of twelve sideways ROM sockets (the four in the original machine are replaced by the twelve on the board), all fully accessible by the MOS sideways ROM system. In addition, there are two sockets for sideways RAM, giving up to 16k of RAM using 6264 static RAM or the statement of the sideways RAM.

If you do not have a B32 or B20, a small adaptor module (the Aries-B12C) is available at a nominal

Price:

Aries B-12 Aries B-12C £36

#### Aries B-488 IEEE-488 Interface Unit

The Aries-B488 is an interface unit to enable the BBC micro to control and monitor IEEE-488 bus systems. The IEEE-488 bus (also known as the 'GPIB or 'HP IB') is the standard method of interconnecting programmable laboratory instruments and control equipment. Using the B488, up to 15 devices may be connected in a single high-speed data network.

£238 (Carr £3)


Voltmace Joysticks	
Delta 3B Single Joystick	£1
Delta 3B Twin Joysticks	£1
Delta 3C Joystick for Compact	£1
Delta 14B Single Joystick	£1
Delta 14B/1 Adaptor Module	£1
Fransfer Software Disc-Tape	3
Delta-Cat A mouse eliminator Joystick	
or the Archimedes	60

**Delta Base B** 



Analogue aircraft style yoke Joystick to run in the analogue port of the BBC B & Master 128

#### ROM/RAM Card



Watford Electronics announced the first ever commercial ROM board for the BBC micro, the Watford Electronics 13 ROM Socket Board 7 years ago. Following the success of this board, we have designed what probably represents the ultimate in expansion boards, the new Watford Electronics ROM/RAM board. This highly versatile and sophisticated board represents the latest in "2nd" generation" sideways ROM technology for the BBC micro, designed to satisfy the serious BBC user.

- NO SOLDERING required to fit the board.
- NO User Port corruption (avoids problems with the mouse, modems, Eprom Programmers, etc.)
- Fully buffered for peace of mind.
- Compatible with BBC micros (not BBC+ or Master).
- Total number of ROMs increased from 4 to 8.
- Up to 8 banks of sideways RAM (dynamic)
- Option for 16k of battery backed CMOS RAM
- Option for 16k of battery backed CMOS HAM (CMOS RAM needs one ROM socket). Software Write protect for ALL RAM. Read protect for CMOS RAM (ALLEVIATES crashes during ROM development). Separate RAM write register (&FF30 to &FF3F). Automatic write to currently selected RAM
- socket for convenience.
- FREE utilities disc packed with software.
  Compatible with our DDFS board, 32k RAM Card, Delta Card, sideways ZIF, etc.
- Large printer buffer.
  UNIQUE fully implemented RAM FILING SYSTEM (similar to the popular Watford DFS).
- ROM to RAM load and save facilities.

The SFS (Silicon Filing System) can utilise up to the full 128k of RAM (with the SFS in any paged RAM) as a SILICON DISC. This behaves as a disc drive, with all the normal Watford DFS features (including OSWORD &7F for ROMSPELL, etc.) to provide an environment that looks like a disc but loads and saves MUCH faster.

The ROM-RAM Board plugs into the 6502 CPU socket. This leaves free all the existing ROM

sockets, which can still be used normally.

Any ROM that can be plugged into the BBC micro's own ROM sockets may be used in the ROM-RAM Board.

The ROM-RAM Board is supplied with all ordered options fitted as standard. Upgrade kits (with full instructions) are available for all of the options, for later.

#### PRICES:


- ROM/RAM card with 32k dynamic RAM £48
- ROM/RAM card with 64k dynamic RAM £65
- ROM/RAM card with a massive 128k dynamic RAM (carriage on ROM-RAM Card £3)

#### **OPTIONAL EXTRAS:**

16k plug-in Static RAM kit	£9
16k Dynamic RAM for Upgrade	£13
Battery backup	£3
Read and Write protect switches	£2 each
Complete ROM-RAM board	
All options installed	£115

IS your existing ROM Board overflowing with ROMs? Do you need more Sideways RAM? Is your Board unreliable? Then upgrade to Watford, ROM/RAM Board and pay £5 less.

#### 32K Shadow RAM/Printer **Buffer Card Expansion Board**



#### A MUST FOR WORD PROCESSING

Don't throw away your BBC B for a BBC B Plus or BBC Master. Just plug the ribbon cable into the 6502 processor socket, and fit the compact board inside the computer. Immediately you will gain not 16k or even 20k, but a massive 32k of extra RAM!!!

- IMPROVE your WORD PROCESSING system, whether disc or cassette based. Don't wait for a slow printer - type in text while printing. TWO JOBS DONE SIMULTANEOUSLY and £100+ saved on a printer buffer.
- "VIEW" Wordprocessor users can now type in letters in 80 columns and have up to 28,000 bytes free - 5 times as much as normal.
- In WORDWISE (or WORDWISE-PLUS), preview in 80 columns with the full 24k of text in memory. This product is recommended as an ideal complement by Computer Concepts.
- Combine GOOD GRAPHICS and LONG PROGRAMS. Use the top 20k of the expansion RAM as the screen display memory, leaving all the standard BBC RAM free for programs. Benefit from MODE 0/1/2 graphics and 28k of program space.
- . Use the FULL 32k or the bottom 12k of the expansion RAM as a PRINTER buffer for PARALLEL or SERIAL printers, sound channels, RS432 etc. Print large text files while running long graphics programs, and have all your buffer options available as well (\*FX15,21,138, 145,ADVAL etc). Please note only a 12k printer buffer can be used with Wordwise or Wordwise-Plus, due to the way they are written.
- Unique facility to turn ROMs off and on again.
   Unlike all other ROM managers, this feature does not use 'unofficial' memory. Two bytes of normally user-inaccessible memory on the RAM card are used to ensure ROMs are disabled WHERE OTHER ROMS FAIL.

#### Only £59 (carr £3)

(Price includes a comprehensive manual and the ROM)

#### **BBC SOFTWARE'S** Popular Educational Software

•	Maths with a Story 1 (Disc). 4 primar	y level
	maths programs	£20.00

Maths with a Story 2 (Disc). 4 further £20.00

maths programs. Picture Craft (Disc) 6-14 age group. Pack

consists of flexible geometrical design & colouring programs. £17.00 ECOLOGY O-Level program. £20.00 POLYMERS O-Level program. £20.00

Classification & Periodic Table O-Level. The suite is supplied with its own database of chemical elements which can be classified £20.00

according to your own rule. ADVANCED TELETEXT SYSTEM €8.65 PERIOD TABLE SOFTWARE £20.00 £17.35 Computers at Work - Primary Introducing Geography 11-17 years £17.50 Electric Fields 6-14 years £11.25 Espana Viva - 3 Discs £19.95 WHITE KNIGHT Chess game £16.00

A Vous La France

£29.00

#### More Educational Software

• FUN SCHOOL 2 - Red: Under 6 yrs - 8 programs on Discs, Shape Snap, Find the Mole, Teddy Count, Write a Letter, Colour Train, Pick a Letter, Spell a Word & Teddy Bears Picnic.

£26

£26

- FUN SCHOOL 2 Green: 6-8 yrs Eight programs on Disc, Number Train, Shopping, Maths Maze, Treasure Hunt, Bounce, Packing Caterpillar, 3 Number jump
- FUN SCHOOL 2 Blue: Over 8 yrs Eight programs on Disc, Build a Bridge, Passage of Guardians, Unicorn, Logic Doors, Souvenirs, Code Boxes, Mystery Machine & Escape.£12.50

 FUN SCHOOL 3 – Red £19.95 • FUN SCHOOL 3 - Green £19.95 ● FUN SCHOOL 3 - Blue £19.95

Six French Games - Aimed at pupils in their first year of French, but also useful as revision for more advanced students 11 years+

More French Games - Another 6 games 12 years+

Au Restaurant and Accident de Route 12 years+

Boulogne and Oh-Les - 2 programs for €26 beginners Letters to French Penpals - 11 years+ £26

French Programs with Henri Beret - The programs in this series present vocabulary, grammar and role-play phrases in the form of

animated games. 11-16 £22 Six German Games - Aimed at pupils in their first year, but useful as revision for more advanced student of German. 12 years+ £22

More German Games - Aimed at pupils in their 2nd year of learning German. 12 years+ £22

The Cloze Program - Using context clues to predict is much more than a gap filling exercise.

An Introduction to Electronics - Brings together all the basic electronics required for a GCSE Physics or CDT course. 14-16 years

Computer Control - This is a package of 3 programs simulating control of a greenhouse, a robotic arm & a chemical plant. 14-16 years £26

The Nuclear Reactor - An interactive, menu driven program for GCSE pupils. Demonstrates & explains nuclear fission & the chain reaction. 14-16 years

 PUNCMAN Learning punctuation Puncman 1 & 2 for 7 - 13 years Puncman 3 & 4 for 8 - 14 years £15 £15 Puncman 5 & 6 for 8 - 15 years £15

Yes Chancellor - A chance to take over number 11 at Downing Street. 12 years+ £18

Letters & Pictures - Introduces phonic skills to Infants 6-8 years £15

Numbers & Pictures - Early number learning is a great fun (4-6 years) £15

 Note Invaders – Budding musicians can learn the notes on the Clef with this elegant game 3 programs (7 to Adults) £15

Maps & landscapes No. 1 (9-14 years) £18 Help Your Child learn Basic Map work No. 2

£18 Pirate - Educational Adventure (8-14 years) £15

Spelling Week by Week (6-14 years)

#### **Archimedes Software**

		30 Continuit	
<ul> <li>Bookbinder</li> </ul>	£43	DigiSim	£35
<ul> <li>BUMPER DISC</li> </ul>	£14	• Droom	£17
Bumper Disc 2	£14	<ul><li>Jiglet</li></ul>	£27
Craftshop 1	£26	<ul><li>Jigsaw</li></ul>	£28
Craftshop 2	£26	<ul> <li>Numerator</li> </ul>	£60
<ul> <li>Desktop Stories</li> </ul>	£27	<ul> <li>Snippet</li> </ul>	£26
<ul> <li>Fun School 2A I</li> </ul>	Red (u	ip to 6 years)	£12
Fun School 2A	Green	(6-8 years)	£14
• Fun School 2A I	Blue (8	3 years +)	£14
Gate Array Teach	ching S	System	£68

Continued  $\rightarrow \rightarrow \rightarrow \rightarrow \rightarrow \rightarrow \rightarrow \rightarrow \rightarrow$ 

#### **Computer Concept's** ROMS

Communicator £49 Disc Doctor £28 £49 Inter BASE Inter CHART £25 Inter SHEET £37 Inter WORD £36 Mega-3 ROM £76 Spell Master £42 TERMI £25 Wordwise £24

#### Wordwise plus

We are giving away absolutely FREE, the superb Word-Aid ROM worth £24, with every WORDWISE PLUS package bought from us.

#### Word-Rid

The most comprehensive utilities ROM for Wordwise-Plus

Extend the power of your Wordwise Plus word processor with this most advanced ROM from Watford. By utilising the powerful Wordwise Plus programming language, WordAid provides a whole host of extra reatures, all accessed via a special new menu option. This ROM has been personally approved by Mr Charles Moir, the author of WORDWISE PLUS.

- Alphabetical sorting of names and addresses
- Text transfer options.
- Chapter marker.
- Epson printer codes function key
- Search and display in preview mode.
- Embedded command removal.

  Print Multiple copies of a document.
- Multiple file options for print and preview. Address finder.
- Label printer.
- Mail-merger. Number/delete/renumber.
- Clear test-segment area.

  BBC B, B+ and Master compatible.

Only £24

.00

.00

(N.B. Word Aid requires a Disc interface in your Micro)

#### Acorn ROMS

View 3.0 ROM	£45
View Professional	£50
Viewsheet (Acornsoft)	£36
Viewstore	£36
Viewspell with 80 track	
disc	£25
Viewplot Disc	£20
(Please specify for Master 128 or	Compact)
View-Index	£12
Overview packs 1 & 2	£65
Hi-View	£38

#### MINI OFFICE II

DISC Version for BBC

B & B+	£14.
DISC Version for BBC	
Master	£16.
DISC Version for the	


Compact £18 00 (When ordering please specify for which Micro & 40 or 80 track Disc)

All prices are exclusive of VAT

#### **View Printer Driver Discs**

Epson FX & RX 80 £10 Juki & Brother HR £10

#### View Printer Driver ROM



View is a powerful word processor, but it seriously lacks in terms of printer driver support. With the View Printer Driver ROM, the View users will find themselves in the realms of advanced word processing.

The VPD extends View's printer command with a series of mnemonic commands. All standard highlight sequences are also supported. A large range of printers are supported by drivers contained within the ROM (the drivers can be downloaded and customised). Printers supported include: Epson's MX, RX, FX, LX, JX80 range, HI80, KP810/910, PW1080, JP101, HR15, M1009, GLP, Panasonic KX-P1081/2, JUKI 6100,

Other printers are readily supported by defining a Printer Driver using the built-in Printer Driver Generator. The features mentioned below are available to both the built in Printer Drivers and user defined drivers (assuming the printer supports the features).

NLQ control, Underline, Bold, Proportional Spacing, Microspacing, Italic, Superscript, Subscript, Condensed, Enlarged, Double Strike, Set lines per inch numerically (e.g. LPI 6), Set characters per inch numerically (e.g. CPI 5), Select printer font, Select printer ribbon colour, Translation sequences, Emulation of BBC Character Set, Simple numeric expressions for certain operations, Full printer setup, Send control codes, Print prompt on screen, Redifinable Pad character, Pause for key press, Prompt to change daisywheel, and Execute \* command when printing

Other features include a very powerful on-screen preview, with bold, italic, underline, super/subscript, enlarged highlights, and a special printer driver to allow memory-based text to be previewed by View 1.4. Of course, View 1.4, 2.1 and 3.0 are all supported, as is Shadow RAM and 6502 Second Processors. The BBC B series and Master series of micros are supported. A comprehensive manual is supplied. All in all, a very professional product for the discerning user who wants power at their finger tips.

Price: Only £33



**CREDIT CARD** 24 HOUR **Ansaphone Hot Lines** (0923) 50234 or 33383

#### **OFFICE** MASTER



CASHBOOK - A complete "Stand Alone" accounting software package for the cash based sole trader/partnership business. It is designed to replace your existing cashbook system and will provide you with a computerised system complete to trial balance

FINAL ACCOUNTS - Will take data prepared by the Cashbook module and produce a complete set of accounts as following: Trial Balance with inbuilt rounding routine; Notes to the accounts; VAT Summary; Profit & Loss A/C; Balance Sheet.

MAILIST - A very versatile program. Enables you to keep records of names and addresses and then print, examine, sort and find them, all with special selection techniques

EASILEDGER - A management aid software tool designed to run alongside an existing accounting system. Essentially a Debit/Credit ledger system which can handle sales, purchase and nominal ledger routines to provide instant management

**INVOICES & STATEMENTS - Greatly** reduces the time and cost of preparing Invoices and Statements by storing essential information like customer names, addresses and account numbers. Has VAT routines and footer messages facility

STOCK CONTROL - Allows you to enter stock received, stock out, summary of stock items and current holdings together with details of total cost, total stock to minimum level, units in stock ordering, quantity and supplier

All this for only £21 (Disc)

#### **OFFICE** MATE



- DATABASE
- BEEBCALC SPREADSHEET
- BEEBPLOT GRAPHICS

DATABASE - Set up a computerised card index system with powerful search facilities.


SPREADSHEET - Offers many calculation and editing features

**BEEBPLOT** - Provides visual representation from Spreadsheet data.

Only £10 (Disc)

Acorn Speech Synthesizer package complete, for the **BBC B Microcomputer** 

Special Offer £14



Whether you want to type in your latest program or the draft of a new trilogy, Watford's manuscript holders are superb for holding your paper at the ideal height and angle to allow you to read and type in ease and comfort.

Available in 2 full A4 versions, desk resting and shelf clamping. Paper is held firmly by means of a plastic retaining ruler and a clip grip. (for resting books or magazines, the desk top version is recommended).

Desk Top £7 (carr. £3) Angle poise £12 (carr. £3)

#### The Epson RX/FX/KAGA **Printer Commands** Revealed Handbook

#### Printer Commands Revealed

So you bought yourself a new printer, because the salesman in the shop showed you how clever it is and impressed you with all sorts of printouts to show its capabilities - he may even have offered you a special

However, now that you have got it home and connected it to your BBC microcomputer, you are wondering how to make it perform these magical tasks. The manual seems to give no clues, and when you type in the example programs, the computer throws the LPRINT statements back in your face.

Now what do you do, when this £400 piece of high technology refuses even to move its head, and you have stayed up until 2 in the morning with copious supplies of coffee, desperately trying to print something out? Once again, Watford Electronics comes to your help with our new book entitled 'THE EPSON FX-KAGA PRINTER COMMANDS REVEALED'.

This book describes in plain, easy to understand English, how to use and make the most of your KP810, PW1080A or any other Epson FX80 compatible printers like Panasonic KX-P1080/1, etc., with the BBC Micro, both from Basic and Wordwise.

It describes in detail how to obtain the maximum in graphics capability from your printer and includes full indexes allowing you to cross index the numerous commands. Every command is explained in detail, with an accompanying BBC Basic program and an example of its use from Wordwise.

£5.95 (No VAT)

**ALL PRICES EXCLUDE** VAT

#### BOOKS (No VAT on Books)

Archimedes BBC Basic Guide Archimedes DTP Manual Archimedes Operating System Archimedes Risc-Os Programmers Reference Manual Arm Assembly Lang. Prog. Manual Assembly Language Quick Ref. BASIC 2 – User Guide BBC Basic Guide (Archimedes) BBC Computer Handbook – The Complete BBC Micro – Within the BCPL User Guide C Big Red Book of C A Dabhand Guide to C Programming Lang. 2nd Edition COMAL – Introduction to Deutsch Direkt! (Book only) DISC FILING SYSTEM (DFS) Operating Manual for BBC FORTH on the BBC Micro Hackers Handbook – New 150-PASCAL Reference Manual Mastering Interpreters & Compilers Master Feference Manual Part 1 Master Reference Manual Part 2 Master Reference Manual Part 3 Master Reference Manual Part 3 Master Reference Manual Pa	THE RESERVE AND ADDRESS OF THE PERSON NAMED AND ADDRESS OF THE	
15 Hr Wordprocessing BBC/WW & WW+         30 Hour BASIC (BBC Micro)         £12.95           1st Word Plus Rel. 2 Manual         £10.00           A3000 Technical Manual         £29.00           Acom DTP A Guide to         £17.00           Archimedes Ist Step — Beginners Guide Archimedes Assembly Language         £14.95           Archimedes BBC Basic Guide         £20.00           Archimedes BBC Basic Guide         £14.95           Archimedes Risc-Os Programmers         £14.95           Reference Manual         £79.00           Arm Assembly Lang. Prog. Manual         £15           Assembly Language Quick Ref.         £21.95           BASIC 2 — User Guide         £9.95           Basic V – A Dabhand Guide         £9.95           BBC Basic Guide (Archimedes)         £19.95           BBC Computer Handbook –         £14.95           The Complete         £14.95           BBC Micro – Within the         £11.95           BBC Basic Guide (Archimedes)         £19.95           BBC Gook of         £8.95           C – A Dabhand Guide to         £14.95           C – A Dabhand Guide to         £14.95           C – A Dabhand Guide to         £14.95           C – A Dabhand Guide to         £9.50           C –	15 Hr Wordprocessing BBC/View	£6 95
30 Hour BASIC (BBC Micro)		
1st Word Plus Rel. 2 Manual         £10.00           A3000 Technical Manual         £29.00           Accom DTP A Guide to         £17.00           Advanced User Guide for BBC         £10.95           Archimedes 1st Step — Beginners Guide         £14.95           Archimedes BBC Basic Guide         £14.95           Archimedes DTP Manual         £10.00           Archimedes DTP Manual         £14.95           Archimedes Risc-Os Programmers         £14.95           Reference Manual         £79.00           Arm Assembly Lang. Prog. Manual         £15           Assembly Language Quick Ref.         £21.95           BASIC 2 - User Guide         £9.95           BBC Basic Guide (Archimedes)         £19.95           BBC Computer Handbook -         £14.95           The Complete         £14.95           BBC Micro - Within the         £11.95           BCPL User Guide         £9.95           BBC Micro - Within the         £14.95           BCPL User Guide         £9.95           C Big Red Book of         £8.95           C Porgramming Lang. 2nd Edition         £24.95           COMAL - Introduction to         £9.50           Deutsch Direkt! (Book only)         £5.95           DISC FI	13 HI WOTOPIOCESSING BBO/WWW & WWY+	
A3000 Technical Manual Acom DTP A Guide to Advanced User Guide for BBC Archimedes 1st Step — Beginners Guide Archimedes BBC Basic Guide Archimedes DTP Manual Archimedes DTP Manual Archimedes Operating System Archimedes Risc-Os Programmers Reference Manual Arm Assembly Language Quick Ref. BASIC 2 — User Guide BBC Basic Guide (Archimedes) BBC Computer Handbook — The Complete \$14.95 BBC Micro — Within the \$11.95 BCPL User Guide \$24.95 C - A Dabhand Guide to \$14.95 C Programming Lang. 2nd Edition \$24.95 C Programming Lang. 2nd Edition \$24.95 C Programming Lang. 2nd Edition \$25.95 DISC FILING SYSTEM (DFS) Operating Manual for BBC \$6.95 FORTH on the BBC Micro \$9.95 Hackers Handbook — New \$9.95 Master Tolz Guide — Dabs Press Master 512 Guide — Dabs Press Master Feference Manual Part 1 \$14.95 Master Reference Manual \$14.95 Master Reference Manual \$14.95 Master Reference Manual \$14.95 Mast	30 Hour BASIC (BBC Micro)	
Acorn DTP A Guide to	1st Word Plus Rel. 2 Manual	£10.00
Acorn DTP A Guide to	A3000 Technical Manual	£29.00
Advanced User Guide for BBC         £10.95           Archimedes 1st Step — Beginners Guide         £9.95           Archimedes Assembly Language         £14.95           Archimedes BBC Basic Guide         £20.00           Archimedes DTP Manual         £10.00           Archimedes Risc-Os Programmers         £14.95           Reference Manual         £79.00           Arm Assembly Lang. Prog. Manual         £15           Assembly Language Quick Ref.         £21.95           BASIC 2 — User Guide         £9.95           BBC Basic Guide (Archimedes)         £19.95           BBC Computer Handbook —         £14.95           The Complete         £14.95           BBC Micro — Within the         £11.95           BCPL User Guide         £9.95           C Big Red Book of         £8.95           C Programming Lang. 2nd Edition         £24.95           COMAL — Introduction to         £9.95           Deutsch Direkt! (Book only)         £5.95           Disc Filling SYSTEM (DFS)         Operating Manual for BBC           Operating Manual for BBC         £6.95           FORTH on the BBC Micro         £9.95           Master Flederence Manual         £9.95           Master Reference Manual Part 1         Master Re		
Archimedes 1st Step – Beginners Guide Archimedes Assembly Language Archimedes BBC Basic Guide Archimedes DTP Manual Archimedes DTP Manual Archimedes DTP Manual Archimedes Risc-Os Programmers Reference Manual Arm Assembly Lang. Prog. Manual BBC Basic Guide (Archimedes) BBC Basic Guide (Archimedes) BBC Basic Guide (Archimedes) BBC Basic Guide (Archimedes) BBC Computer Handbook – The Complete BBC Micro – Within the BCPL User Guide C Big Red Book of C – A Dabhand Guide to C Programming Lang. 2nd Edition COMAL – Introduction to Deutsch Direktl (Book only) DISC FILING SYSTEM (DFS) Operating Manual for BBC FORTH on the BBC Micro Hackers Handbook – New S9-95 Master Tolz Guide – Dabs Press Master Operating System Master Reference Manual Part 1 Master Reference Manual Part 2 Master Reference Manual Part 2 Master Reference Manual Part 1 Master Reference Manual Part 2 Master Reference Manual Part 1 Master Reference Manual Part 2 Master Reference Manual Part 3 Master Reference Manual Part 4 Master Reference Manual Part 5 Master Reference Manual Part 9 Master Reference Manual P		
Archimedes Assembly Language Archimedes BBC Basic Guide Archimedes DTP Manual Archimedes Operating System Archimedes Risc-Os Programmers Reference Manual Arsembly Language Quick Ref. BASIC 2 – User Guide BBC Basic Guide (Archimedes) BBC Computer Handbook – The Complete BCPL User Guide C Big Red Book of C – A Dabhand Guide to C Big Red Book of C – A Dabhand Guide to C Programming Lang. 2nd Edition COMAL – Introduction to Deutsch Direktl (Book only) DISC FILING SYSTEM (DFS) Operating Manual for BBC FORTH on the BBC Micro Deutsch Direktl (Book only) SISO-PASCAL Reference Manual Mastering Interpreters & Compilers Master 512 Guide – Dabs Press Master 512 Guide – Dabs Press Master Folzerance Manual Part 1 Master Reference Manual Part 1 Master Reference Manual – Advanced Mathematical Programs in BBC BASIC MINI OFFICE II – A Dabhand Guide Mouse User Guide to BBC Micro – the Complete Example Programs on Disc for above PASCAL not he BBC Micro – the Complete Example Programs on Disc for above PASCAL not he BBC Micro – the Complete Example Programs on Disc for above PASCAL Programming £10.95 BC System S12.95 Companded S14.95 Companded S29.95 Companded S29.9		
Archimedes BBC Basic Guide Archimedes DTP Manual Archimedes Operating System Archimedes Risc-Os Programmers Reference Manual Arm Assembly Lang. Prog. Manual Assembly Language Quick Ref. BASIC 2 – User Guide BBC Basic Guide (Archimedes) BBC Computer Handbook – The Complete BBC Micro – Within the C Big Red Book of C – A Dabhand Guide to C Big Red Book of C – A Dabhand Guide to C Big Red Book of C – A Dabhand Guide to C Programming Lang. 2nd Edition COMAL – Introduction to Deutsch Direkt! (Book only) DISC FILING SYSTEM (DFS) Operating Manual for BBC FORTH on the BBC Micro Hackers Handbook – New 1SO-PASCAL Reference Manual Mastering Interpreters & Compilers Master Telerence Manual Part 1 Master Reference Manual Part 1 Master Reference Manual Part 2 Master Reference Man	Archimedes 1st Step – Beginners Guide	
Archimedes BBC Basic Guide Archimedes DTP Manual Archimedes Operating System Archimedes Risc-Os Programmers Reference Manual Arm Assembly Lang. Prog. Manual Assembly Language Quick Ref. BASIC 2 – User Guide BBC Basic Guide (Archimedes) BBC Computer Handbook – The Complete BBC Micro – Within the C Big Red Book of C – A Dabhand Guide to C Big Red Book of C – A Dabhand Guide to C Big Red Book of C – A Dabhand Guide to C Programming Lang. 2nd Edition COMAL – Introduction to Deutsch Direkt! (Book only) DISC FILING SYSTEM (DFS) Operating Manual for BBC FORTH on the BBC Micro Hackers Handbook – New 1SO-PASCAL Reference Manual Mastering Interpreters & Compilers Master Telerence Manual Part 1 Master Reference Manual Part 1 Master Reference Manual Part 2 Master Reference Man	Archimedes Assembly Language	£14.95
Archimedes DTP Manual Archimedes Operating System Archimedes Risc-Os Programmers Reference Manual Arm Assembly Lang. Prog. Manual Assembly Language Quick Ref. BASIC 2 — User Guide Basic V – A Dabhand Guide BBC Basic Guide (Archimedes) BBC Basic Guide (Archimedes) BBC Basic Guide (Archimedes) BBC Basic Guide (Archimedes) BBC Micro – Within the BBC Micro – Within the BCPL User Guide C Big Red Book of C – A Dabhand Guide to C Programming Lang. 2nd Edition COMAL – Introduction to Deutsch Direktl (Book only) DISC FILING SYSTEM (DFS) Operating Manual for BBC FORTH on the BBC Micro Hackers Handbook – New 1SO-PASCAL Reference Manual Mastering Interpreters & Compilers Master Reference Manual Part 1 Master Reference Manual Part 2 Master Reference Manual Part 3 Master Reference Manual Part 4 Master Reference Manual Part 5 Master Reference Manual Part 5 Master Reference Manual Part 6 Mouse User Guide 6 Mouse User Guide 9 Mouse	Archimedes BBC Basic Guide	£20
Archimedes Operating System Archimedes Risc-Os Programmers Reference Manual Arm Assembly Lang. Prog. Manual Assembly Language Quick Ref. BASIC 2 – User Guide Basic W – A Dabhand Guide BBC Basic Guide (Archimedes) BBC Computer Handbook – The Complete BBC Micro – Within the BCPL User Guide C Big Red Book of C – A Dabhand Guide to C Programming Lang. 2nd Edition COMAL – Introduction to Deutsch Direktl (Book only) DISC FILING SYSTEM (DFS) Operating Manual for BBC FORTH on the BBC Micro Hackers Handbook – New SO-PASCAL Reference Manual Mastering Interpreters & Compilers Master Tolz Guide – Dabs Press Master Operating System Master Reference Manual Part 1 Master Reference Manual Part 2 Master Reference Manual Part 3 Master Tolz Guide 25.99.50 Master Operating System  \$12.95  Master Operating System  \$25.95  Master Operating System  \$25.95  Master Operating System  \$25.95  Master Operating System  \$212.95  Master Operating System  \$212.95  Master Operating System  \$212.95  Master Operating System  \$212.95  Maste	Archimedes DTP Manual	
Archimedes Risc-Os Programmers Reference Manual Arm Assembly Lang. Prog. Manual Assembly Language Quick Ref. BASIC 2 – User Guide Basic V – A Dabhand Guide BBC Basic Guide (Archimedes) BBC Computer Handbook – The Complete BCPL User Guide C Big Red Book of C – A Dabhand Guide to C Programming Lang. 2nd Edition COMAL – Introduction to Deutsch Direktl (Book only) DISC FILING SYSTEM (DFS) Operating Manual for BBC FORTH on the BBC Micro Deutsch Direktl (Book only) DISC FILING SYSTEM (DFS) Operating Manual for BBC FORTH on the BBC Micro Deutsch Direktl (Book only) SISO-PASCAL Reference Manual Mastering Interpreters & Compilers Master Operating System Master Reference Manual Part 1 Master Reference Manual Part 1 Master Reference Manual – Advanced Mathematical Programs in BBC BASIC MINI OFFICE II – A Dabhand Guide Mouse User Guide to BBC Micro – the Complete Example Programs on Disc for above PASCAL on the BBC Micro – the Complete Example Programs on Disc for above PASCAL on the BBC Micro – the Complete Example Programs on Disc for above PASCAL on the BBC Micro – the Complete Example Programs on Disc for above PASCAL on the BBC Micro – the Complete Example Programs on Disc for above PASCAL Programming SISC Technical Manual 260 pg The Epson FX-KAGA PRINTER Commands REVEALED Understanding Interword – A Beginners Guide View 3.0 User Guide View Suide (View 2.1) View, Viewsheet & Viewstore – Mastering Viewsheet & Viewstore – Mastering Viewsheet & Viewstore Dabhand Guide Viewstore User Guide Viewshore User Guide Viewsho		
Reference Manual		114.95
Arm Assembly Lang. Prog. Manual Assembly Language Quick Ref.  BASIC 2 – User Guide Basic V – A Dabhand Guide BBC Basic Guide (Archimedes) BBC Basic Guide (Archimedes) BBC Computer Handbook –  The Complete E14.95 BBC Micro – Within the BBC Micro – Within the BCPL User Guide C Big Red Book of C – A Dabhand Guide to C Programming Lang. 2nd Edition C Programming Lang. 2nd Edition C Programming Lang. 2nd Edition COMAL – Introduction to Deutsch Direkt! (Book only) DISC FILING SYSTEM (DFS) Operating Manual for BBC FORTH on the BBC Micro Hackers Handbook – New 1SO-PASCAL Reference Manual Mastering Interpreters & Compilers Master Operating System Master Peference Manual Part 1 Master Reference Manual Part 2 Master Reference Manual Part 3 Master Reference Manual Part 4 Master Reference Manual Part 5 Master Reference Manual Part 6 Muse User Guide 6 Muse User Guide 9 PASCAL Programming 9 Part 6 PASCAL Programming 9 Part 7		
Assembly Language Quick Ref.  BASIC 2 – User Guide  Basic V – A Dabhand Guide  BBC Basic Guide (Archimedes)  BBC Computer Handbook –  The Complete  BBC Micro – Within the  BCPL User Guide  C Big Red Book of  C - A Dabhand Guide to  C Programming Lang. 2nd Edition  COMAL – Introduction to  Deutsch Direkt! (Book only)  DISC FILING SYSTEM (DFS)  Operating Manual for BBC  FORTH on the BBC Micro  Hackers Handbook – New  SO-PASCAL Reference Manual  Mastering Interpreters &  Compilers  Master Operating System  Master Peference Manual Part 1  Master Reference Manual Part 2  Master Reference Manual Part 3  Master St 2 Guide - Dabs Press  Master Operating System  \$12.95  Master Operating System  \$214.95  Understanding Interpreters \$25.95  Lexample Programming  RISC Technical Manual 260 pg  The Epson FX-KAGA PRINTER  Commands REVEALED  Understanding Interword —  A Beginners Guide  \$25.95  Understanding Interword —  A Beginners Guide  \$25.95  Understanding Interword —  A Beginners Guide  \$25.95  View Subshand Guide  \$25.95  View Subshand Guide  \$25.95  Viewsheet & Viewstore — Mastering  \$212.95  Viewsheet & V	Reference Manual	£79.00
Assembly Language Quick Ref.  BASIC 2 – User Guide  Basic V – A Dabhand Guide  BBC Basic Guide (Archimedes)  BBC Computer Handbook –  The Complete  BBC Micro – Within the  BCPL User Guide  C Big Red Book of  C - A Dabhand Guide to  C Programming Lang. 2nd Edition  COMAL – Introduction to  Deutsch Direkt! (Book only)  DISC FILING SYSTEM (DFS)  Operating Manual for BBC  FORTH on the BBC Micro  Hackers Handbook – New  SO-PASCAL Reference Manual  Mastering Interpreters &  Compilers  Master Operating System  Master Peference Manual Part 1  Master Reference Manual Part 2  Master Reference Manual Part 3  Master St 2 Guide - Dabs Press  Master Operating System  \$12.95  Master Operating System  \$214.95  Understanding Interpreters \$25.95  Lexample Programming  RISC Technical Manual 260 pg  The Epson FX-KAGA PRINTER  Commands REVEALED  Understanding Interword —  A Beginners Guide  \$25.95  Understanding Interword —  A Beginners Guide  \$25.95  Understanding Interword —  A Beginners Guide  \$25.95  View Subshand Guide  \$25.95  View Subshand Guide  \$25.95  Viewsheet & Viewstore — Mastering  \$212.95  Viewsheet & V	Arm Assembly Lang, Prog. Manual	£15
BASIC 2 − User Guide		
BBC Basic Guide (Archimedes)         £19.95           BBC Computer Handbook -         The Complete         £14.95           BBC Micro - Within the         £11.95           BCPL User Guide         £9           C Big Red Book of         £8.95           C - A Dabhand Guide to         £14.95           C - A Dabhand Guide to         £24.95           C OMAL - Introduction to         £9.50           Deutsch Direkt! (Book only)         £5.95           DISC FILING SYSTEM (DFS)         Operating Manual for BBC         £6.95           FORTH on the BBC Micro         £9.95           Hackers Handbook - New         £9.95           Hackers Handbook - New         £9.95           Hackers Handbook - New         £9.95           Master Berlerence Manual         £9.95           Master To Operating System         £14.95           Master Reference Manual Part 1         £14.95           Master Reference Manual Part 2         £14           Mouse User Guide to BBC Micro —         £9.95           Mous		
BBC Basic Guide (Archimedes)         £19.95           BBC Computer Handbook -         The Complete         £14.95           BBC Micro - Within the         £11.95           BCPL User Guide         £9           C Big Red Book of         £8.95           C - A Dabhand Guide to         £14.95           C - A Dabhand Guide to         £24.95           C OMAL - Introduction to         £9.50           Deutsch Direkt! (Book only)         £5.95           DISC FILING SYSTEM (DFS)         Operating Manual for BBC         £6.95           FORTH on the BBC Micro         £9.95           Hackers Handbook - New         £9.95           Hackers Handbook - New         £9.95           Hackers Handbook - New         £9.95           Master Berlerence Manual         £9.95           Master To Operating System         £14.95           Master Reference Manual Part 1         £14.95           Master Reference Manual Part 2         £14           Mouse User Guide to BBC Micro —         £9.95           Mous	BASIC 2 - User Guide	
BBC Computer Handbook → The Complete £14.95 BBC Micro → Within the £11.95 BCPL User Guide £24.95 C Big Red Book of £8.95 C − A Dabhand Guide to £14.95 C Programming Lang. 2nd Edition £24.95 C Programming Lang. 2nd Edition £24.95 C Programming Lang. 2nd Edition £29.50 Deutsch Direkt! (Book only) £5.95 Disc Filling SYSTEM (DFS) Operating Manual for BBC £6.95 FORTH on the BBC Micro £9.95 Hackers Handbook − New £9.95 ISO-PASCAL Reference Manual £9.95 Master S12 Guide − Dabs Press £9.95 Master Operating System £12.95 Master Reference Manual Part 1 £14 Master Reference Manual Part 2 £14 Master Reference Manual Part 1 £14 Master Reference Manual Part 2 £14 Master Reference Manual Part 2 £14 Master Reference Manual Part 1 £14 Master Reference Manua		SHALL SHOW THE PARTY OF
The Complete         £14.95           BBC Micro – Within the         £11.95           BCPL User Guide         £19.95           C Big Red Book of         £8.95           C – A Dabhand Guide to         £14.95           C Programming Lang. 2nd Edition         £24.95           COMAL – Introduction to         £9.50           Deutsch Direkt! (Book only)         £5.95           DISC FILING SYSTEM (DFS)         Operating Manual for BBC         £6.95           FORTH on the BBC Micro         £9.95           ISO-PASCAL Reference Manual         £9.95           Master Flad Guide – Dabs Press         £9.95           Master Operating System         £14.95           Master Operating System         £12.95           Master Reference Manual Part 1         £14           Master Reference Manual Part 2         £14           Master Reference Manual	BBC Basic Guide (Archimedes)	£19.95
The Complete         £14.95           BBC Micro – Within the         £11.95           BCPL User Guide         £19.95           C Big Red Book of         £8.95           C – A Dabhand Guide to         £14.95           C Programming Lang. 2nd Edition         £24.95           COMAL – Introduction to         £9.50           Deutsch Direkt! (Book only)         £5.95           DISC FILING SYSTEM (DFS)         Operating Manual for BBC         £6.95           FORTH on the BBC Micro         £9.95           ISO-PASCAL Reference Manual         £9.95           Master Flad Guide – Dabs Press         £9.95           Master Operating System         £14.95           Master Operating System         £12.95           Master Reference Manual Part 1         £14           Master Reference Manual Part 2         £14           Master Reference Manual	BBC Computer Handbook -	
BBC Micro – Within the         £11.95           BCPL User Guide         £9           C Big Red Book of         £8.95           C - A Dabhand Guide to         £14.95           C Programming Lang. 2nd Edition         £24.95           C Programming Lang. 2nd Edition         £9.50           COMAL – Introduction to         £9.55           Deutsch Direkt! (Book only)         £5.95           DISC FILING SYSTEM (DFS)         £6.95           Operating Manual for BBC         £6.95           FORTH on the BBC Micro         £9.95           Hackers Handbook – New         £9.95           ISO-PASCAL Reference Manual         £9.95           Master Alphands (Book – New         £9.95           Master Folz Guide – Dabs Press         £9.95           Master Reference Manual Part 1         £14.95           Master Reference Manual Part 2         £14           Master Reference Manual Part 2         £14<		£14 95
BCPL User Guide         £9.5           C Big Red Book of         £8.95           C - A Dabhand Guide to         £14.95           C Programming Lang. 2nd Edition         £24.95           COMAL - Introduction to         £9.50           Deutsch Direkt! (Book only)         £5.95           DISC FILING SYSTEM (DFS)         Operating Manual for BBC         £6.95           FORTH on the BBC Micro         £9.95           Hackers Handbook - New         £9.95           ISO-PASCAL Reference Manual         £9.95           Mastering Interpreters &         £9.95           Compilers         £14.95           Master F12 Guide - Dabs Press         £9.95           Master Reference Manual Part 1         £14.45           Master Reference Manual Part 2         £14.45           MiNI OFFICE II - A Dabhand Guide         £9.95           Mouse User Guide to BBC Micro -         £5.95		
C Big Red Book of C − A Dabhand Guide to C + A Dabhand Guide to C Programming Lang. 2nd Edition C 24.95 COMAL – Introduction to Deutsch Direkt! (Book only) E5.95 DiSC FILING SYSTEM (DFS) Operating Manual for BBC C 69.95 FORTH on the BBC Micro Hackers Handbook – New E9.95 Hackers Handbook – New E9.95 Hackers Handbook – New E9.95 Master Federence Manual Mastering Interpreters & Compilers Compilers E14.95 Master Operating System E12.95 Master Operating System E12.95 Master Reference Manual Part 1 Master Reference Manual Part 2 Master Reference Manual Part 1 Master Reference Manual Part 2 Master Reference Manual Part 2 Master Reference Manual Part 1 Master Reference Manual Part 1 Master Reference Manual Part 1 Master Reference Manual Part 2 Master Reference Manual Part 2 Master Reference Manual Part 1 Master Reference Manual Part 1 Master Reference Manual Part 2 Master Reference Manual Part 1 Master Reference Manual Part 2 Master Reference Manual Part 1 Master Reference Manual		
C Programming Lang. 2nd Edition	BCPL User Guide	£9
C Programming Lang. 2nd Edition	C Big Red Book of	£8.95
C Programming Lang. 2nd Edition	C - A Dabband Guide to	
COMÂL – Introduction to         £9.50           Deutsch Direkt! (Book only)         £5.95           DISC FILING SYSTEM (DFS)         £6.95           Operating Manual for BBC         £6.95           FORTH on the BBC Micro         £9.95           Hackers Handbook – New         £9.95           Hackers Handbook – New         £9.95           Haster Allererence Manual         £9.95           Master Folz Guide – Dabs Press         £9.95           Master S12 Guide – Dabs Press         £9.95           Master Reference Manual Part 1         £14           Master Reference Manual Part 2         £14           Mathematical Programs in BBC BASIC         £9.95           MINI OFFICE II – A Dabhand Guide         £9.95           Mouse User Guide to BBC Micro –         £9.95           Mouse User Guide to BBC Micro –         £9.50           PASCAL on the BBC Micro –         £9.50           PASCAL Programming £10.95         £14.95           The Epson FX-KAGA PRINTER         £9.50           Commands REVEALED         £5.95           Understanding Interword –         A Beginners Guide         £6.50           View Guide (View 2.1)         £5.00           View Silvewstore Dabhand Guide         £12.95           Viewsh		
Deutsch Direktl (Book only)   E5.95	COMMITTED LANGUE LANGUE	
DISC FILING SYSTEM (DFS)   Operating Manual for BBC	COMAL - Introduction to	
Operating Manual for BBC         £6.95           FORTH on the BBC Micro         £9.95           Hackers Handbook – New         £9.95           ISO-PASCAL Reference Manual         £9.95           Mastering Interpreters &         £14.95           Compilers         £14.95           Master 512 Guide – Dabs Press         £9.95           Master Operating System         £12.95           Master Reference Manual Part 1         £14           Master Reference Manual Part 2         £14           Mathematical Programs in BBC BAIC         £9.95           Minit OFFICE II – A Dabhand Guide         £9.95           Example Programs on Disc for above         £4.95           PASCAL on the BBC Micro         £9.50           PASCAL Programming         £10.95           RISC Technical Manual 260 pg         £14.95           The Epson FX-KAGA PRINTER         Commands REVEALED           Understanding Interword – <td></td> <td>£5.95</td>		£5.95
FORTH on the BBC Micro  Hackers Handbook – New  £9.95  Master Handbook – New  £9.95  Master Star Reference Manual  Mastering Interpreters &  Compilers  Master 512 Guide – Dabs Press  Master Operating System  Master Reference Manual Part 1  Master Reference Manual Part 2  Master Referen	DISC FILING SYSTEM (DFS)	
FORTH on the BBC Micro  Hackers Handbook – New  £9.95  Master Handbook – New  £9.95  Master Star Reference Manual  Mastering Interpreters &  Compilers  Master 512 Guide – Dabs Press  Master Operating System  Master Reference Manual Part 1  Master Reference Manual Part 2  Master Referen	Operating Manual for BBC	€6.95
Hackers Handbook - New   150-PASCAL Reference Manual   159.95	EORTH on the BBC Micro	
ISO-PASCAL Reference Manual		
Mastering Interpreters & Compilers		
Compilers		£9.95
Master 512 Guide – Dabs Press         £9.95           Master Operating System         £12.95           Master Reference Manual Part 1         £14           Master Reference Manual Part 2         £14           Master Reference Manual – Advanced         £17           Mathematical Programs in BBC BASIC         £9.95           MINI OFFICE II – A Dabhand Guide         £9.95           Mouse User Guide to BBC Micro –         £5.95           Example Programs on Disc for above         £4.95           PASCAL on the BBC Micro         £9.50           PASCAL Programming         £10.95           RISC Technical Manual 260 pg         £14.95           The Epson FX-KAGA PRINTER         Commands REVEALED         £5.95           Understanding Interword –         A Beginners Guide         £6.50           View 3.0 User Guide         £10.95           View, Viewsheet & Viewstore – Mastering         £12.95           View Guide (View 2.1)         £5.00           View Subhand Guide         £12.95           Viewsheet & Viewstore Dabhand Guide         £12.95           Viewsheet User Guide         £10           Viewshore User Guide         £10           Viewsheet User Guide         £10           Z88 – A Dabhand Guide         £14.95	Mastering Interpreters &	
Master 512 Guide – Dabs Press         £9.95           Master Operating System         £12.95           Master Reference Manual Part 1         £14           Master Reference Manual Part 2         £14           Master Reference Manual – Advanced         £17           Mathematical Programs in BBC BASIC         £9.95           MINI OFFICE II – A Dabhand Guide         £9.95           Mouse User Guide to BBC Micro –         £5.95           Example Programs on Disc for above         £4.95           PASCAL on the BBC Micro         £9.50           PASCAL Programming         £10.95           RISC Technical Manual 260 pg         £14.95           The Epson FX-KAGA PRINTER         Commands REVEALED         £5.95           Understanding Interword –         A Beginners Guide         £6.50           View 3.0 User Guide         £10.95           View, Viewsheet & Viewstore – Mastering         £12.95           View Guide (View 2.1)         £5.00           View Subhand Guide         £12.95           Viewsheet & Viewstore Dabhand Guide         £12.95           Viewsheet User Guide         £10           Viewshore User Guide         £10           Viewsheet User Guide         £10           Z88 – A Dabhand Guide         £14.95	Compilers	£14.95
Master Operating System         £12.95           Master Reference Manual Part 1         £14           Master Reference Manual Part 2         £14           Mathematical Programs in BBC BASIC         £9.95           MiNI OFFICE II – A Dabhand Guide         £9.95           Mouse User Guide to BBC Micro –         £5.95           Example Programs on Disc for above         £4.95           PASCAL on the BBC Micro         £9.50           PASCAL Programming         £10.95           RISC Technical Manual 260 pg         £14.95           The Epson FX-KAGA PRINTER         Commands REVEALED         £5.95           Understanding Interword –         A Beginners Guide         £10.95           View 3.0 User Guide         £10.95         £12.95           View Guide (View 2.1)         £5.00         £12.95           View Guide (View 2.1)         £12.95         £12.95           Viewsheet & Viewstore Dabhand Guide         £12.95           Viewsheet User Guide         £10.95           Viewsheet User Guide         £14.95           Z88 – A Dabhand Guide         £14.95		
Master Reference Manual Part 1         £14           Master Reference Manual Part 2         £14           Master Reference Manual Part 2         £14           Master Reference Manual Part 2         £15           Mind Carle Reference Manual Part 2         £15           Mind Carle Reference Manual BBC BASIC         £9.95           Mind Carle Reference George Guide to BBC Micro –         £5.95           Example Programs on Disc for above         £4.95           PASCAL on the BBC Micro         £9.50           PASCAL Programming         £10.95           RISC Technical Manual 260 pg         £14.95           The Epson FX-KAGA PRINTER         Commands REVEALED         £5.95           Understanding Interword –         A Beginners Guide         £10.95           View Guide (View 2.1)         £5.00           View Guide (View 2.1)         £5.00           Viewsheet & Viewstore – Mastering £12.95         £12.95           Viewsheet & Viewstore Dabhand Guide         £12.95           Viewsheet User Guide         £1.95           Viewshore User Guide         £10           Z88 – A Dabhand Guide         £14.95           Z88 – A Dabhand Guide         £14.95           Z88 Magic         £14.95		
Master Reference Manual Part 2         £14           Master Reference Manual – Advanced         £17           Mathematical Programs in BBC BASIC         £9.95           MINI OFFICE II – A Dabhand Guide         £9.95           Mouse User Guide to BBC Micro –         £5.95           Example Programs on Disc for above         £4.95           PASCAL on the BBC Micro         £9.50           PASCAL Programming         £10.95           RISC Technical Manual 260 pg         £14.95           The Epson FX-KAGA PRINTER         Commands REVEALED           Understanding Interword –         A Beginners Guide         £6.50           View 3.0 User Guide         £10.95           View, Viewsheet & Viewstore – Mastering         £12.95           View, Viewsheet & Viewstore Dabhand Guide         £12.95           VIEW Dabhand Guide         £12.95           Viewsheet User Guide         £10           Viewstore User Guide         £10           Z88 – A Dabhand Guide         £14.95           Z88 – A Dabhand Guide         £14.95           Z88 Magic         £14.95		
Master Reference Manual – Advanced         £17           Mathematical Programs in BBC BASIC         £9.95           MiNI OFFICE II – A Dabhand Guide         £9.95           Mini OFFICE II – A Dabhand Guide         £5.95           Mouse User Guide to BBC Micro –         £4.95           PASCAL on the BBC Micro         £9.50           PASCAL Programming         £10.95           RISC Technical Manual 260 pg         £14.95           The Epson FX-KAGA PRINTER         £5.95           Understanding Interword –         A Beginners Guide         £6.50           View 3.0 User Guide         £10.95           View Guide (View 2.1)         £5.00           View, Viewsheet & Viewstore – Mastering         £12.95           View Viewsheet & Viewstore Dabhand Guide         £12.95           VIEW Dabhand Guide         £12.95           Viewsheet User Guide         £10           Viewstore User Guide         £10           Viewstore User Guide         £14.95           Z88 – A Dabhand Guide         £14.95           Z88 Ka Computing         £9.95           Z88 Magic         £14.95		
Mathematical Programs in BBC BASIC         £9.95           MINI OFFICE II – A Dabhand Guide         £9.95           Mouse User Guide to BBC Micro –         £5.95           Example Programs on Disc for above         £4.95           PASCAL on the BBC Micro         £9.50           PASCAL Programming         £10.95           RISC Technical Manual 260 pg         £14.95           The Epson FX-KAGA PRINTER         £5.95           Commands REVEALED         £5.95           Understanding Interword –         A Beginners Guide         £10.95           View 3.0 User Guide         £10.95           View Guide (View 2.1)         £5.00           View, Viewsheet & Viewstore – Mastering         £12.95           View Viewsheet & Viewstore Dabhand Guide         £12.95           Viewsheet User Guide         £12.95           Viewsheet User Guide         £10.95           Viewsheet User Guide         £14.95           Z88 – A Dabhand Guide         £14.95           Z88 Ka Computing         £9.95           Z8 Magic         £14.95	Master Reference Manual Part 2	
Mathematical Programs in BBC BASIC         £9.95           MINI OFFICE II – A Dabhand Guide         £9.95           Mouse User Guide to BBC Micro –         £5.95           Example Programs on Disc for above         £4.95           PASCAL on the BBC Micro         £9.50           PASCAL Programming         £10.95           RISC Technical Manual 260 pg         £14.95           The Epson FX-KAGA PRINTER         £5.95           Commands REVEALED         £5.95           Understanding Interword –         A Beginners Guide         £10.95           View 3.0 User Guide         £10.95           View Guide (View 2.1)         £5.00           View, Viewsheet & Viewstore – Mastering         £12.95           View Viewsheet & Viewstore Dabhand Guide         £12.95           Viewsheet User Guide         £12.95           Viewsheet User Guide         £14.95           Z88 – A Dabhand Guide         £14.95           Z88 Computing         £9.95           Z8 Magic         £14.95	Master Reference Manual - Advanced	£17
MINI OFFICE II - A Dabhand Guide   S9.95		
Mouse User Guide to BBC Micro - the Complete	MINI OFFICE II - A Dabband Guide	
the Complete         £5.95           Example Programs on Disc for above         £4.95           PASCAL on the BBC Micro         £9.50           PASCAL Programming         £10.95           RISC Technical Manual 260 pg         £14.95           The Epson FX-KAGA PRINTER         25.95           Commands REVEALED         £5.95           Understanding Interword –         A Beginners Guide         £6.50           View 3.0 User Guide         £10           View Guide (View 2.1)         £5.00           View, Viewsheet & Viewstore – Mastering         £12.95           View Siewstore User Guide         £12.95           Viewsheet & Viewstore Dabhand Guide         £12.95           Viewsheet User Guide         £10           Viewstore User Guide         £10           Z88 – A Dabhand Guide         £14.95           Z88 Computing         £9.95           Z88 Magic         £14.95	MINI OFFICE II - A Dabitatio Guide	19.90
Example Programs on Disc for above         £4.95           PASCAL on the BBC Micro         £9.50           PASCAL Programming         £10.95           RISC Technical Manual 260 pg         £14.95           The Epson FX-KAGA PRINTER         £5.95           Commands REVEALED         £5.95           Understanding Interword –         A Beginners Guide         £10.95           View 3.0 User Guide         £10.95           View Guide (View 2.1)         £5.00           View Guide (View 2.1)         £5.00           View Sheet & Viewstore – Mastering (£12.95         £12.95           ViEW Dabhand Guide         £12.95           Viewsheet User Guide         £12.95           Viewstore User Guide         £10.95           Z88 – A Dabhand Guide         £14.95           Z88 – A Dabhand Guide         £14.95           Z88 Magic         £14.95		
PASCAL on the BBC Micro         £9.50           PASCAL Programming         £10.95           RISC Technical Manual 260 pg         £14.95           The Epson FX-KAGA PRINTER         2           Commands REVEALED         £5.95           Understanding Interword –         A Beginners Guide         £6.50           View 3.0 User Guide         £10           View Guide (View 2.1)         £5.00           View Guide (View 2.1)         £12.95           Viewsheet & Viewstore – Mastering         £12.95           Viewsheet & Viewstore Dabhand Guide         £12.95           Viewsheet User Guide         £12.95           Viewsheet User Guide         £10.95           Viewstore User Guide         £14.95           Z88 – A Dabhand Guide         £14.95           Z88 Computing         £9.95           Z88 Magic         £14.95	the Complete	£5.95
PASCAL on the BBC Micro         £9.50           PASCAL Programming         £10.95           RISC Technical Manual 260 pg         £14.95           The Epson FX-KAGA PRINTER         2           Commands REVEALED         £5.95           Understanding Interword –         A Beginners Guide         £6.50           View 3.0 User Guide         £10           View Guide (View 2.1)         £5.00           View Guide (View 2.1)         £12.95           Viewsheet & Viewstore – Mastering         £12.95           Viewsheet & Viewstore Dabhand Guide         £12.95           Viewsheet User Guide         £12.95           Viewsheet User Guide         £10.95           Viewstore User Guide         £14.95           Z88 – A Dabhand Guide         £14.95           Z88 Computing         £9.95           Z88 Magic         £14.95	Example Programs on Disc for above	£4.95
PASCAL Programming         £10.95           RISC Technical Manual 260 pg         £14.95           The Epson FX-KAGA PRINTER         £5.95           Commands REVEALED         £5.95           Understanding Interword –         A Beginners Guide         £6.50           View 3.0 User Guide         £10           View Guide (View 2.1)         £5.00           View, Viewsheet & Viewstore – Mastering £12.95         £12.95           Viewsheet & Viewstore Dabhand Guide         £12.95           Viewsheet & Viewstore Dabhand Guide         £12.95           Viewsheet User Guide         £10           Viewstore User Guide         £10           Z88 – A Dabhand Guide         £14.95           Z88 Magic         £14.95		£9.50
RISC Technical Manual 260 pg		
The Epson FX-KAGA PRINTER           Commands REVEALED         £5.95           Understanding Interword –         4           A Beginners Guide         £6.50           View 3.0 User Guide         £10           View Guide (View 2.1)         £5.00           View, Viewsheet & Viewstore – Mastering         £12.95           View Viewsheet & Viewstore Dabhand Guide         £12.95           VIEW Dabhand Guide         £12.95           Viewsheet User Guide         £10           Viewstore User Guide         £10           Z88 – A Dabhand Guide         £14.95           Z88 Ka Computing         £9.95           Z88 Magic         £14.95		
Commands REVEALED         £5.95           Understanding Interword –         4           A Beginners Guide         £6.50           View 3.0 User Guide         £10           View Guide (View 2.1)         £5.00           View, Viewsheet & Viewstore – Mastering £12.95         £12.95           Viewsheet & Viewstore Dabhand Guide         £12.95           ViEW Dabhand Guide         £12.95           Viewsheet User Guide         £12.95           Viewstore User Guide         £10           Z88 – A Dabhand Guide         £14.95           Z88 Ka Computing         £9.95           Z88 Magic         £14.95	HISO recrinical Manual 200 pg	114.95
Understanding Interword -   A Beginners Guide	The Epson FX-KAGA PRINTER	
A Beginners Guide \$6.50 View 3.0 User Guide \$10 View Guide (View 2.1) \$5.00 View, Viewsheet & Viewstore — Mastering \$12.95 Viewsheet & Viewstore Dabhand Guide \$12.95 Viewsheet & Viewstore Dabhand Guide \$12.95 Viewsheet User Guide \$10 Viewstore User Guide \$10 Viewstore User Guide \$10 Z88 — A Dabhand Guide \$14.95 Z88 Computing \$2.95 Z88 Magic \$14.95	Commands REVEALED	£5.95
A Beginners Guide \$6.50 View 3.0 User Guide \$10 View Guide (View 2.1) \$5.00 View, Viewsheet & Viewstore — Mastering \$12.95 Viewsheet & Viewstore Dabhand Guide \$12.95 Viewsheet & Viewstore Dabhand Guide \$12.95 Viewsheet User Guide \$10 Viewstore User Guide \$10 Viewstore User Guide \$10 Z88 — A Dabhand Guide \$14.95 Z88 Computing \$2.95 Z88 Magic \$14.95	Understanding Interword –	
View 3.0 User Guide         £10           View Guide (View 2.1)         £5.00           View, Viewsheet & Viewstore – Mastering £12.95         £12.95           Viewsheet & Viewstore Dabhand Guide         £12.95           VIEW Dabhand Guide         £12.95           Viewsheet User Guide         £10           Viewstore User Guide         £10           Z88 – A Dabhand Guide         £14.95           Z88 Computing         £9.95           Z88 Magic         £14.95		£6.50
View Guide (View 2.1)         £5.00           View, Viewsheet & Viewstore — Mastering L12.95         £12.95           Viewsheet & Viewstore Dabhand Guide         £12.95           ViEW Dabhand Guide         £12.95           Viewsheet User Guide         £10.95           Z88 – A Dabhand Guide         £14.95           Z88 Computing         £9.95           Z88 Magic         £14.95		
View, Viewsheet & Viewstore – Mastering         £12.95           Viewsheet & Viewstore Dabhand Guide         £12.95           VIEW Dabhand Guide         £12.95           Viewsheet User Guide         £10           Viewstore User Guide         £10           Z88 – A Dabhand Guide         £14.95           Z88 Computing         £9.95           Z88 Magic         £14.95		
Viewsheet & Viewstore Dabhand Guide         £12.95           VIEW Dabhand Guide         £12.95           Viewsheet User Guide         £10           Viewstore User Guide         £10           Z88 - A Dabhand Guide         £14,95           Z88 Computing         £9.95           Z88 Magic         £14,95	View Guide (View 2.1)	
Viewsheet & Viewstore Dabhand Guide         £12.95           VIEW Dabhand Guide         £12.95           Viewsheet User Guide         £10           Viewstore User Guide         £10           Z88 - A Dabhand Guide         £14,95           Z88 Computing         £9.95           Z88 Magic         £14,95	View, Viewsheet & Viewstore - Mastering	£12.95
VIEW Dabhand Guide         £12.95           Viewsheet User Guide         £10           Viewstore User Guide         £10           Z88 – A Dabhand Guide         £14.95           Z88 Computing         £9.95           Z88 Magic         £14.95	Viewsheet & Viewstore Dabhand Guide	£12.95
Viewsheet User Guide         £10           Viewstore User Guide         £10           Z88 – A Dabhand Guide         £14.95           Z88 Computing         £9.95           Z88 Magic         £14.95		
Viewstore User Guide         £10           Z88 – A Dabhand Guide         £14.95           Z88 Computing         £9.95           Z88 Magic         £14.95		THE PERSON NAMED IN
Z88 - A Dabhand Guide         £14.95           Z88 Computing         £9.95           Z88 Magic         £14.95		
Z88 Computing £9.95 Z88 Magic £14.95		
Z88 Computing £9.95 Z88 Magic £14.95		£14.95
Z88 Magic £14.95		£9.95
200 Oonig Toui 29.95		
	200 Osling Tour	23.33

#### BOOKS for IBM PC & Compatibles

I C & Companio	
1-2-3 For Business	£25.95
1-2-3 Mastering Release 3	£22.95
1-2-3 Mastering - 2nd Ed.	£20.95
1-2-3 Quick Reference	£7.95
1-2-3 Special Edition (QUE) - Using	£22.95
1-2-3 Using - Rel. 3	£25.95
8086/8088 Assembly Language Prog.	£8.45
8086/8088 Programming the	£17.95
Ability - Using	£12.95
Accountancy software in Business - Usi	ing£14.95
Agenda - Using	£21.95
Aldus PageMaker - Using	£21.45
Amstrad 1512/1640 Step by Step -	
Using the	<b>£POA</b>
Amstrad Basic 2 User Guide	£9.95
Amstrad PC Programmers Ref Guide	£7.50
Amstrad PC1512-1640 Step by Step -	
Using	£10.95
Assembly Language - Quick Ref.	£7.95
Autocad 4th Ed - Mastering	£31.50
Autocad - Mastering Through Rel. 10	£28.95
Autocad - Using Release 10	£27.95
C Introducing	£12.95

C Programming Language 2nd Ed	£26.95
Clipper – Using Computer Users Dictionary	£22.95 £9.95
Corel Draw Quick Ref Thro V1.2	£7.95
Corel Draw made easy	£24.95
dBase III Plus - Complete Reference	£19.95
dBase III Plus Handbook 2nd Edition dBase Instant Reference (III & III+)	£22.95 £10.95
dBase IV – Handbook	£21.95
DOS & BIOS Function - Quick Ref Guide	£7.95
DOS Instant Reference (up to 3.3) DOS Power Tools (includes a disk)	£6.95 £45.95
	£25.95
Excel IBM Version – Using the	£22.95
FAX - Managing with	£12.95
Framework III – Mastering GW Basic – Quick Prog. Ref	£22.95 £8.95
GW Basic Users Guide & Ref	£12.95
Hard Disc management - Quick	
Reference Guide to Hard Disc – Using Your	£4.95
IBM PC & PS/2 3rd Ed	£27.45 £21.70
Microsoft GW BASIC	£12.95
Microsoft Windows 3 – Using 2nd Ed	£20.95
Microsoft Word 5 _ Using MS-DOS – ABC's of 2nd Ed.	£20.45 £17.95
MS-DOS Bible 3rd Edition	£24.95
MS-DOS First Book	£15.50
MS DOS for Beginners	£14.95
MS-DOS Quick Prog Ref Guide MS-DOS Masters – Tricks of 2nd Ed	£8.95 £24.95
MS-DOS – Running 4th edition	£19.95
MS-DOS – Supercharging 2nd Edition	£17.95
MS-DOS Users Guide 3rd Edition	£27.95
MS-DOS – Using MS Windows 3 2nd Ed – Using	£19.95 £22.95
Netware User Guide	£22.95
Networking Personal Computers 3rd Ed.	£20.95
Norton Utilities – Inside the Novell Network – Mastering	£21.95
Novell Network – The ABC of	£27.95 £21.95
Novell Network - Using	£22.95
PageMaker on IBM PC - Using	£22.95
Pagemaker – Using PCs & Compatible Computers for	£22.95
Beginners	£14.95
PC Crash Course 2.0 2nd Edition	£19.95
PC Tools - Quick Ref	£7.95
Programming Guide to EGA & VGA Cards Quattro – Mastering	£24.95
Quattro Pro VI - Using	£22.95
Smart - Using	£21.45
Smartware II – Using Smart, tips, tricks and traps (QUE)	£22.95 £22.95
Supercalc 5 – Using	£27.50
Supercalc Professional	£17.95
Symphony Made Easy	£19.95
Symphony – Using Special Ed. Symphony 4th Edition – Mastering	£27.45 £24.95
Timeworks Publisher Companion	£12.95
Turbo C Bible	£27.95
Turbo C++ Turbo Pascal 5 – Using	£22.95 £22.95
Turbo Pascal – Advance Techniques in	£20.85
Unix - Using	£27.45
Upgrading & Repairing PC's	£27.45
Ventura Mastering – 2nd Ed. Ventura Publisher – Using	£22.95 £22.95
Ventura - Instant Reference	£10.95
Ventura – Tips & Tricks 2nd Ed.	£24.95
Window Programming 2nd Ed	£27.95
Window 3.0 Programming Window 3.0 Quick Ref.	£27.95 £7.95
WORD for Windows – Using	£22.95
Wordperfect 5 - Using	£24.95
Wordperfect - Quick Reference V5	£8.95
Wordperfect 5.1 – ABC's of Wordperfect 5.1 – The ABC of	£18.95 £7.50
Wordperfect 5.1 - 1st Book of	£14.95
Wordperfect 5.1 - Mastering	£24.95
Wordperfect 5.1 Quick Start Wordperfect 5.1 - Using Special Ed	£18.45
Wordstar & CPM Made Easy	£22.95 £15.75
Wordstar Using 5.5 & 6 3rd Ed	£25.95
Wordstar 6.0 Made Easy	£19.95

Carriage on Books vary between £2 to £3.50, depending on their weight

£25 95

Wordstar 6.0 - Using

## New Release ACORN TO PC

#### Stop the Confusion!

Do you have to use both Acorn computers and PC's? Would you like to use your Archimedes or A3000 in PC-emulation mode but are unsure of the new commands?

Although Acorn machines (such as the BBC B, the Master, the Archimedes and the BBC A3000) are mainly used in education, most commercial computers use other operating systems, particularly MS-DOS. As a result school computer users are at a disadvantage when moving into 'business' computing. PCs and other commercial computers use MS-DOS as the operating system, so commands for formatting, copying, backing up, printing and the modem are not the same. Even file names are written differently! And did you know that there is one Acorn command which, if used in MS-DOS, wipes everything in the current directory?

'ACORN TO PC' enables you to change over painlessly. It shows clearly and quictly how, why and where the two systems (Acorn and MS-DOS) differ. As with a foreign language dictionary, you can use the book to transfer either way — from Acorn to MS-DOS, or from MS-DOS to Acorn.

'ACORN TO PC' also acts as a handy reference guide to all Acorn star commands and their MS-DOS equivalents. It also has an extensive and readable explanation of the directory tree and hierarchical filing systems in general. Both DFS and ADFS Acorn systems are covered.

'ACORN TO PC' is written clearly and concisely by Dr. John Lockley, who has wide experience of writing and broadcasting. He is currently appearing as a regular contributor on Radio 5, and is co-author of 'The Complete BBC Computer User Handbook'.

Price: £15.95 (No VAT)

#### The Complete BBC Computer User Handbook

If you own a BBC B, B+, Electron, Master 128 or Master Compact, or Archimedes, then this is the book for you. It shows how to get the best from your machine, and how to make it work for you. The general style and level of presentation means that both the expert and beginner alike will feel comfortable with the quality and quantity of the material. Subjects covered include the general use of computers, hardware design and peripheral devices like printers, disc drives, etc, and Networking. Programming hints and tips and various disciplines for making a better program are discussed in some detail, including debugging of specific errors. Standard programs are covered, such as wordprocessors, spreadsheets, databases, graphics, communications, etc., which brings you neatly on to the subject of using computers in the office or at work - even giving advice on writing and marketing your own programs.

A book you will enjoy to use as a reference, or read from cover to cover, over and over.

Only: £14.95 (No VAT)

# The Complete Mouse User Guide to BBC Micro

This manual has been written to reveal the secrets of the mouse. It explains all the principles required by the hardware and associated software, and also example listings for inclusion into custom programs. The manual first details the basic principles of the mouse and a simple program which uses these principles. This information should be adequate for most applications. However, it is possible to improve the performance of the mouse by expanding on the principles already used in the software. This is again fully explained and an example program given

given.
It is possible to gain a full
understanding of the mouse from this
manual. For those not interested in
exactly how the mouse functions,
complete example programs are also
included. These may be typed directly
into the micro, without the need for any
understanding of the hardware or
software involved, enabling the mouse
to be used for custom applications.

Price £5.95 (No VAT)

Example programs on Disc £4.95

#### Beeb PC (BASIC)

Beeb PC Basic is designed for program authors wishing to convert programs so that they will run on IBM personal computers. To convert BBC BASIC programs manually can waste days of valuable time with every occurrence of common statements such as PROC, DEFPROC, TAB, having to be changed.

Beeb PC (BASIC) automates many of these changes, and will convert majority of BBC statements that are invalid for IBM BASIC into equivalent acceptable statements. In addition BBC BASIC data files can be converted to IBM BASIC format, with support provided for all BBC data formats: INTEGER, REAL & STRING.

Price: £38

#### Beeb DOS 3.0

(Now reads Archimedes Discs)

The BBC and IBM PC's are the most popular micros in the UK. The BBC is firmly established in the education sector and the IBM is the industry standard in the business world. The pools of information and applications held on these computers are immense, yet the means of passing information between them are very limited. Beeb DOS provides a practical method of transferring information between these two micros.

Beeb DOS is a collection of utilities which run on the PC's and enable it to read and write information on BBC discs. You can transfer files between your PC's 360K floppy, high density floppy or hard disc and your BBC discs. In addition Beeb DOS allows you to catalogue, format and compact BBC discs and delete, re-name, lock and unlock BBC files, all on PC's. Each Beeb DOS utility is written in IBM assembler and is run directly from PC or MS-DOS. The Beeb DOS utility can be run from floppy disc, hard disc or RAM drive.

Beeb DOS is supplied on an IBM 5.25", 360K disc complete with a comprehensive operating manual. (Will only work on 360K Disk Drives & read only ADFS and Watford DDFS – not DFS).

Price: £39

(Please write in for technical literature)

Continued  $\rightarrow \rightarrow \rightarrow \rightarrow \rightarrow \rightarrow$ 

#### Panafax Facsimile


Top quality Panasonic Fax machines, at Watford's budget prices. Ideal for Schools, Colleges, Home & Offices. Supplied complete with telephone handset & 12 months on-site maintenance warranty.

• UF121 • UF120 £339 (P.S. We stock full range of Panafax)

#### Watford Electronics are:

- Acorn Qualified Dealer & **Econet Referral Centre**
- ARIES PC Dealer/Distributor
- Canon Authorised Printer Dealer
- Cambridge Computer Dealer
- Computer Concept Premier Dealer
- . **EIZO Monitor Dealer**
- Microvitec Appointed Dealer .
- **NEC Appointed Dealer**
- Panasonic Premier Dealer
- Roland Plotter Official Dealer
- . Star Printer Premier Dealer
- Taxan Appointed Monitor Dealer
- 3M Media Premier Distributor

#### **ADDER**



The Adder unit connects to the User Port and draws its power from there too. The EPROM is mounted in a top quality ZIF socket. There are no switches or controls as Adder is entirely software

The Adder software provides sophisticated facilities for programming EPROMs from a RAM image produced by loading disc files. The software is menu driven and designed for ease of use.

- Two ultra fast programming algorithms or standard slow algorithm.
- Supports standard 21V programming and newer 12.5 volt EPROMs. (Software switched).
- The RAM image to be programmed can be built up in many ways. Sections of image can be loaded separately. Part programming. Read EPROM. Edit data in memory.
- Automatic processing to handle a list of files to program into the EPROM.
- Automatic disc buffering to allow programming of 32K 27256 devices from a 32K file without extra
- Verification gives detailed error list and checksums are maintained. There is also a blank check facility.
- Works with all standard filing systems.
  Generates header code for RFS ROMs to allow
  Basic programs etc. to be stored in EPROM.
  More than one file per ROM permitted.
- Programs the following EPROMs: 2516, 2716, 2532, 2732, 2764, 27128, & 27256.

£65 (£5 Carr)

#### TEX EPROM ERASERS

EPROMs need careful treatment if they are to survive their expected lifetime. Over erasure of EPROMs very rapidly turns them into ROMs! The TEX erasers operate following the manufacturers specifications to give the maximum possible working life by not erasing too fast.

- ERASER EB Standard version erases up to 16 chips. £32(carr £3)
- ERASER GT Deluxe version erases up to 18 chips. Has automatic safety cut-off to switch off the UV lamp when opened. £35 (carr £3)
- Spare UV tubes.

**CREDIT CARD 24 HOUR Ansaphone Hot Lines** (0923) 50234 or 33383

#### Servisol Foam Cleaner

This king size multipurpose foam cleaner spray is ideal for cleaning Keyboard, Monitor, Disc Drive & Computer furniture surfaces.

#### Antistatic Aerosol Spray

Ideal for cleaning and preventing static build-up on TV/Monitor Screens.

#### **Aerosol Dust Spray**

Ideal for removing dust & dirt from Keyboard & similar inaccessible spaces.

## **Spares for BBC Micro**

UHF Modulator	٤4	16MHz Crystal	£2
Speaker Grill	£1	17.734 MHz Xtal	£2
Speaker	£3	32.768MHz Xtal	£1
Keyswitch	£1.50	BBC B Refurbi	sh
Master PSU	£59	Casing £25	
Master Keyboard	£62	Keyboard	€46
Master Casing	£49	Power Supply	£59
Replacement Flex	cible 17	way Keyboard	
Connector			€4

#### Surge Protector Plug

Fitted in place of your normal mains plug, this device protects your equipment (and data from corruption), against mains high voltage translent spikes/surges caused by lightening or thermostats switching.

Protection for only £8.50

#### 4 Way Mains Distribution Socket



4 way top quality mains trailing sockets. Supplied wired up with mains plug ready for use. Can be screwed to floor or wall if required. Very useful for tidying up all the mains leads from your peripherals.

#### Aries Spike Cleaner Unit

A 4 way mains distribution unit as above with a built-in Surge Arrester, providing protection for your complete Computer/Hi-Fi System

£14.95

£3

#### ROM Extraction Tool

chip insertion and removal from your computer by distributing the removal force over the whole body of any 24 or 28 pin chip.

Metal Chip Extractor

#### 28pin DIL Header Plug

28 pin ZIF SOCKET (Textool)

#### **Connecting Leads**

(All ready made and tested)
CASSETTE LEADS 7 pin DIN Plug to 3 pin DIN Plug + 1 Jack Plug C2 50 to 7 pin DIN Plug to 3 Jack Plugs 6 pin DIN to 6 pin DIN Plug (RGB)

#### £3.00 £2.50 £3.00

#### **Disc Drive Power Leads**

Supply from BBC power supply to standard Disc Drive Connection: Single £3.00; Dual £3.75

#### Disc Drive Interface Leads

BBC to Disc Drives Ribbon Cable Single £4 Twin £6

#### Miscellaneous Connectors

	Plugs	Sockets
RGB (6 PIN DIN)	50p	75p
RS423 (5 pin Domino)	70p	80p
Cassette (7 pin DIN)	40p	95p
ECONET (5 pin DIN)	35p	50p
Paddles (15 pin 'D')	150p	250p
Disc Drive Plug 4 way	100p	
6 way Power Connector	120p	150p

#### Watford DATA DUCK

Convert two single Disc Drives into one Dual Drive with this simple external unit (Suitable for Disc Drives with PSU. For Disc Drives without PSU, you will also require Watford Power Duck, see below).

> £14 £8

Watford POWER DUCK

#### CHIP SHOP

1 MB-10 DIL D-RAM	€4.50
1 MB ZIP D-RAM	£4.90
256K x 4-8 DIP	£4.75
256K x 4-8 ZIP	£4.80
DS3691	£4.50
DS88LS120	£5.25
LM324	£0.45
SN76489	£5.50
SAA5050	£8.75
UPD7002	£6.00
2764-250nS	£3.00
27128A-250nS	
(121/5)	62 50

£4.00

£4.50 £7.00

75p £1.00

£3.50 £2.00

£2.00 £1.50

€4.00

€5.00

£9.75 £9.00 £10.00

£4.00 £5.00

£10.00

£8.50 £4.00 £6.00 £2.95

£7.50

50p 50p

50p 50p £1.00 £1.00

£1.00 £1.00 £2.75 £1.00

£1.00 £1.00

27128-250nS (21V) 27256-2 27512-2 27C101G (1 Meg) 4013 4020

4164-10 4464-10

4816 RAM

6264LP-8K 6502A CPU 65C02 3M

62256ALS-15

62256P-12 6818 6845SP 68B50

68B54

74LS00 74LS04 74LS10 74LS123 74LS163

74LS244 74LS245 74LS245 74ALS245 74LS373

74LS393

CL7673PA

75453 75159

7438

65C12 6512A

6522A

41256-8 41256-10

### This extremely useful tool allows you trouble free

SOLDER type £1.50 IDC CRIMP type £1.95

#### 8 Way DIP Switch

Increase the speed of your Disc Drives by soldering this switch to your BBC B or B+ keyboard

Only £1.00

£6.95

#### **Assorted** ROMS



ACORN ADFS
ACORN BASIC 2 plus £25 User Guide £22

£42 £17 Acorn BCPL ACORN DNFS Acorn FORTH £25 £36 Acorn Graphics Acornsoft C Disc Acorn LISP Acorn OS B+ Acorn OS 1.2 £25 £14 £49 £22 **BBC PCB Designer** Beebmon Buffer & Backup £20 Communicator £49 Dump Out 3 EPSON NLQ ROM £25 £25 **Graphics Extension Rom** £21 £22 £28 £43 £38

GXR-B ICON Master Logotron LOGO MASTER OS ROM Master ULA (47) Master ULA (60) Micro Prolog Microtext Disc £15 £10 £25 £46 £199 £25 Microtext Rom NLQ DESIGNER £69

Numerator - Archi Numerator - BBC Pendown ROM Rom Manager ROMIT SERIAL ULA

£39 £32

£20 £29 £13 £35 £28

£14 £26

TED Termulator B, B+ Termulator Master

Video ULA ULTRACALC II £2.00 1Mb OS ROM

#### **ARIES PC 386-SX**



The Aries PC 386-SX combines many of the powerful features of the 386 system with the frugality of a price tag more at home on a 286 system. With 8/16MHz CPU, this system provides virtually full 386 performance, including the more convenient scheme of memory control that allows easy configuration of expansion RAM as EMS for DOS application.

#### Features:

- 80386-SX CPU with optional 80287/80387 Maths Co-Processor
- 8/16 MHz selectable speed
- · Legal Bios with built-in Setup routine
- OS/2 and XENIX compatible

#### Specifications:

- 1MB RAM on-Board expandable to 16Meg
- 1 x 5.25" 1.2Meg Drive fitted 1 x 3.5" 1.44Meg Drive fitted
- 40Meg 28mS Hard Disc Drive fitted (1:1 interlaced)
- HDD/FDD Controller Card
- 102 Key Keyboard
- Case with Keylock
- Eight expansion slots • Two Serial and One Parallel Ports
- Logitech mouse
- 12 months On-Site maintenance
- £300 worth of Software, (MS DOS 3.30, GW BASIC 3.21, Digital Research's GEM, Finesse 1.1 DTP pack, Multiwriter Wordprocessor & Spellchecker, PC Organiser), FREE with every

#### New Low prices:

- System 1 Specification as above plus a 14" High Resolution Flat Screen mono
- System 2 As system 1 plus a 14" High Resolution Flat Screen EGA Monitor and
- System 3 As system 1 plus a 14" High Resolution Flat Screen VGA Monitor and
- System 4 As system 3 (VGA) with 80MB 28mS fast Hard Disc Drive £1245 fitted
- System 5 As system 3 (VGA) with 155MB 16mS super fast Hard Disc Drive £1479

#### PC External Disc Drives

(for IBM PC, Amstrad 1640 & Compatibles. Supplied complete with case, cables and power supply. Ready to plug)

PCS-3L5	3.5" - 720K Cased Drive	£85
PCS-3H5	3.5" - 1M44 Cased Drive	£95
PCS-5L2	5.25" - 360K Cased Drive	286
PCS-5H2	5.25" - 1M2 Cased Drive	299

Our December 1990 catalogue now available. Please write in for your FREE copy

#### Aries Notebook PC XT & Notebook PC NB286-12

Full Desktop PC Power for People On The Move





Aries Notebook PCs are equipped with a full complement of 6 built-in ports; 2 x RS232 Serial; 1 x Printer; 1 x External floppy drive; an external Keyboard and a CGA colour monitor. The obvious benefits include the ability to connect directly to a printer, and to a full size desktop computer to transfer data or text, etc, or to a modem for communications.

Multiwriter 2 Word processor/spell checker, and PC Organiser diary software is supplied with all Notebook PCs to get you started, so now you can take computing power with you where you want to go, in the office, workshop or laboratory, on site, on the train, plane, or at home.

Aries Notebook I, II and III
These Aries Notebook PCs have energy-efficient
80C88 processor chips running at 10 MHz.
In his independent review (Computer Shopper) the
reviewer writes, 'The Aries Portable offers
exceptional value for money . . The computer
itself is very much what you'd expect a notebook to
be, small, with a cramped but very usable keyboard
and a respectable backlit display. It is nice to see
that you can actually use the extra 384K as EMS
memory — there is even a utility that can turn the
EMS into a RAM drive for you.'

In the life is even a utility that can turn the EMS into a RAM drive for you.' In his final verdict he writes, 'Overall, the single most outstanding feature has to be the price tag. A notebook PC with hard disc for under £1,000 has no competition at the moment. If you have a small briefcase, weak arms, or just like the concept of a truly portable computer, then this is your man'

#### Aries Notebook NB286-12

The New Aries NB286-12 has a faster, high efficiency 80286 processor running at 12MHz.

the strongest feature of the Aries is its Hard Disc, with a data transfer rate that would put most desktops to shame . . . the only notebook reviewed that incorporates a 16MHz processor (landmark speed). These two factors combine to make it the strongest performer . . .

'In terms of value, the Watford comes up on top . . .

'VERDICT: Excellent specification performance. This has to be THE choice based on price and ability'.

Computer Shopper Jan. 1991

Specifications
80286 running at 10MHz (Notebook I, II & III); 80286 (Notebook NB286-12) running at 12MHz – Zero Wait State – Real Time Clock/Calendar
1MB RAM – 640KB + 384KB LIM/EMS Processor:

Memory: Internal: 3.5" Floppy Drive (Notebook I) - 2.5 " 20MB Hard Disc (Notebook II & • Drive:

Internal: 3.5" Floppy Drive (Notebook I) — 2.5" 20MB Hard Disc (Notebook II & Notebook NB286-12); Notebook III has an internal 2.5" 40MB Hard Drive all 28mS Access speed — Optional external 3.5" or 5.25" floppy drive Electro-luminescent (EL) backlit transflective supertwist LCD — 80 x 25 characters — 640 x 200 bit mapped IBM CGA compatible Full size Qwerty layout — Integrated Numeric Keypad Internal NiCad battery — External 12V DC — Mains Adaptor provided Standard Parallel Printer Port — Twin RS232 Serial Ports — External Disc Drive Port — CGA

• Display:

Keyboard: Power:

• Interfaces:

Colour Monitor Port - External Keyboard or PS/2 Mouse Port Dimensions:

300mm (W) x 220mm (D) x 61mm (H) MSDOS 3.3; GWBASIC; Word Processor software - PC Organiser Software - Desk Bundled

Software: Diary & Calendar

Optional Extras: External 3.5" Disc Drive — External 5.25" Disc Drive

 Notebook I – Internal 3.5" Floppy Drive (Optional external 3.5" or 5.25" Floppy Drive)

Notebook NB286-12 – with Internal 3.5" – 1.4MB Floppy and 28mS 20MB 2.5" Hard Disc

NB 386SX-20 - 3.5" 1.44M Floppy; 20MB H/D; VGA

 NB 386SX-40 - 3.5" 1.44M Floppy; 40MB H/D; VGA

£499

£1195

 External 3.5" 1.44MB **Floppy Drive** 

 External 5.25" 1.2MB **Floppy Drive** 

Spare Battery Pack

Car Cigar Lighter Adaptor £35

£1495 • Carrying Case

£89 £29

£89

Accessories

## Vatford Electronics

250 Lower High Street, Watford WD1 2AN, England Tel: 0923 37774/240588 Fax: (0923) 33642 Telex: 8956095

Prices subject to change without notice and available on request. ALL OFFERS subject to availability. Mail Order and RETAIL SHOP, Trade and Export inquiries welcome. Government and Educational Establishments' OFFICIAL ORDERS Accepted. Shop Hours: 9.00am to 6.00pm, Monday to Saturday. Thursdays 9am to 8pm. (Free Customer's Car Park). VAT: UK customers please add 17.5% VAT to cost incl. Carriage. CARRIAGE: Unless stated otherwise, minimum 20 an all orders. £3 on Larger items. On bulkler items, £7 Securicor charge applies (UK mainland only). Overseas orders, carriage is charged at cost. Specifications of all products are given in good faith but are subject to change without notice. Some items vary in their availability. Please ring for latest delivery situation.

## **PERSONAL & BUSINESS** ACCOUNTS

The Account Book & The Invoice Program

These two programs have had excellent reviews over the years and enjoy a wide user base. They are very easy to use whether you are VAT registered or not and run on the BBC B, Master, Compact and Archimedes. Although they do not multitask on an Archimedes we are currently working on a multi-tasking version. They are available at £34.95 each or £59.95 together. Please state computer and disc size when ordering or send/phone for our brochure.

Personal Accounts for the BBC B, Master Series

10 Bank/Credit Accounts, 48 Income/Payment Headings, Full
Scrolling entry/edit system with extensive reporting including bank reconciliation and statements. Only £18.95

Personal Accounts SPECIAL EDITION VERSION 2 for the A3000 and ARCHIMEDES

RiscOS Multi-tasking version of the above with brilliant features including a 50 character description space per entry, 28 fully automatic standing order templates for any period on payments and income including forecast feature. Autosave option, Calculator, Note-Pad and much more. Fully scrolling entry, edit and search system makes this a joy to use which is why Archive Magazine described it as "very powerful, good value, easy to use and highly recommended". Only £28.95

#### APRICOTE STUDIOS

2 Purls Bridge Farm, Manea, Cambs, PE15 0ND



**☎** 035 478 432



#### SENLAC Computing Ltd. (Est. 1988)

£	(ex VAT)		£	(ex VAT)
Impression 2150.0	0 (127.66)	Cash	Micro Studio Graphics from 17.50	(14.89)
Impression Junior81.0	0 (68.93)	On	Poster87.00	(74.04)
FontFX9.5	0 (8.08)	Delivery	Pipedream 3138.00	(117.45)
Scan-Light Plus Junior 192.0	0 (163.40)	available on	Schema	(96.17)
Scan-Light Plus A4407.0	0 (346.38)	single	Rhapsody45.00	(38.30)
with Sheet Feeder 506.0	0 (430.64)	orders up to	Genesis 2	(117.45)
Laser-Direct	0 (893.62)	£350.00	Magple56.00	(47.66)
Laser-Direct Hi-Res1575.0	0 (1340.43)	value.	Revelation81.00	(68.94)
ShowPage138.0	0 (117.45)	Only £2.00	Squirrel	(104.68)
Equasor48.0		extra!	Multistore255.00	(217.02)
!Tracer57.0			Flexifile	(113.19)
Midnight Graphics Clip Art 34.0	0 (29.94)		MultiFS34.00	(28.94)

\*\*\* REMEMBER! Prices include VAT at 171/2%, postage and packing \*\*\*

Please make cheques/postal orders payable to SENLAC Computing Ltd.
P.O.Box 304, BRIGHTON, BN2 2TT
We offer similar discounts across our whole range. Please send S.A.E. for current price list.

VAT Reg. No. 508 7594 16

Company Registration No. 2277309

### THE COMPUTER DEPOT

205 BUCHANAN ST GLASGOW G1 2JZ Tel: 041-332 3944

55 CLERK ST **EDINBURGH** EH89JQ Tel: 031-668 4146

DUNDEE Tel: 0382 29653

Scotland's leading micro specialists

Best display in Scotland of BBC and Archimedes FREE installation of upgrades Scottish dealer for WATFORD **ELECTRONICS** 

Service Dept: Phone 041-332 0625 Licensed Credit Brokers Mail Order Service





EDUCATION AND TRAINING-MICROCOMPUTER SYSTEMS





Acorn

Telephone ALTON (0420) 87213

The choice of experience APPROVED DEALER

Problem with your **ECONET** wiring? Diagnose the fault with our easy to use Test Box The "FLAT" Box £75+VAT

Connect your Archimedes to a 'normal' television for only £20 + VAT

C) OIL

WE'RE MOVING TO A NEW ADDRESS SOON!

- ACORN REPAIR CENTRE
- UNIX & TCP/IP SOLUTIONS
- NETWORK INSTALLATIONS

NEW! Acorn's LEVEL 4 Fileserver only £160 + vat

We offer both telephone and personal support should you have difficulty with your choice of computer purchased from us. Plus - our prices will surprise you. Simply the best combination you could ask for ....

Low Prices call now







### ■★PRIZE £30★■

#### LISSAJOUS FIGURES

Lissajous figures - the fascinating curves produced on oscilloscopes take a step into the third dimension with 3DLiss (Info1a) from Michael Attenborough of Liverpool. Methods of displaying lissajous figures using computers were first broached in BAU by Michael St Aubyn with his now famous Mathsin-Motion listing in November 1985 (re-printed in March of this year).

This original two-dimensional version worked by varying Cartesian co-ordinates (x,y) sinusoidally. The remarkable figures are created because of 'phase differences' between x and y.

The easiest way to express a point on the 2D curve is as (Rsin(At),Rcos(Bt+c)). A and B are constants which determine the 'phase' of the curve. The 'parametric' value t is varied from 0 to 360 degrees in order to plot the whole curve, and c is changed to give the appearance of rotation. R is simply a scaling factor.

Points in three-dimensional space clearly have three cartesian co-ordinates each (x,y,z). However, they can also be described using so-called 'polar' co-ordinates (A,B,r) where A and B are angles and r is the distance from the origin. Using this polar system, you can vary the angles A and B in much the same way as the 2D program varies its Cartesian co-ordinates x and y. The results are delightful lissajous figures that appear as the surface of a sphere.

(For more information about the theory have a look at the January 1991 issue of Scientific American.)

Having entered 3DLiss, run it and experiment by changing the various parameters. The Z and X keys alter the value A and the C and V keys alter B.

#### DAVE ACTON and DAVE LAWRENCE

## deliver a monthly mix of bits and pieces for your eight and 32-bit computers

The ratio A:B - which determines the basic nature of the curve - is shown at the top left of the screen. You can rotate the curve using the up and down cursor keys and vary the speed of rotation with left and right. The shape of the curve can also be changed with B and N - these vary the angle C, shown top right.

You can also press 0 or 9 and change C to 0 degrees (at which the display is generally cone shaped) and 90 degrees (producing a sphere).

The best way to find out the possibilities is through experimentation though.

The machine-code routine at the heart of the program makes use of look-up tables and the Arm's multiply instructions to show the curve.

Most of the required parameters are passed to it from Basic as integer variables (A% and B% are the A and B of the equations for example).

Perspective is introduced by means of a look-up table. Having calculated the 3D coordinates of a point (x,y,z) these are converted to 2D. Such a conversion generally involves two of the coordinates being divided by a function of the remaining one. In fact, using the table per allows the division to be replaced by a multiplication and, as there is an Arm instruction to do this, it is much quicker. So you can see the effect of perspective, it can be switched on and off with the P key. A 'P' is displayed when perspective is active.

As we like to cater for both eight and 32-bit machines in ★INFO, we thought it would be nice to provide an eight-bit version of 3Dliss. The result is 3Dliss8 (Info1b). The keys are the same for both versions so Beeb and Arc owners can experiment alike.

As you might imagine, producing an eight-bit version necessitated a few changes! The 32-bit program contained many multiplications and a couple of disguised divisions. Both these operations are very time consuming on eight-bit machines and so had to be replaced. The divisions required for perspective were costly in terms of processing time and so perspective is not used in the eight-bit version. However, the 3D effect is still strong since the motion is fast and smooth.

As for the remaining multiplications, a little schoolbook trigonometry comes to the rescue here (see figure 1). You have three angles a, b and c. The nature of the curve is determined by the ratio a:b and the angle c is the rotation of the curve as controlled by the up and down cursor keys. Converting these polar values to Cartesian form (x,y,z) you get equations (i), (ii) and (iii) where d is a plus some constant. You can throw away the x because this is only needed if perspective is used. When you add rotation in direction c you end up with (iv) and (v). Already there are quite a few multiplications involved, but you can simplify products of sin and cos using equations (vi) and (vii).

Thus one multiplication is replaced by several additions or subtractions - comparatively slower on an Arc with its MUL and MLA instructions but much more efficient on a Beeb. So, y can be calculated simply using (vii), and z with perspective added can be expanded to form the grand equation (viii).

For increased speed, the number of points used in 3DLiss8 is 256. On eight-bit machines, tables can be referred to much more quickly if they are no bigger than 256 bytes. Screen mode 4 is used rather than mode 0 – this takes up less memory and also means that each point is bigger, compensating somewhat for having fewer points.

The other major modification required to the eight-bit version comes about because you can't switch screen banks easily. On the Arc, two screens are used for smooth animation,

#### FIGURE 1

x = sin(a) cos(b)

(ii)  $y = \sin(a) \sin(b)$ 

(iii)  $z = \sin(d)$ 

 $y' = \sin(a) \sin(b)$ 

(v)  $z' = x \sin(c) + z \cos(c)$ 

= sin(a) cos(b) sin(c) + sin(d) cos(c)

sin(a)cos(b) = sin(a + b) + sin(a + b)

(vii) sin(a)sin(b) = cos(a - b) - cos(a + b)

(viii)  $z' = \cos(a+b+c) - \cos(a+b+c) + \cos(a-b-c) - \cos(a-b+c)$ 

 $+\sin(d+c) + \sin(d-c)$ 



but the eight-bit version has to remember the old position of each point and 'unplot' it before moving it on.

#### **SORTING IT OUT**

Sorting data is one of the key areas of computing. B Databases, financial applications and even some games all need to main-C tain some semblance of E order to the data they are A dealing with. It will come as no surprise then that many years have been devoted to making sorting algorithms as efficient as possible in both execution time and memory

Sorting algorithms are often compared in three ways: 1) the time taken to sort, 2) the number of comparisons made during the sort and 3) the number of 'moves' (loads and stores) executed during the sort. (2) is taken to mean the number of comparisons between items of data to sort only. Any other comparisons made, for example with the control variable of a loop, are ignored. The value of (3) must be increased whenever an access is made to an item of data. This includes accesses during direct compares of data 'in situ'. For example in the instruction:

IF a(x) < a(x+1)

two moves and one comparison are executed. Although quite rigorous, these three methods are rather stuffy and not always very easy to interpret. A far more interesting way to sort is to represent the data graphically and to animate the sorting process in some way. This will slow down the sorting time but will provide you with a nice visual representation of how the sorting algorithm works and may possibly give you some ideas as to how to improve its performance.

SortDemo (Info2a) on the yellow pages illustrates six quite different sorting methods in this way. It allows you to select the number of elements to sort (256, 128, 64 or 32) by pressing 1-4 and the sorting method by pressing A-F. An array is set up from 1 to, say, 64 which contains the numbers 1 to 64 in ascending order. The array is then 'unsorted' by swapping random elements. The data is represented graphically by plotting a point for each element, the x coordinate is derived from its position within the array, the y from the element's value. Sorted data therefore appears as a single diagonal line starting in the bottom left-hand corner of the screen. Unsorted data appears as widely scattered points. The dots are scaled so that they always exactly fill the screen, larger dots are therefore used for the smaller array sizes. 256 is the maximum number of dots as each element is then represented by a single pixel.

After jumbling the array, the appropriate sort routine is called to repair the damage. As the sorts progress, they update the dots on screen to mirror the status of data within the array.

FIGURE 3	
a	b
4	9
2 1	6 4
6 5 9	2 5 1
c , 9 •	d
	6
6 ( **)	5 4
2 5	2 1

The sort is thus complete when the screen once again shows a single diagonal line. The program keeps track of the number of comparisons and modes made by the sort and displays these values in a table after the sort has finished. The timing columns are only very approximate and can only really be used as a rough guide as large proportion of time in each sort is taken up by plotting the dots!

We ran the program on a BBC, an A3000 and an A440 with an Arm 3 with point sizes of 1 and 4 and the results are shown in figure 2 below.

Bubble Sort is an exceedingly 'stupid' sort. It steps through the array one element

at a time comparing each with the next. If the next element is less than the current one they are swapped. This process is continued until a complete pass is made through the array without having to swap any elements at all.

In a Sift Sort, when an element is found to be out of place, the rest of the elements in the array are examined until a more suitable position is found. All the elements up to this point are shuffled and the original element is inserted into the newly created gap. Note this will not necessarily be its final resting place!

An Exchange Sort is the simplest sort to write that takes a reasonable amount of time to execute. It is also the most natural way for us humans to sort objects or data. For these reasons it can often be found within programs. Quite simply for an array of size n, n passes are made through the array starting at successive elements. On each pass the lowest element in the remainder of the array is found and swapped with the current element.

This sort is particularly good for small values of n, if you look in figure 2, you'll see it is actually faster than the infamous 'quick sort' with 32 elements. Implementations of quick sort often check to see how many elements it has to

ort	Elements	Compares	Moves	BBC*	A3000*	Arm 3*
Bubble	256	61965	183430	1348.64	119.55	60.96
Sift	256	56874	88512	903.07	80.43	38.62
Exchange	256	32896	66816	206.17	14.19	3.55
Quick	256	3279	2777	60.82	5.23	2.81
Merge	256	3444	10980	93.06	8.44	4.91
Heap	256	3690	9138	108.16	9.81	5.67
Bubble	32	837	2502	25.81	2.20	1.24
Sift	32	1012	1548	20.56	1.74	0.96
Exchange	32	528	1184	6.37	0.50	0.23
Quick	32	294	231	6.87	0.57	0.32
Merge	32	244	810	9.75	0.90	0.53
Heap	32	267	673	12.07	1.11	0.66



sort, and if there are only a few it uses an exchange sort rather than its usual recursive calls.

Quick Sort is a 'divide and conquer' algorithm. It uses the idea that sorting two arrays of size n/2 must be easier (and quicker) than sorting one array of size n. How does it sort these two smaller arrays? Simple! It just calls itself to split each into two n/4 arrays.

The actual sorting is performed during the splitting. A 'pivot' value is chosen, ideally a value close to the average of the data to be sorted.


The array is then ordered so values lower than this pivot are stored in the first half of the array and higher values in the second. Quick sort is then (recursively) called on each of these two new partially sorted sections. The main problem with quick sort is the time and memory overheads of using a recursive routine. It also not particularly good at sorting partially sorted data.

Merge Sort is another divide and conquer algorithm. The array is split in two and each half sorted (recursively) with merge sort.

The two sections are then recombined by maintaining a pointer for each section and, taking the lowest of the two current values, the relevant pointer is then moved on. Because of this merging process, merge sorting needs another array the same size as the data array in which to keep the other section of data.

Heap Sort is a sorting algorithm that works on binary trees rather than linear arrays. It may therefore not be immediately obvious how it can be made to work with arrays. There is, however, a very subtle way of doing what you want - more of this later! The heap sort employed by SortDemo is a version of the code used by Risc OS in the operating system OS\_HeapSort. Before explaining how it works, you really need to understand the principles behind a 'true' heap sort working on a binary tree.

A binary tree consists of a number of nodes, each containing its value and, because it is a binary tree, two pointers



to other nodes. These pointers may be null if there is no further node. A node is sometimes referred to as a parent and the two immediately connected nodes as its children.

Of course each child may have further nodes connected to it, creating grandchildren and so on - hence the tree analogy. Continuing this idea, the first node in a tree (or indeed, subtree) is usually called the root. The portion of a tree below a parent is often known as a subtree.

In a plain binary tree, there is no pattern to the nodes, and in this form the tree is not much use. Trees are therefore often ordered. In an ordered binary tree, all nodes in the left subtree of a node are less than its root which in turn is less than all the values in the right subtree. If data was in this form it would make sorting it relatively easy. However, it is not always a simple matter to get the data into this form and keep the tree balanced so that the sorting progresses as quickly as possible.

Another form of binary tree is a *heap* (we're getting there!) In a heap the value of a node is greater than all the values within the subtree taking the node as the root. Figures 3a and 3b show the numbers 4, 2, 1, 6, 5, 9 in the form of an arbitrary tree and heap respectively. Note that these are not the only possible tree and heap representations of this data!

Heap sorting involves taking a heap (eg, figure 3b), removing the root value as a sorted value, moving the rightmost value on the bottom row of the tree to the root (figure 3c) and converting the resultant tree back into a heap (figure 3d). This process is repeated until the heap is empty.

Finding the rightmost node is quite tricky. It involves finding out how large sub trees are and whether there are any 'hanging' nodes remaining. Converting a tree into a heap is a fairly straightforward task; the only hard think about heap sort is understanding how it works! Note that the data emerges from the sorting process in reverse order. This is not a problem, but just remember that it does.

Heaping (Info2b) is a program that demonstrates graphically how this process works. It prompts for 15 numbers to be entered which will be built into a binary tree. You may terminate the list with less than 15 by pressing RETURN after the last value. If you press RETURN immediately with no data entered, the computer will generate a random tree.

You can then sit back and watch the program sort the data. It will tell you what it's doing, as it displays the sorted data at the bottom of the screen as it makes it.

If you really want to appreciate how clever the array version of heap sort is, have a closer look at the appalling methods used to generate the tree, convert it into a heap and find the rightmost node in Heaping!

Sorting Arrays. The main problems in the tree version of heap sort are firstly, creating the tree with all its accompanying nodes and pointers and secondly, the recursive nature of the MakeHeap procedure. If these problems could be eliminated, heap sorting would be a very time and space efficient algorithm.

There is a very simple and, in fact, annoyingly obvious way of representing an array as a tree which does away with the need for using pointers. If you take a tree and number the nodes as in figure 4 and treat each node as an element within the array, then for any node x, its children are nodes 2x and 2x+1.

If you assume that this tree form of the array is actually a heap, then the value of array(1) is the highest in the array and so should be moved to the last element in the array. If, in fact, you swap these elements then no data will be lost but you will no longer have a heap. This means that you need to convert the array (excluding the 'last' element) back into a heap before repeating the above process.

What actually happens is, starting at the root, the old end value, lets call it newval, gets compared with the higher of the two children of the node: if it is less than this, the child is moved up to become the parent (you know it is greater than the other child) and the process iterates down the tree



until it reaches the bottom.

If this happens, or a node is found where newval is greater than both children, the process stops and the tree is once again a heap.

To convert the original tree into a heap you simply use the process above on each node in turn. You don't need to 'heap' the nodes at the very bottom of the tree as they have no children; instead, for an array of size n, you can start at node number n DIV 2 and work back to the root. Sorting is then achieved by copying array(1) to array(n), decrementing n, finding the right place in the array for the old value of array(n) and repeating until n=1. Figure 5 shows, in some arbitrary language, how OS\_HeapSort implements this algorithm. The version used by SortDemo has been neatened up for Basic with the various GOTOs and such like removed or hidden!



Note that there are no pointers, no recursion and, in fact, not even a subroutine call to create a heap. This is because the piece of code which initially heaps the data is also used by the main sort routine to replace the array(n) value.

If you are interested, the Risc OS OS\_HeapSort routine is in the Utility Module starting at &0380A4C4 - follow it through at your own risk!

So eight-bit users aren't left out, listing Heap8 (Info2c) is a 6502 implementation of the same algorithm. It has been set up to sort 256 two-byte values (to allow addresses to be sorted). A demonstration is included which generates 100 random text strings and sorts them alphabetically.

OS\_Heap Sort. Readers of the PRM may know that OS HeapSort can do a lot more than simply sort out numbers. Out of the seven parameters you can supply, BAU (Risc

```
FIGURE 5
HeapSort(array):
      count = sizeof(array)
      node = (count div 2) + 1
MainLoop:
     if node = 1 [
              value = array(count)
              array(count) = array(1)
              count -= 1
              if count = 1 array(1) = value
      1 else [
              node -= 1
              value = array(node)
      if count = 1 exit
      child = node
SortLoop:
      parent = child
      child = child * 2
      if child > count goto HeapEnd
      if child < count [
              if array(child) less_than
                      array(child + 1) child += 1
      if value less_than array(child) [
              array(parent) = array(child)
              goto SortLoop
     1
HeapEnd:
      array(parent) = value
      goto MainLoop
```

Revue) has only ever covered the first three, so read on for the whole gory story!

R0 contains the number of elements to sort pointed to by R1. These are four-byte (ie, word size) objects so will often have to be pointers to the 'real' objects. The top three bits of R1 have special meanings, more of which in a mo. R2 contains the address of a comparison routine or a number less than six for various special cases. These cover most of the usual uses for sorting, ie, an array of integers, or pointers to strings. However, you may need to sort say, a five-byte time reading, in which case it will be necessary to write a comparison routine and supply its address in R2. This routine will be called with R0 and R1 contains two elements from the array (don't forget they may be pointers!) which need to be compared. Your routine can corrupt R0R3, but should return LT (ie, less than if 'R0' < 'R1'). If you wish you can pass a workspace pointer in R3. This will be passed in R12 to the comparison routine. This could useful if you are using OS\_HeapSort in a module and want to have access to the module's RMA workspace. R3-R6 do not have to be specified, but are really very useful in certain applications.

If you are sorting objects of a fixed size, but larger than four bytes you have to build a table of pointers to your objects. OS\_HeapSort will do this for you if you tell it where the objects actually are (in R4), how big they are (in R5) and set bit 30 of R1. Unfortunately it can't automatically create a table of pointers to variable length objects! Bit 31 of R1 can be set if you want OS\_HeapSort to physically reorder these objects in memory after sorting by using the now


sorted pointers at R1.


Due to internal memory limitations, if your objects are bigger than 16K, you'll need to set bit 29 of R1 and pass the address of a suitable area of memory large enough to hold one data object.

OS\_Heapdemo (Info2d) is a demonstration program which sorts 64-bit numbers and makes use of these extended features (except R6). The machine code at .compare simply compares the two words of the 64-bit number. The rather contrivied BIC and ORR instructions are needed because the numbers are unsigned, and CMP doesn't quite return the correct bits set for the LT condition to work.

#### **SQUIGGLE GAME**

BAU regular Barry Wickett has supplied a little game for the Archimedes. called Squiggle (Info3a). There is a version for eight-bit machines called Squig8 (Info3b). The idea of this twoplayer game is to make a path connecting the bottom left square of the board with the top right. Achieving this wins the game, but if you divert the path off the edge of the board you lose. The two players take





turns in placing a piece on the board at the square indicated. You have a choice of the three styles shown at the bottom press 1, 2 or 3 to select. Once you have laid a piece the computer will follow the new



section of path made and then ask the other player to make a move.

The program is quite simple to follow. The board is stored in the array board%() and the variable pd% contains which side of the current square the path entered. When a new tile is laid, values are looked up in the arrays ix%(), iy%() and entrance() to find out where the path goes to next. A REP-EAT...UNTIL loop is used to trace the path until it finds a blank square. If this is the top right square, or off the board the game is over.

The eight-bit version is similar to the Arc program, the only major differences relating to the display.

There is no circle-plotting facility on the Beeb so the curved pieces are drawn with user-defined characters, read in from DATA statements at the end. Rectangle plotting and filling is done by special procedures.

If you master the game and are feeling adventurous why not try adapting the program so you can play against the computer or get it to play itself? We'd be delighted to publish a good computer-play version in \*INFO.

#### PIC-LIST UPDATE We are grateful to Dr

Chris Corbett who B pointed out a possible cause of error in Chris Ruseman's Pic-List application in the May 1991 issue of BAU (page 80). It seems that drawfiles can have bounding boxes with one dimension zero. For example, a single thin vertical line produced in Draw is saved with zero width and this causes a 'division by zero' error which actually shows up in Pic-List as 'Bad colour translation'. The solution is to add the following two lines:

6845 IF rwidth=0 THEN rwidth=1 6855 IF rheight=0 THEN rheight=1

Another problem has come to light regarding the display of sprites with their own palettes. Chris points out that palettes as stored in sprites consist of eight bytes per colour (presumably so that images may be stored with specific flashing colours). When creating colour translation tables though, palettes are required to have only four bytes per colour and this results in \*ScreenSaved mode 0 sprites appearing as plain black in Pic-List! The solution is to change/add the following lines:

6380 IF saddr%!32<>44 THEN 6381 FOR i%=0 TO saddr%!32-45 STEP 8 6382 buffer%! (i%/2) =saddr%!(i%+44) 6383 NEXT 6384 spal%=buffer% 6385 ELSE 6386 spal%=FNwpal (spmode%) 6387 ENDIF

You should also change the version number at line 4770 from 0.90 to 0.91 and the date to May 2 1991.

#### SYSTEM SPRITES

Graham Hick of Marlborough has asked how it is possible to customise the system sprites on the C Arc, having noticed in a screen-shot that the A E logo on the icon bar was different. Well, it's pretty easy to alter the standard sprites in this way. All you need to ensure is that your new versions have the same name and are the same size.

Risc OS sprites are stored in two groups. One set is in Rom and here you will find the standard Archimedes logo, disc-drive icons and so on.

Another set can be found in Ram and it is here you will find the sprites loaded by applications using \*IconSprites command. These are the various icons for applications themselves along with any associated file type icons.

You can replace any of the Rom sprites by loading a Ram sprite with the same name. Perhaps the easiest way is to add the desired new sprites to the Sprites file in your System directory.

So you can have a look at the system sprites in more detail, try running GrabSpr (Info4). This will save the

Rom and Ram sprites as two files so you can load them into Paint and observe the correct sprite names and dimensions. It uses the operating system call "Wimp\_BaseOfSprites". This returns the start address of the Rom sprites in R0 and the Ram sprites in R1

One point to note is that replacement sprites will only appear when the screen is redrawn. Hence, it may be best to run a Boot file from Basic which loads the new sprites using the \*IconSprites command and then enters the desktop.

#### OOPS!

Apologies must go to Dr John Barker whose contribution to Eight Bits -M one of the precursors to ★INFO - was 'mangled' slightly before publi-E cation! Any reader wish-A ing to modify his 24-pin

colour printing program to work with nine-bit printers should note that the relevant part of the instructions (page 58 of the April issue) ought to have read as follows:

'Lines 1240-1270 deleted so each byte is printed once only. The code for moving to a different colour on the ribbon at line 500 is ignored by the monochrome printer, and need not be removed.'

Well, we've come to the end of the first ever \*INFO. We hope that eight-bit and 32-bit users have all found something of interest, of use or indeed, of both. If you have an item to contribute, be it program, hint, tip or simply an idea, do write in to \*INFO at the address below. Any comments, suggestions or even complaints are all equally welcome, so if this column does not reach you

in perfect condition do let us know - your statutory rights will not be affected!

Programs, aside from the very shortest, should be sent on disc together with sufficient explanation of how they are to be used and how they work. Where possible we will supply BBC/Master versions of Arc submissions and vice versa.

Of course, if your program works on the whole range of machines then so much the better. Graphical items are particularly popular with readers, but there are really no limits. Any submissions too long to carry as listings in the yellow pages may find a home on the monthly disc, so don't despair if you've written some 2000 line masterpiece that you'd like to share with the discerning BAU readership!

So, if you've come up with something good and you can't keep it to yourself any longer, you know what to do - put it in a Jiffy bag and send it to us!

Till next month then, thank you for reading and happy key-tapping!

**Dave Lawrence** Dave Acton

Submissions to ★INFO should be sent to us at: BBC Acorn User, Redwood Publishing, 20-26 Brunswick Place, London N1 6DJ. If you enclose a stamped address envelope it will ensure a speedier reply and return of your disc(s).

#### COMPATIBILITY KEY

BBC B compatible

BBC B+ compatible Master compatible

**C** Master Compact compatible

E Electron compatible

Archimedes compatible BBC A3000 compatible

#### **★INFO COMPATIBILITY TABLE**

	BBC B	Master	Electron	Arc
Info1a (3dLiss)				*
Info1b (3dLiss8)	*	*	*	2
Info2a (Sort Demo)	*	*	*	*
Info2b (Heaping)	*	*	*	*
Info2c (Heaping8)	*	*	*	
Info2d (Os Heap Demo)		4.11		*
Info3a (Squiggle32)				*
Info3b (Squiggle8)	*	*	*	*

## **UNIX** now available as an upgrade

Chameleon specialise in the sale of Acorn Unix products and networking of PC's Apple and Unix. We are happy to announce that in addition to sales of R140 R260 series we can now supply upgrades for most Archimedes computers to the latest Acorn Unix standards.

RISC IX 1.2 X/Open XPG3, Sytem V and BSD compatible. X WINDOWS ver 11, Release 4 compatible server.

NFS 4.0, TCP/IP support.

ANSI C, FORTRAN 77 & PASCAL included.

X DESKTOP 2.0 from IXI

OSF Motif derived toolkit

& Much more. UNIX requires 4Mb RAM and 100Mb hard disk. (hardware upgrades available).

Prices start from £ 999 + VAT including installation and full UNIX support for 1 year.



Tel: (061) 745 9849

# The Weather Reporter



The Weather Reporter is a fully automatic weather station which continuously records wind speed, wind direction, temperature, hours of sunshine, hours of daylight and rainfall. It is accurate, easy to install, robust, vandal-proof and needs no maintenance.

The Weather Reporter does not need to be permanently connected to a computer. It will record the weather unattended even through weekends and school holidays. The data collected can then be downloaded and investigated using a simple serial lead and the supplied user-friendly software available for BBC, Nimbus or Archimedes/BBC A3000. It can also be exported for use with Oriel, Quest, Grass or Key. The complete Weather Reporter package, hardware and software, costs only £295 (exc. VAT).

To order or for more information, contact:

Advisory Unit for Microtechnology in Education,

Endymion Road, Hatfield,

Herts.

AL10 8AU

Tel. 0707 265443 Fax. 0707 273651

BT Gold 87:CBL001







RISC OS Euclid is the best multi-tasking 3D graphics and animation system for the Archimedes. It is effectively a 3D version of Draw.

Mogul makes full use of **Euclid**'s unique hierarchical data structure to generate animations of 3D objects with articulated motion and simultaneous camera motion.

ArcLight is a multi-tasking ray-tracer which will generate a realistic Euclid picture, or a complete Mogul film, while you are free to get on with other work.





# ce Computing



Tween produces films from Draw files. It uses techniques similar to Mogul and generates a film by calculating intermediate frames from a set of key positions.


Splice allows you to edit films produced by Mogul or Tween. You can even produce hand-drawn cartoons by converting sprites from any source.

Such is the enthusiasm for Euclid there is a user group called Elements, now in its second year, which provides a quarterly disk containing hints, tips, animations and user pictures.

ArcLight £50 Euclid £70 Mogul £20 Splice £30 Tween £30

(inc.VAT)

Tel: (0223) 322559 Fax: (0223) 69180



# GAIVIE PLAN

he idea of getting computers to play and even beat humans at games of strategy has been popular with programmers for many years. Perhaps the motivation is the same gentle obsession that affects train-spotters, or maybe it's a more sinister 'Frankenstein' complex that possesses them - a desire to create a thinking 'being'. It's really anyone's guess.

Getting a computer to play a simple game such as noughts and crosses is not too tricky. There are tried and trusted methods of searching through the list of possible moves in order to find the best. And in simple games this list of possibilities may well be small enough for the computer to stand a good chance of winning a game or two! Still, it can be a fiddly process writing 'thinking' programs. They are unavoidably recursive by nature (that is, a program examining a set of possible moves may 'use itself' to look one level deeper). It occurred to me that it might be useful to have a single module to take the hard work out of getting the computer to play and that could be used for a variety of strategic games. The result has become known as GameCore and this article is about how it works and how it is used. An example of GameCore in action is provided in the shape of 3D noughts and crosses.

#### THE THINKING MACHINE


There are two commonly known approaches to the task of getting machines to play games. The first employs the so-called 'heuristic search'. This method really belongs in the realms of artificial intelligence and, although it has had some success in chess-playing programs and shows great promise, is currently somewhat in its infancy.

The second, older and simpler approach is employed by most commercial strategic games programs and is also used by GameCore. The idea is to go through the 'tree' of possible moves - looking at every option open to you and, for every one of these, every reply your opponent may make. And of course, to each of these

No-one to play with? You could always challenge your Archimedes to a game! DAVE **ACTON** explains how it's possible







replies there is a set of responses that you can make in turn! So the search goes on, trying out moves and counter-moves until a specified 'depth' of search is reached.

At this point you have to count up the values for each of the possibilities you've looked at and find the best.

The process of finding best moves by looking through trees like this is often called minimaxing (from minimising and maximising) and is illustrated by figure 1.

Imagine you are playing a game - draughts say - and there are three possible moves that you can make next turn. Your current position is Root in the diagram and the three moves available take you to new positions A, B and C. Because you're looking for the best move, you'll try out in your mind each of A, B and C and make a note of their values (based on how many pieces are taken, how well positioned the remaining pieces are, etc) The highest scoring move is the one to make. But your opponent is also trying to make the best move they can.

Consider move A. There are three responses to this: D, E and F. The values of the position after these moves are 9, 4 and 6 respectively. Your opponent will play E because this is the worst move for you. Hence the minimum at A is 4. Similar minimums are calculated for B and C. At the root you are looking for the maximum value, so C is chosen. Even if your opponent plays the nastiest move in reply you will not end up in a worse position than value 7.

A problem with tree searches is scale. It has been estimated that an average of 38 moves are available each turn in chess. To look 10 halfmoves ahead would require trying out 38<sup>10</sup> positions - over six thousand million million of them! It's no wonder methods x of pruning the move tree have been sought and the best known - alpha-beta pruning - is used by GameCore.

#### SAFE PRUNING

The advantage of alpha-beta pruning is that it's safe. All valid possibilities are explored and the best move, even if it appears to be a bad move at first glance, will always be found.

The alpha part of the process is shown by figure 2. First, move A is tried with all the possible replies D-F. This produces a minimum value at A of 4. Next B is looked at. The first response is G which makes the minimum-so-far (or minsofar) value 2. Because the opponent always looks for minimum value, the 2 at B can only get lower, so will never be bigger than the 2 at A. We can thus prune off H and I with complete confidence!

Beta pruning works similarly but at the other end of things. Figure 3 shows another move tree. Firstly, move A is tried with all its responses, C to E. A further level is considered - moves F to N. At C you are looking for the best reply in response to your opponents move C. G is chosen and so the maxsofar at C is 4. After trying D you achieve a maxsofar of 9 by the time you get to J. Here there is no point in even looking at K – the maxsofar at D is already 9 and will only get bigger. Thus it will never fall below the minsofar of 4 you had at C, therefore you can prune K off.

Alpha-beta pruning dramatically cuts the number of moves that need to be examined and is vital to GameCore and every good chess program. Ironically, it is most efficient when the order in which moves are looked at runs from best to worst. Clearly though, you don't know the best until you've worked it out!

You can, however, pre-sort moves according to either guesswork or a shallow lookahead which involves a preliminary tree search of fewer levels than the main one.

The idea is to order the moves as best you can before looking at them. Sometimes the best of all will be disguised and may not be looked at until quite late on in the search. Mostly though, providing your lookahead is sound, you will spot the best moves in your preliminary search and in these cases the thinking procedure is sped up considerably by the improved pruning rate.

#### USING GAMECORE

And so we come to GameCore itself. What is it? Well, it takes the form of a relocatable module that provides a set of SYS calls that can be used by Basic and other programs. To write a new game you simply provide the routines specific to that game (to list possible moves, make them, unmake them and so on) and GameCore does the rest.

The module has been designed for use in the desktop environment. It can think in short time slices, so you can use it to play games while other tasks are active.

The desktop side of things deserves explanation in its own right, so I'll be covering it next month. I'll also be providing a full Risc OS application that allows simultaneous play of different board games in the desktop. As a taster though, I've included a single-tasking demonstration this month. You'll find all the necessary listings on the yellow pages.


You will need to create a directory called !GameCore. In this you should save listing 1 as !RunImage. You should then create an obey file using Edit and save it as !Run in !GameCore. It should contain these lines:

Set GameCore\$Dir <obey\$dir> <GameCore\$Dir>.!RunImage

Next enter and run listing 2. This assembles the thinking module and saves it as GameCore. Ensure this module is also in !GameCore. Finally, save listing 3 as TD in the directory.

This is the 3D noughts and crosses library and contains all the necessary routines to play the game. This Basic program will be used next month by the full Risc OS application and I'll also be supplying another game in the same

Finally, to run the demonstration, click on !GameCore from the desktop. You will be supplied with a 3D noughts and crosses board. Click on the arrows to rotate the board and on



2D-3D to change the view as you like. To make a move simply click on a blank square.

You play as white and the computer as red. To win the game you just need to get a row of four in any direction - horizontally, vertically or diagonally. Rows running vertically or diagonally through all four levels also win. Because the game is just a single-tasking demo, the front-end has been kept to a minimum. If you can't wait until the full desktop version next month, do play about with some of the variables in !RunImage. The array control() contains 0 or 1 for each player depending on whether they are computer or human. Set both control(0) and control(1) to zero to watch your Arc play itself. You might also like to alter the time allowed per move - stored in timepermove(). The program tries to intelligently manage the time available for a move. A quick 'desperation' search is made at a low depth and then progressively deeper and deeper searches are made until the next level up is expected to take too long.

Occasionally, longer than the allotted time will be taken if it is thought that a valuable deeper search can be completed.

#### **HOW IT WORKS**

Next month we will look in more detail at how GameCore works and how to write your own game using it. This month I'll list the calls it provides and look briefly at how the game libraries work.

GameCore, like many modules on the Arc, provides a range of routines that are called with SYS. The first call used by !RunImage is SYS "GameCore\_Init" which takes a pointer to an information block. This block of 128 bytes contains details about how your game works - where the board is in memory, how many bytes it takes to store a move and so on. In 3D noughts and crosses you can see the info block being built in FNtd init.

Having described your game to GameCore it provides you with a handle. Using this you may ask it to find the best move for a given player in a given game position.

Two sys calls are provided - sys "GameCore\_Think" which starts the process off and SYS "GameCore\_Continue" which is called however many times is necessary to find the best move. Both calls take as their second parameter (R1) a duration in centiseconds. This is how long you want the module to think for. It will return after the specified time and say 'I've found a move' or 'I need more time'.

In the latter case SYS "GameCore\_Continue" will need to be called again. Splitting up the thinking in this way allows the module to be used by multi-tasking applications.

Two other calls are provided to make life easier for the programmer. SYS "GameCore\_Validate" uses the routine you've provided to list possible moves to check one for validity. This makes the task of ensuring user moves are legal simpler. Another call, SYS "GameCore\_Stale", checks for stalemates. What happens when a player can't move depends upon the game in question. In chess the game is declared a draw whereas in reversi the player who can't move simply misses a turn. A byte in the information block supplied to GameCore describes what you should do

when no valid moves can be found.

Each game has its own library of routines, loaded by !RunImage using Basic's LIBRARY command. These should all be functions and procedures with names prefixed appropriately. In TD each function name begins td\_ and among them are some special ones that must be provided by all game libraries. FNtd\_getmove is provided with button clicks from the user and is asked to return details of any valid move made with those clicks. FNtd\_initdomove and FNtd\_domove are used to physically make a move, including any animation. Like the other functions, these are passed a single parameter by !RunImage. This is the address of the information block first set up by the program. This block contains not only information about the nature of the particular game but also whose turn it is, what mouse buttons have been pressed and so on.

Some bytes are used by specific libraries for their own purposes. For example, TD stores either 0 or 1 in byte 92 of the information block depending on whether a perspective view is selected. By keeping the link between !RunImage and the TD library down to this single block you prepare yourself for the multitasking environment and the possibility of a single calling program running several games simultaneously using different libraries.

To further simplify this link, each game has its own sprite and before any of its library routines are called, VDU output is redirected to that sprite. If the library changes any part of its own display (for example, if a square is highlighted before being moved to) this is detected by the main program !RunImage and the appropriate area of the private sprite is replotted on the screen. (The handy call OS\_ChangedBox enables you to do this, but there'll be more detail on that next month!)

!RunImage simulates a multi-tasking program and uses flags wherever possible to keep track of what's going on. For each game (there are potentially 8 loadable at once although only game 0 is used this month) there is a status byte. This contains one of five status values:

- 0 I am about to think
- 1 I am thinking
- 2 I have thought of a move and am about to do it
- 3 I am making my move
- 4 I have finished moving prepare for the next one

Generally the status moves on from 0 to 4 in sequence and then back to 0 again, although there may be a jump from 0 to 4 if a player has no valid moves available.

As a final note it is worth giving an inkling into the strategy used by the computer when playing 3D noughts and crosses. Weight is clearly given to winning lines of four and indeed, the longer the line made the more it scores. Points are also scored for blocking opposing lines however.

The computer can often be seen vacillating between following its own strategy and blocking yours. It will also favour forcing you to make lines of three so it can block them. Initially this was seen as a weakness in its play but I now think it might be an advantage - exhausting the opponent's potential threats before they become




FIGURE 2. ALPHA CUT-OFFS - WHEN 'MINSOFAR' FALLS BELOW ALPHA VALUE





FIGURE 3. BETA CUT-OFFS - WHEN 'MAXSOFAR' IS BIGGER THAN BETA VALUE



real. Positional values are also included. PROCtd\_makemap builds a table which gives weight to the most useful squares, notably the corner ones on the top and bottom layers and the central ones in the middle layers. These can be used in lines in seven possible directions and so should generally be grabbed towards the beginning of the game to strengthen your position in the later stages.

With these strategies in mind you might be able to work out how best to beat the machine. If you still find it hard to outsmart your Arc though there is of course still one option. Just write a program that plays even better ...

## PUT SOME COLOUR BACK...

					*		
	Re	esults — 1	1990		WANTE OF		
		January	February		March	SPREAD SH	EET PROGRAM
J Smith		75	70		55		
S Bowes	À	65	60		61		PETER SEASON
A Williams		80	78		71		
S Watson		55	66		55		
R Wyatt		68	63		56		
AVERAGE		69	67		60	67	6
				1		Overall Ave	erage 6
80 - 70 - 60 - 50 - 40 - 30 - 20 - 10 - 0		S. Rouse	A Mill				
J Smith		S Bowes	A Willi	iams		S Watson	R Wyatt

## ...INTO YOUR REPORTS

If you're excited by figures, then Clares *Schema* will amaze you with its abilities. You can perform almost any type of calculation on a set of figures including Financial, Statistical or Mathematical operations. You can even pass data between upto fifty different spreadsheets.

But if you find all things mathematical tedious then let *Schema* do the hard work for you. You can even automate those boring but necessary tasks such as weekly or monthly summaries.

Not only will it help you make sense of previously incomprehensible figures, but you can display them in various graph formats — all in glorious colour. The graphs can then be incorporated into DTP packages such as Clares Tempest for really professional reports which will impress your colleagues. Your reports will never be dull again.

Schema runs on all Archimedes and BBC A3000 computers with at least 1 Mb of memory and RISC OS.

Price £135 inc. V.A.T. (Education £99.95 ex. V.A.T.)

Schema was produced in association with Acorn Computers Ltd.



# SNEAK PREVIEW

DAVE LAWRENCE has come up with a program for previewing Beeb screens

n the May issue of BAU, we published three of the best extensions to View that have appeared in the magazine over the years. I would now like to present PreView, a screen previewer which acts as a replacement for the SCREEN command, but is also capable of interpreting the various highlight commands that View can handle.

It is loaded as a printer driver with the PRINTER command in the usual way and summoned into action when the text is PRINTED. This may not sound very revolutionary, but as far as I know, PreView is the only highlight previewer that can cope with normal and extended highlights, underline, bold, italic, superscript and subscript, all within the allowed 256 bytes! It can also detect 'illegal' highlights. Other similar drivers may offer some of these, but invariably they will load fonts off disc, or make use of sideways Rom or Ram.

I've had to use some fairly horrible programming techniques to squeeze this in, including using some zero page locations &90-&9F. This means that the program may not work on Econet, but if anyone knows of any zero page locations available to the user when View is running, I'd be very interested to know. I also use locations &F8 and &F9, but according to the Advanced User Guide, these are unused by OS 1.2, so I think I'm fairly safe here.

#### USING THE PROGRAM

Type in the source code PVsrce and save and run it - this will assemble the code and perform a simple checksum. If all is well, it will save a file called PreView. Now enter View with \*WORD and type PRINTER PREVIEW. Typing SCREEN will display the text formatted, but with the highlight commands still displayed as \* and -. Typing PRINT will display the formatted text, but will also translate the highlights into various onscreen effects.

PreView can handle both normal and extended highlights. Normal highlights allow only underlined and bold characters (highlight 1 and 2 respectively). Extended highlights include these, but also allow italics, super- and subscript and an alternate character set. A printer reset code is also included.


To use extended highlights you need to change the code generated by highlight 2. This is achieved simply by including the View command HT 2 130 at the start of your text - you can then use the various combinations of highlights shown in figure 1 to generate the desired effects.

- \* - Reset printer
- Toggle underline
- Toggle bold
- Start subscript
- Start superscript
- Revert to full text
- \* - Toggle alternate
- \* \* Toggle italics

#### FIGURE 1

Ebis. in Morrisons Hitalion for the ful





You do not need to tell PreView which sort of highlights you are using, since it can tell automatically from the Ascii codes. Due to lack of memory (15 bytes to be precise), I was not able to put in any screen effect for the alternate character set highlight. This is normally set to produce pica-sized text on the printer. If an illegal highlight is inserted in the text, eg, \*-\*-\*, PreView will generate an error and return to View command mode. Again, due to lack of space, this error is simply a '?'. Figure 2 is a screen shot of View edit mode and shows a 'test' document which demonstrates all the features of PreView. If you type this in and preview it, you should end up with the display in figure 3.

As with all printer drivers, PreView needs to be loaded at &400 and can only be one page, ie, 256 bytes long. The first 15 bytes consist of three JMPs to routines within the rest of the code - PreView only uses the first two.

These are print character and initialise and call the two routines .writec and .init respectively. The other entry points are not used and begin with an RTS. Note that the label .nostyle actually appears half way through an entry point - there is nothing wrong with this, it just saves one byte in the initialisation routine!

The main part of the program starts at .writec which is called with a character in A. This is either an Ascii character or &80 for highlight 1, &81 for a non-extended highlight 2 and &82 for an extended one. These special values are checked for first - &81 always means bold, &82 is always extended, but &80 may mean nonextended underline or it may be part of an extended sequence. The location 'extended' is used to keep track of extended highlight sequence. If the top bit is clear then you are not in a sequence. If it is not clear, then the values &80 and &82 are converted into 0 and 1 respectively and inserted at the start of extended. The code for this can be seen at .extend.

When an 'ordinary' Ascii character is to be printed, the value of extended is first checked to see if an extended sequence needs to be dealt with (starting at .plain). If it does, the top bit is cleared and the bottom bits are treated as a 'highlight number'.

This can be visualised by taking the highlight sequence, representing \* as 1 and - as 0 and treating the result as a binary number.

Some self-modifying code comes next which extracts a branch from the table at .btable for the highlight number. The modified branch at .branch is a BNE so that entries of 0 (an illegal highlight) will simple fall into the error generator. The location style contains a bit pattern which represents the highlights 'on' at any time.

These branches jump to small routines which simply modify this bit pattern and thus change the style of printing on the screen. Figure 4 shows the layout of the STYLE byte.


When a 'real' character is printed, its definition is read (with OSWORD 10), the various bits in style are tested and the appropriate bit twiddling routines used to modify the definition. These can be found starting at .realchar.

Finally, this new definition is used to define character 128 which is then printed on the screen. A fully commented listing can be found on the BAU monthly disc.

# Impression is not

Well OK, that's not true. Although Impression has established itself as the most popular DTP program (and the most flexible) for the Archimedes, it may be surprising to learn that most owners use it day in, day out as their preferred word processor.

Impression was in fact designed from the start to be a word processor, by the company that developed Wordwise and Inter-Word, the most popular word processors on the BBC Micro. However Impression now uses the power and flexibility of the Archimedes to take word processing beyond what was possible on the original BBC Micro while losing nothing of the ease and simplicity of its predecessors.



". Easier to use than Wordwise". Well certainly no more difficult. For example to create and print a simple letter, even one many pages long, involves the following simple steps, (assuming a printer is set up and ready).

- ➤ Start Impression
- ➤ Click on icon for new document
- ➤ Click in window and type letter
- ➤ Press PRINT key followed by RETURN

There are no embedded commands to remember and it's not even necessary to use any menu options. If you want to use different text styles or justification options, these can be selected from the function keys (or menus). Selecting regions of text (for deleting, copying, moving etc) could not

be easier than with the mouse, especially since we added such touches as automatic scrolling of the window when attempting to select beyond the visible window.

So not only do we feel Impression is easier to use than other word processors, it is also more powerful - not only can it handle more complex documents, it copes with much longer documents and provides unmatched control of the presentation and appearance of the finished document. By using the Acorn outline font system Impression offers complete control of type style and size - the type on screen exactly matches the final printed result.

One feature that sets Impression apart from other DTP programs is that it offers both the outline fonts system and a system-like font for simple 'character' mode or draft mode operation. This also means it can drive dot-matrix printers using their native built-in fonts for maximum speed. Of course using the RISC OS printer drivers in high quality mode means that whatever you do on screen, whatever fonts, size, position, style, graphics are used, they will be reproduced at the maximum resolution of the printer.

For the power user (that is someone who produces documents of any type on a regular or professional basis) Impression II provides the necessary features (frames, styles, master pages, embedded graphics, unlimited length documents, contents and index generation etc).


$$J_n(x) = \frac{x^n}{2^n n!} \sum_{s=0}^{\infty} \frac{1}{s!(n+1)^s} \left(-\frac{1}{4}x^2\right)^s$$

Version
2.1 is now
available. It
includes automatic timed save,
crop- mark printing,
vertical rules for things
like tables and sidebars,
and other new features. Contact Computer Concepts for
upgrade details.

When used with our highly acclaimed Equasor equation generator program (£49+VAT) Impression is the ideal tool for producing technical or mathematical documents.

In order to highlight particular sections of text Impression 2.1 allows sidebars, such as the one used here, to be set as part of the style. The vertical position, thickness and colour can all be controlled from the style editor.

But rather than the more obvious and powerful features, it's the subtle and often overlooked aspects of Impression that make it a delight to use - its speed of operation; the fact that most dialogues can stay on screen while you continue to edit; the care and attention paid to the visual side of the program. Even though the program is now more than a year old it continues to receive glowing reviews.



Impression 2.1 can automatically save your document every 'n' minutes, with options to do this with or without prompting.

# a DTP program!

To quote Paul Beverley, editor of Archive magazine. "Thanks to Impression (which I am more and more impressed with every day) I have managed to shorten the time taken to produce the magazine quite considerably."

Although Impression is a word processor, what other word processor, or for that matter DTP program, is able to produce results like this advert.

Impression 2.1 . . . . . £169.00 +VAT (£198.57)

Impression Junior . . . £89.95 +VAT (£105.69)

## Beyond other WP's

Impression and Impression Junior offer many features beyond those normally found on Archimedes word processors. Here are just a few:

- · Format as you type no reformat key or menu
- · Outline fonts, any size, any typestyle, any position on the page
- Multi-column work
- Text automatically flows around graphics
- Full graphics capabilities
- Embedded graphics (flows with the text)\*
- Simple, intuitive editing with a wide range of key short-cuts
- Retroactive styles and master pages\*
- Fine typographic control kerning, text size, line & paragraph spacing etc to a 72,000 dpi resolution\*
- Rules for sidebars, rule-offs, tables\*
- Huge range of print options
- Multi-line headers/footers even with graphics
- Draft 'character' mode printing or RISC OS printing
- Full colour control
- Includes enhanced version of SpellMaster, the popular BBC spelling and typing checker

\*Not all of these features are available on Impression Junior

## Impression business supplement

This optional extension pack provides a range of new features for the professional or business user. It includes:

- A new range of file loaders for Microsoft Word (RTF), Word Perfect, Wordstar and Pipedream 3 allowing files from these word processors to be dropped directly onto Impression frames.
- Our ExpressionPS utility for typesetting documents. Greatly simplifies the process of producing PostScript files suitable for typesetting. Automatically substitutes PostScript font names, allows screen angles and screen density to be set.
- Full (four) colour separations. So now at last Archimedes owners can output four colour PostScript separations from any Impression document. Essential for anyone producing high quality colour leaflets or adverts. This offers advanced features such as under-colour removal and Adobe recommended screen angles.
- Mail merge program and record sorter utility. Allows simple multi-field records to be seamlessly merged into Impression documents.

£49 +VAT (£57.57 inc)



Computer Concepts Ltd

o get your first taste of comms, you need to use your computer as a 'dumb terminal' - ie, one that displays (and even scrolls) text. In this article, I have included a BBC Basic listing for a very simple dumb terminal emulation which will run on either a Beeb or an Archimedes.

The fact that the program is not particularly efficient (it isn't very usable at speeds in excess of 300 bits per second) is not important it has been written to demonstrate what is involved in transmitting characters you type into the keyboard via the serial port to another computer. The program also takes incoming characters from the serial port and displays them on the screen.

Quite simply, there is a loop which alternatively listens for characters from the keyboard and serial port and, once one is trapped, displays it on the screen or sends it out to the serial port. BBC Basic's VDU command sends characters to destinations like the screen or serial port as determined by \*FX2 and \*FX3. In fact, it is very easy to write terminal programs in BBC Basic and commercial comms programs written largely in this language are very common.

The loop has to be quite fast. If your terminal is set to 300bps, your program must be fast enough to catch at least 60 characters per second (30 travelling in each direction). Although Ascii characters are defined as eight-bit values, it is safer to assume characters transmitted using most affordable modems are 10 bits long. Data is made up of eight-bit bytes but data transmissions are just serial streams of bits - 1s and 0s.

When data bytes are presented to an asynchronous comms link, usually between a pair of modems, bytes must clearly be picked out of the random-looking stream of 1s and 0s. Therefore, a start bit is added to indicate that the next eight bits are data - there might be a parity bit to check for missing bits and then there will be at least one stop bit.

#### **DATA FORMATS**

One of the most common data formats is eight data bits, no parity, and one stop bit - this is usually referred to as 8N1. The other commonly used format is 7E1 - seven data bits, even parity and one stop bit. Both formats have a start bit to make 10 bits per character in all, hence 300bps equals 30 characters per second. Less common synchronous modems synchronise data transmissions and so start and stop bits are unnecessary. This makes them slightly faster as two out of 10 bits no longer need to be transmitted. Terminal programs usually have a data format option setting which must be matched with the same format used by the host computer you want to connect with.

Although 300bps is a slow standard today, it was very common only five years ago. Today, most on-line services will offer 2400bps links and some go up to 9600 or even 14,400bps, and there are data compression techniques which can increase that speed by up to four times. The latest high speed modems can now effectively operate faster than the standard serial ports in either a Beeb or an Arc (19,200bps max).

Connected to the serial port you might have a cable linked to a modem or even directly linked IAN BURLEY looks at terminal emulation, how data is formatted in a comms link and explains how to get on-line for as little as £20


# LINING UP

to another computer. A quick word about cables - a computer-to-modem serial cable differs from a computer-to-computer or computer-to-printer version. The latter is known as a null-modem lead, which will not work with a modem. If you want to wire your own modem cable, a minimum of three serial port connections must be made. These are:

- Computer TX (or TD) linked to modem TX (or TD)
- Computer RX (or RD) linked to modem RX (or RD)
- Computer ground linked to modem ground A null-modem lead swaps the TX/RX links over. Incidentally, because of some oddities in the Archimedes serial port, pins 1, 4 and 8 at the Arc end usually need to be wired together.

The CCITT (Committee Consultative Internationale de Telegraphique et Telephonique) is the international standards body responsible for telecommunications at the computer modem level and it has an agreed series of definitions for communications speeds. These definitions are labelled v, followed by a number - for example v2, v32, and so on.







8	Wuick	Setup
>HST/PEP	(19200)	♦ 8-None-1
V32	(9600)	◆ 7-Even-1
> V27	(4899)	☐ Filter
> v22bis	(2488)	
> v22	(1200)	
> v23	(1275)	Accept
> v21	(300)	

These are actually hardware definitions which describe tone generator frequencies and encoding/decoding, but they are generally used to indicate modem speed in lay terms. v22 is 1200bps and v32 is 9600bps. I use the term 'bits per second' here, as 'baud', can be misleading. Baud is often considered equivalent to bps, but baud actually refers to a frequency which can, in a modem link, be multiplied via efficient coding and so produce a greater bps rate.

#### GOING ON-LINE

Last month I said you could go on-line for as little as £20. Really good modems will probably set you back around £100 for a secondhand bargain, or about £200 upwards for a new one. However, there are lots of very cheap new and secondhand v23 manual (no auto-dial) modems which you can buy for as little as £20. Check out computer classifieds and computer fairs models like the Prism 1000 or 2000 or OEL Telemod, GEC Datachat, or slightly more versatile modems like the WS3000 and Pace Nightingale are all worth looking at. These will work at 1200/75bps (v23) on most UK host services. If the comms bug bites deep, you can go on to an intelligent 2400bps (v22bis) model, or even one of the latest v32 (9600bps) beasts.

For Arc users I recommend ArcTerm 3. This is a public domain program written by The Serial Port and should not be confused with the commercial versions 6 and 7. It has all you need to get into comms and a bit more, although it isn't Risc OS compatible. For the Beeb, I would look out for secondhand SoftMachinery, CommSoft or Beebug Command Roms. Pace's Commstar is also good to start with.

Once you have your modem set up, try these numbers for starters:

The World of Cryton - scrolling text Archimedes BB. Tel: (0749) 679794.

Prestel Demo Database - viewdata mode. Tel: (0272) 250000 (ID and password are all 4s).

Equinox – the BB run by BAU's comms columnist, Paul Vigay. Tel: (0705) 871531 (viewdata or scrolling).

SID - Acorn's Support Information Database, viewdata mode. Tel: (0223) 243642245.

#### **JARGON BUSTER**

AN AT-A-GLANCE GLOSSARY OF COMMS TERMS

- RX or RD Receives data line in a serial connection
- TX or TD Transmits data
- DUPLEX AND HALF DUPLEX Duplex is a simultaneous two-way conversation, with data flowing in both directions at the same time. Half duplex is where the conversation only flows one way at a time and must be switched around to enable both sides to send and receive. Half duplex is cheaper to implement than full duplex, but less desirable. Simplex a one-way only link - a good example is broadcast teletext
- v21 The CCITT (Committee Consultative Internationale de Telegraphique et Telephonique) protocol describing 300 bits per second (bps) transmission speed between modems. Details how the tones transmitted at either end of the phone link are interpreted. v21 is a full duplex speed
- v22 As above, but at 1200bps
- v22BIS As above, but at 2400bps. This is the most cost-effective speed in use today
- v23 As above, but half duplex 1200bps or full duplex 1200bps send and 75bps receive or vice versa. It can also describe 600bps half duplex. Most commonly known for 1200/75bps which used to be the standard for viewdata services, such as Prestel
- v32 9600bps
- FULL DUPLEX The up and coming standard, although requiring expensive modems
- v32BIS An extension of v32 capable of 14,400bps, or over 10 times faster than v22 or v23
- PSTN The Public Switched Telephone Network you plug your telephone into
- DTE DATA Terminal Equipment. The computer at either end of the communications link eg, your Beeb or Arc at one end and a PC running a BB at the other end are both DTEs
- BPS Bits per second, the rate at which binary data is transmitted. If Ascii characters are being carried you can, as a rule of thumb, divide the bps figure by 10 to calculate how many characters per second are being transmitted
- HANDSHAKING Hardware or software signals which inform either end of a comms link when to start sending data and when to stop, especially when a buffer has become full
- BAUD The rate of signalling elements in a comms link. Sometimes equivalent to the bps rate of that link but especially where higher speeds are concerned, the true bps rate may be a multiple of the baud rate
- SYNCHRONOUS Data transmission is clock-synchronised. The transmitter and receiver know precisely where the beginning and end of a byte are in a stream of bits without needing marker start and stop bits
- ASYNCHRONOUS The transmitter and receiver are not synchronised and so the receiver must recognise individual bytes by noting start and stop bits surrounding the data bits. Most modems for the personal computer market work this way

#### **NEXT MONTH**

I will investigate handshaking, wiring of cables, serial port connections, intelligent modems and file transfer protocols.

# WINNING VISIONS





A few months ago we invited readers to create exciting graphics and enter our competition to win a Taxan 795 monitor, BARRY MONK reports on the judging panel's verdict


he Archimedes/A3000 has a reputation for producing good graphics. So a few months ago we asked readers to show us exactly what could be done - and what a creative bunch you turned out to be!

As a special 'carrot' to attract your entries, a 795 Multivision monitor, fitted with Atomwide's VIDC enhancer, was offered as first prize, courtesy of Taxan (UK) Ltd. Discs arrived at the BAU offices from Arc users of all ages and interests, from schoolchildren to high-tech art freaks. There were no special categories - we were looking for the best example of graphics produced on an Archimedes which would best demonstrate the high-resolution capabilities of the Taxan 795 monitor.

The panel of judges - which included Hugh Chappell and Denise Buck from Taxan and Paul James and myself from BAU - scanned carefully through all of the submissions. What became immediately obvious was the sheer high quality of the entries, many of which were not produced using expensive art packages, but instead made use of the built-in Archimedes applications, Paint and Draw.









In fact, the winning entry (below left) proves both the ease of use of the A3000 and the creative possibilities offered by Paint. Winner Bob Hooper, age 43, bought his first computer, an A3000, nine months ago. He chose the machine on the recommendation of his wife, a teacher, and, being a keen artist and science fiction fan, he set about producing his graphical masterpiece for the competition. Called Chariot of the Gods, the image was created in about six hours using Paint and, according to Bob, the whole excercise was 'relatively easy'.


In fact, Bob said that, if more memory had been available, he would have made the image even more complicated. Even so, the panel agreed unanimously that the theme and its execution more than justified first prize - and it beat off good competition from graphics created




















with more expensive art packages.

All the entries were viewed and 12 were shortlisted for the final round. As well as individual entries, we also received a couple of discs from Testwood School, in Totton, Southampton, which included a wide range of graphics which pupils had produced. All will receive runner-up prizes of Taxan watches.

The full list of the winning and shortlisted entries is listed below.

#### Winner

Chariot of the Gods by Bob Hooper, Leeds Runners-up

Rapids by Brian Brown, Hull Saviour by Angus Gillies, Glasgow Mermaid by Ian Wilson, Wallington, Surrey City by D Allen, Camberley, Surrey Xmas Church by David Marshall, Retford, Notts Park by Colin Garden, London N4 Autumn by R Pearce, Wickford, Essex Droid Arena by Adam Bowers, Sheffield Life by Simon Cooper, Pitsea, Essex Gremlin by E and K Clover, Timperley,

Modern Design by Tadashi Suzuma, London Highly commended

Group entry from Testwood School, Totton, Southampton

## The Sampler and MIDI Card

£69 exc VAT - Econet Version

The sampler and MIDI card opens up the exciting world of sound manipulation and control at a price that allows everyone to join in.

The card fits neately in the Econet socket inside your machine thus leaving your podule slots free for other upgrades. It has no unsightly cables protruding from the machine - all leads connect via an adapter directly to the standard Econet socket.

Even though the cost may be low, specification and quality haven't been skimped on. The board is an 8-bit sampler with variable sample rate capable of sampling at up to 250 Khz with input via a 3.5mm jack allowing connection to Hi-Fi's, CD players, Walkmans etc. The software supplied supports a range of features including over-sampling, sample rate conversion, and software filtering. Waveform editing is possible with facilities to view the waveform (including real-time analysis), fade in/fade out, and cut and paste features. The samples produced are perfect for use in other packages such as Tracker and Armadeus.

The MIDI side provides 16-channel MIDI IN and MIDI OUT and the supplied software emulates the latest version of Acorn's MIDI software. This allows it to work with programs that can run using Acom's podule and their software.

#### Tracker

£49,95 inc VAT

Tracker is the perfect complimant to the Sampler and MIDI card. It is a full 8 channel sequencing package that creates stand-alone music modules which will play on any Archimedes without any need for extra hardware. Using the supplied samples (over 150 of them!) or your own, you can create complex pieces of music using Trackers many advanced features including:

Pitch bend (portamento) • Arpeggio • Stereo Panning • Volume Slide • Track Swapping and Mixing •
 Note entry either via the Archimedes or a MIDI keyboard •

A number of complete songs are supplied together with a comprehensive manual explaining all the facilities in detail. Extra music disks (Numbers 2-10) are avialable at £4 each.

# SPECIAL OFFER: SAMPLER/MIDI CARD + TRACKER FOR ONLY \$99 exc VAT

## The Joystick Interface


£23.95 exc VAT

- Plugs into the parallel printer port No special support necessary Control modules supplied for most games •
- Comes complete with software to mimic key presses Programming language supplied for complex modules •

"The programming language and the compiler enables the joystick....to be used to control virtually any piece of software. Since the RTFM interface does not do this, The Serial Port's effort is the best buy of the two."

Acorn User February 1991

The Serial Port, Burcott Manor, Wells, Somerset BA5 1NH Tel: 0243 531194 Fax: 0243 531196




# User/Analogue Podule

HCCS have developed a podule for the Archimedes A3000 which provides two of the most popular ports found on the BBC B and Master128.

The User/Analogue offers two ports when fitted internally to the A3000. The User port is a digital based port, eight bits of bidirectional data can be facilitated using simple commands in Basic. The Analogue port can monitor four varying signals and display a number which represents the level of the signal between ground and the voltage reference.

A User Guide which covers commands, pin-out information and a few simple routines to control concept keyboards and



joysticks is also included with every podule. If however you require a more in depth explanation of the uses of general control concepts and practical experiments then "Control on the Archimedes" is required reading. All of the application circuits featured in "Control on the Archimedes" written by Joe Telford, were tested on the HCCS podule.

All HCCS products are tested before despatch and are covered by a twelve month parts and labour warranty.

HCCS User/Analogue podule £44.00 "Control on the Archimedes" £9.95(NO VAT)

All Prices are exclusive of VAT. Prices correct at time of printing.E&OE.

HCCS also produce a comprehensive range of MEMORY upgrades and add-on products for the A3000.

A3000 1Mb RAM

£59.00

A3000 3Mb RAM

£189.00

A3000 TV\_modulator

£39.00

A3000 20Mb Hard Drive

£349.00

Telephone our sales Hotline for Education Quantity Discounts, Dealer Enquiries, or if you simply require a full colour brochure covering the whole of our product range

Tel (091) 4870760 Fax (091) 4910431

HCCS Associates Ltd., Engine Lane, Gateshead, Tyne and Wear, NE9 5JJ.



How to design a simple poster on your A3000 using Edit, Draw and Paint

ast month we showed you how to design a simple document (a jam pot label) on screen using the A3000's built-in applications, Paint, Draw and Edit. Now you should be ready to further explore the desktop publishing capabilities of your machine by having a go at designing a poster.

Fonts are important on the Archimedes and many different types are available. On older machines, the fonts supplied are called bitmap fonts - the letters are like a sprite, so the larger you make them, the chunkier they become. Owners of an Acorn font pack or any DTP package will have the new font system, called the outline font manager.

Just like drawfiles, these new fonts are made from lines and curves, so they stay smooth no

. mena

matter how big they get. To check your version of the font manager, first bring up the directory viewer of your fonts disc, so that the module can be loaded from inside the application.

Now press F12 to access the command line and type HELP MODULES. In the list that comes up you will find Font Manager, and a version number next to it. The newer outline font manager will have version number 2.44 or greater, with lower numbers representing the older bitmap font manager.

If you don't have the new font manager, you can buy a font pack from Acorn, which includes the module together with a few fonts to get you started. But the best way to obtain the outline font manager, and a few fonts, is by purchasing a DTP package such as Computer Concepts' Impression or Beebug's Ovation, thereby killing two birds with one stone.

But this month's First Steps project involves producing an A3-size poster (twice the size of A4) using Paint, Draw and Edit. You are probably wondering how this can be produced on a standard printer which only takes A4 sheets. Well, there is a way of doing it...read on.

The best disc setup for this exercise is to have Paint, Edit, Draw and your System directory on one disc and fonts on another, decreasing the amount of time you spend changing discs when using the different applications, which can be frustrating. Don't forget to use the Ram disc (set it to 800K temporarily) to speed up copying.

Show your A3000 System and Fonts applications and then load up Draw and activate it by clicking on its icon, swapping discs as necessary. Now set the paper size (from the Misc and







# **Weserve** of Hampshire Educational Specialist

#### Star

LC10 ribbon £4.70 inc.
Black ribbon £6.40 inc.
Colour ribbon £12.90 inc.

Colour Dump Rom £52.50 inc.

LC10 Mono

£149.00 (126.81 + VAT)

LC200 Colour

£209.00 (£177.87 + VAT)

#### STAR LC 2410

(24 pin) with cable & paper £192.00 (£163.40 + VAT)

STAR LC24200

(24 pin) with cable & paper £249.00 (£211.91 + VAT)

STAR LC24200 COL (24 pin) with cable & paper £299.00 (£254.47 + VAT)

> CITIZEN 120D + with cable & paper

£128.00 (£108.94 + VAT)

**CITIZEN SWIFT 24** 

(24 pin) with cable & paper £265.00 (£225.53 + VAT)

#### PRINTER RIBBONS

		Inc VAT
LX800 & FX800 Print Ribbon	2.29	2.69
LC10 Print Ribbon original	4.00	4.70
120D Print Ribbon original	4.00	4.70
Taxan/Canon Ribbon	3.22	3.78
Juki 6100 Print Ribbon	1.60	1.88
Phone for full range 100 +	orininal 8	2

Phone for full range 100 + original & Compatible ribbons + Bulk discounts

#### **UPGRADES/8271**

Ex VAT	Inc VAT	
3.00	3.52	
38.26	44.95	
44.26	52.00	
45.11	53.00	
38.30	45.00	
139.00	163.32	
52.77	62.00	
50.21	59.00	
	3.00 38.26 44.26 45.11 38.30 139.00 52.77	38.26 44.95 44.26 52.00 45.11 53.00 38.30 45.00 139.00 163.32 52.77 62.00

#### **VOLTMACE JOYSTICKS**

	Ex VAT	Inc VAT	
Archimedes Delta CAT	23.83	28.00	
Delta 3B single	11.87	13.95	
Delta 38 Twin	17.83	20.95	

A410 + 4M + 40M HD. £1410.00 (£1200.00 + VAT)

40M HARD DISC £257.33 (£219.00 + VAT)

A420 LC + COLOUR £1492.25 (£1270.00 + VAT)

A540 + MULTISYNC £3337.00 (£2840.00 + VAT)

A3000 + 2M RAM £678.00 (£577.02 + VAT)

A3000 LC + 2M RAM £778.00 (£662.13 + VAT)

A3000 + 1M RAM Upgrade £79.00 (£67.23 + VAT)

#### SAMSUNG SF1000

group 3 FAX

£292.58 (£249.00 + VAT)

#### **PANASONIC KXP1123**

(24 pin) with cable & paper

£195.00 (£165.96 + VAT)

#### NEC P20

(24 pin) with cable & paper £234.00 (£199.15 + VAT)

ATARI 520 ST £245.00 (£208.51 + VAT)

**TAXAN 775** 

£450.02 (£383.00 + VAT)

**TAXAN 795-A** 

£505.25 (£430.00 + VAT)

AMIGA 500 £315.00 (£268.09 + VAT)

#### ROMS/SOFTWARE

Ex VA	AT Inc VAT
Inter-Word Rom35.7	75 42.00
Spell Master Rom40.0	00 47.00
View 3 Rom	00 47.00
DTP-Acorn120.0	00 141.00
Real McCoy22.0	04 25.90

Phone for BBC/Archimedes Software catalogue 100's of titles Inc. Educationa

INTERDICTOR 1 FLI/SIM £19.50 (£16.60 + VAT)

A3000 TV MODULATOR £29.90 (£25.45 + VAT)

#### DISKETTES

(lifetime warranty)

(100% certified Error free)	Inc VAT
10 5.25" Banana reversible	9.95
10 5.25" DS/DD 96tpi	5.95
50 5.25" DS/DD 96tpi	20.20
100 5.25" DS/DD 96tpi	37.70
10 3.5" DS/DD	5.95
50 3.5" DS/DD	19.80
100 3.5" DS/DD	37.95
250 3.5° DS/DD	82.25
1k 3.5° DS/DD	309.03
50 x 3.5" Disk Box with lock	5.99
100 x 3.5" Disk Box with lock	

#### SONY BRANDED

	Inc VAI
10 3.5" DS/DD	7.50
50 3.5° DS/DD	32.30
100 3.5 DS/DD	59.93
1k 3.5" DS/DD	540.50

#### 3M BRANDED

	Exc VAT
10 3.5" DS/DD 135tpi	7.00
10 3.5" DS/HD	13.50
10 5.25" DS/DD 48tpi	5.00
10 5.25" DS/HD	9.00

#### Phone for our 40 Page Catalogue

EDUCATIONAL & GOVERNMENT ORDERS WELCOME
All products have a 30 day money back & 12 month warranty
Prices subject to variation without prior notification
Established 6 years. We are closed Saturday afternoons
Free parking 2 minutes from M27, junction 11
Postage 94p (80p + VAT) Securicor £7.05 (6.00 + VAT)





delivered by Securicor



Acorn Dept. 40-42 West Street, Portchester Hants PO16 9UW Tel 0705 325354

# 4Mb RAM for the A310. £298

- Expands the A305 and A310 to 4Mb.
- ✓ Plug-in construction no soldering required.
- ✓ Accepts larger OS ROMs when released.
- ✓ 4-layer circuit board for greater noise immunity.
- ✓ Low power consumption.
- ✓ Includes MEMC1a upgrade worth over £80.
- ✓ ARM3 compatible.
- ✓ A no-quibble money-back guarantee.

All for only £298+VAT. (£350.15)

Free information sheet from:





IFEL, 36 Upland Drive, Derriford, Plymouth PL6 6BD (0752) 847286

## Archimedes Software

RISC OS Terminals Plus

A new communications package for the Archie. Consisting of Viewdata and text terminals providing accurate ANSI, VT100 and VT220 emulations. Fully compatible with the RISC OS desktop. File transfer protocols supported include, ASCII, Xmodem, Ymodem, Zmodem, Kermit and CET Telesoftware. Unlike most programs, these have been written from scratch in ARM code, making them compact, and fast. Easy exchange of data with other programs e.g. mark text for transfer to Edit. File transfers can take place whilst you work with other things. ACF scripts let logon and configuration be set up for easy reuse. Zmodem allows the resumption of interrupted downloads and achieves fast transfers. Ideal for all Archie comms users, Prestel, BBS's or mainframes. Extensive printer support. Many extra features, on screen keypads, call logging, new data warning, proper ANSI displays even in mode 12, Viewdata editor. Terminal windows are easily useable in normal screen modes.

Programs, manual, case £17.97 inclusive. (upgrade from disc 24, £11.98 + old disc)



לתתל.

Chess Program for The Archimedes.

A Chess program that takes full advantage of RISC OS, installing itself on the icon bar and running on the desktop in a window at the same time as other applications. You can carry on working with other programs whilst the Chess program is thinking of its next move.



The Spark RISC OS Archive program

Spark, allows you to store files and directories in archive files in a very compressed form. e.g. sprites often take up only 10% of normal space. Files in archives, can be accessed just like files in disc directories. Now new Spark series 2, has lots more features. Background operation - archive whilst you do something else. Reads all these formats, zoo, zip, izh, UNIX and Archie Tar, Compress. Reads and writes PKarc, SEA/PC arc, uucode, atoly/CET+, FCET and Archimedes archives. 16 bit higher performance compression. Script files, message driven operation. DES data encryption.

Clip Art Packs

Each pack, consists of three discs, full of black and white sprite format clip art. Spark archives, mean every pack has many 100's of files and MB. Suit Impression, Ovation etc. Pack #1: Alphabets (decorative letters), Anatomy, Animals, Astrology, Books, Egyptian, borders, snippets of text, pointers (hands and arrows), cards.

borders, snippets of text, pointers (hands and arrows), cards.
ack #2: Assorted cartoon characters. Escher, Flowers, Foods, Miscellanea.
ack #3: Music, Monsters, Mythical and religious beasts. People (assorted people plus
celebrities). Space, space-travel, and space exploration.

Pack #4: Heads, Christmas/Easter, Transport - cars, boats, trains, planes. Logos+icons
Pack #4: Victorian woodcuts. Whimsy - cute pictures. All sorts of sports.

Spark, Chess, Clip art packs £5.99 each inclusive.

David Pilling, P.O. Box 22, Thornton Cleveleys, Blackpool. FY5 1LR.

Free Air Mail delivery on overseas orders. Extensive range of other Archimedes software available (programmers tools, games, utilities, art), please send for free list.



Paper Size menus) to A3 portrait (press Adjust on Portrait, Select on A3!). You won't be able to see the whole of the A3 sheet, so zoom it down to 2:7 and the whole sheet will be visible on screen. This allows you to visualise your poster before printing it out.

The example used here is a poster for the forthcoming BBC Acorn User Show, but it could be adapted to design any poster for a school jumble sale, local gymkhana or similar event.

The first thing to do is put the words on the poster. Click on the Text tool in the toolbox (the T) and give the text a style by choosing a medium font from your Text Font menu. I used Homerton for this example, but you may select any font from the menu.

If the only font you have on your list is System font, this means that your A3000 does not know where your fonts disc is, ie, you have not shown the A3000 the Fonts application. If this happens, quit Draw, show the disc with the Fonts application on it to your computer and reload Draw. Also, check that the font cache has at least 72K of memory set aside for it, using the task manager display.

Click in the Draw window and, when the caret appears, type 'BBC Acorn User'. The computer will ask you for your fonts disc, so insert this into the disc drive, which should whirr into action - after a short delay the text will appear on the screen. Now if you type anything, the disc drive will not whirr again because the font definitions are now in the font cache - reading from memory is far faster than reading from the floppy disc, which is why it is important to have a sizeable chunk of memory set aside. If you had no font cache configured your machine would not be able to hold any information about the font in memory and would have to read it straight off the disc, which can take hours!

Press RETURN and the 'BBC Acorn User' text is now a draw object. Now type 'Come' 'To' 'The', and 'Show', pressing RETURN after each word to make sure they are also separate objects.

Now if you choose the Select tool (the arrow at the bottom of the toolbox) you can move the three objects about and arrange them approximately as shown. If you have a family of fonts ie, medium, bold, italic and bold italic - then it would be a good idea to accentuate the BBC Acorn User as shown here. Do this by selecting the object and choosing another font from the text font submenu.

You can also do this with multiple selections. by selecting the objects you wish to change and then choosing the fonts you wish to plot them in. Don't forget to use the grid so you can line up the text accurately.

Here I will digress slightly. If you use any single quotes (' or ') in your poster then don't use the ones from the key to the left of RETURN. The font you are using has its own 'smart' quotes (66s and 99s for those of you who remember their school days). To access these you need to use the numeric keypad on the righthand side of your keyboard. Hold down the ALT key and type 145 on the numeric keypad, then let go of ALT. A single closed quote (') will appear, which looks better then the (') character from the quote key. (Incidentally, the open quote keystroke is ALT 144 while double quotes are ALT 148 and ALT 149 (" and ").

Type in the other details, 'Wembley Conference Centre, October 11-13, admission £6 for adults, £4 for children, Family ticket £16, Special prices for advanced tickets', in 40pt text. You can then move each object around and resize it until you are happy with how it looks.

The best way to re-size the text is with the magnify box or the editable field in the Font Size menu. If you use the re-size ear then you will lose the aspect ratio of the text.

Select a text object and then move over the Select submenu into the Magnify box. Typing 2 into here the text will double in size and typing .5 will halve it. Of course, you can still use the re-size ear if you want your text to look squashed or stretched.

Now for clip art. All good posters have artwork on them and, in most cases, it can easily be added. Bring up another draw window by clicking on the icon and draw the flag shown here. After you have finished it, group all the separate objects into one big object by choosing Select All, then Group.

Now you can save your flag object onto the poster window by going over the Save Selection menu and dragging the save box onto the poster - it will appear as a selected draw object. Move the flag into the position shown and scale it up.


You can add more artwork by drawing it in the smaller window (your 'sketch pad') and then saving it onto the poster. Don't forget to Select all and Group the artwork first. You can also save sprites and large text areas into Draw the same way, as demonstrated last month.

Now all you need to do is print your A3 poster. Select all of the objects on your poster and group them as one. Load the printer driver and tick Show from the Paper Size menu by clicking Select on it. A grey border will be drawn on the page and the white area is where your printer can print. Move your poster so that you can print one corner and, when this is printed, move the poster so the part that was not printed is in the white area. When all four parts of your poster have been printed, you need to glue them together. If you are producing several posters, you can photocopy the individual sections before putting them together.


So there you have it – a poster designed and printed with the software supplied on your A3000.



**GROUP BEFORE SAVING** 



BBC Acorn User **GROUP BEFORE PRINTING** 



PRINTING THE FOUR PARTS

# COMPETITION

We would like to see your design of A3 poster advertising our show, using only Paint, Edit and Draw. Send in a drawfile containing your design and we will print out the entries here at the BAU office. We may include the best in a forthcoming issue and display them on our stand at the show. The first prize will be a copy of 4Mation's Poster program, which will help the winner develop his or her poster designing skills still further.



# micro power

We are Yorkshire's leading Acorn Dealer with almost 10 years of experience in the Acorn market, offering expert advice and full back up on all products.

Suppliers to Government Departments, Education & Corporates. Visit our showroom - open Mon - Fri 9.00 - 5.30 Sat 9.00 - 5.00 Ample free car-parking.



# **Computers**

Ex. VAT
£628.23
THE RESERVE
£925.64
£1269.47
£1484.79

# 0% Finance

# On Acorn Archimedes Learning Curve

Product	RRP	Deposit	Repayments
	Inc. VAT		X12
TLC A3000 + S/W	£799.00	£91.00	£59.00
TLC Col. System		£137.00	£79.00
ALC	£1489.00	£181.00	£109.00
ALC Col. System		£194.00	£129.00
Ends	30th June 19	91 Please call for	or details

Archimedes Professional systems (Excl. Monitor)	
A410/1 1Mb single drive	£1099.00
A440/1 4Mb & 50Mb hard drive	£1699.00
NEW A540/1 4Mb base unit & 100Mb	
hard drive, ARM 3 13.5 mips	£2995.00
AKF-17 Acorn stereo colour monitor	£220.00
BBC Master 128 computer	£399.00
IBM PS/1 Mono VGA Single Disk drive 512K	£599.00
IBM PS/1 Colour VGA 30 megabyte hard disk	£999.00

# Software



We carry a complete range of Archimede software - Please call	Ex. VAT
for details	
Impression 2	£139.12
1st Word Plus	£68.04
Rhapsody	£34.00
Home Accounts	£35.60
Chess 3D	£16.98

# **How To Order**

- Please add VAT @ 17.5% to all prices, including carriage CARRIAGE: Minimum £2.00 on all orders, rising to £5.00 courier charge for bulkier items.

  Overseas carriage charged at cost.
- 90% of items are IN STOCK NOW!
- Prices are correct at time of going to press, but are subject to change without notice; E & OE

# **Printers**

Printers NLQ Near Le	etter Quality	Ex. VAT
Seikosha SP-1900	(200cps,1K Buffer)	£127.61
Seikosha SP-2000	(200cps, 2K Buffer, Dual Interface)	£161.66
Panasonic KX-P1081	(120cps 1K Buffer)	£161.66
Panasonic KX-P1180	(192cps, 6 Fonts, 2K Buffer)	£195.70
Star LC-200 Colour	(200cps, 8 Fonts, 16K Buffer)	£212.73
Panasonic KX-P1695	(330cps, 8 Fonts, 16K Buffer Wide Carriage)	£399.96
24 Pin Printers LQ Le	tter Quality	
Panasonic KX-P1123	(192cps, 4 Fonts, 6K Buffer)	£225.00
NEC P20	(216cps, 9 Fonts, 8K Buffer)	£255.28
Panasonic KX-P1124i	(240cps, 7 Fonts, 12K Buffer)	£299.00
Star LC24-10	(180cps, 8 Fonts, 7K Buffer)	£297.83
Star LC24-200	(200cps, 10 Fonts, 7K Buffer)	£297.83
Star LC24-200 Colour	(200cps, 10 Fonts, 30K Buffer)	£340.38
NEC P30	(As P20 but 136 columns, wide carriage)	£357.40
Panasonic KX-P1624	(192cps, 7 Fonts, 12K Buffer, wide carriage)	£399.96
Star LC24-15	(200cps, 8 Fonts, 11.5K Buffer, wide carriage)	£502.09
NEC P60	(300cps, 10 Fonts 80K Buffer)	£599.00
NEC P70	(as P60 but 136 columns wide carriage)	£699.00
Laser Printers		
Panasonic KX-P4420	(8 P P M, 512 K Memory)	£799.00
Star Laser Printer 8 11	(8 P P M, 1 Mbyte Memory)	£1497.83
Panasonic KX-P4450i	(11 P P M, 512 K Memory)	£1497.83



(Price includes printer cable-please specify machine type required)



£1599.96

# Hardware Upgrades & Extras


A3000 Upgrades	Ex.VAT
Serial upgrade (RS423)	£19.00
Monitor stand	£29.00
User port/MIDI upgrade	£49.00
1MB Memory upgrade	£70.00
A300 and A400/1 series upgrades	
MIDI add-on to I/O card	£29.00
Backplane (A300 series)	£39.00
Econet module	£49.00
MIDI expansion card	£69.00
I/O Expansion card	£85.00
2nd 3 1/2" floppy disc for A300 series	£115.00
2nd 3 1/2" floppy disc A400/1 series	£125.00
1 Megabyte memory upgrade (A400/1)	£79.00
SCSI card	£250.00
Ethernet Card	£250.00
20 Megabyte hard disc for A410/1	£299.00
4 Mb upgrade for A440 and A540	£500.00
Master Accessories	
Replacement battery pack	£4.00
EPROM cartridge	£11.95
Econet module	£49.00
12" green screen monitor	£86.96
Acorn colour monitor (AKF12)	£220.00
	The second section is a second section of the second section is a second section of the second section








Micropower Ltd, Dept A 71, Northwood House, North Street, Leeds, LS7 2AA. Tel: 0532 458800 Fax: 0532 423289






These days most software includes a colour printer driver or, in the case of the Archimedes and A3000, makes use of the Risc OS printer drivers. Colour printing in school is a tempting option and prices for colour dot-matrix printers have been dropping as the number of facilities they offer has increased.

colour contamination which all colour ribbons are prone to do. However, they do cost more. Be wary too of exaggerated claims concerning cartridge life - in practice it depends on how you use the printer. If you always print in 'high quality' mode then cartridge life will be less. Low noise is another attribute of inkjet printers, very welcome when used in the classroom.

Hewlett-Packard has established a reputation for high quality printers. It is not by accident that its Laserjet series of laser printers has

CHRIS DRAGE finds it doesn't cost the earth to furnish the classroom with colour



From the educational view, when children can obtain a colour print of their work the satisfaction is immense, and with the National Curriculum's emphasis on presentation skills, it becomes increasingly easier to justify the purchase of a colour printer.

What follows then is some help to get you started, including an appraisal of some colour printers and additional software which will facilitate the production of colour pictures guaranteed to astound the teacher next door.

# HARDWARE

What printer do I need? This is not an easy question, as the whole area of computer printing is a rapidly developing one with some companies bringing out new and improved models at an alarming rate. What is becoming increasingly clear is that colour for dot-matrix printers will soon be included as standard.

Starting at the top of the colour printing spectrum there are colour laser printers whose reproduction is quite astonishing but the cost of such printers is so prohibitive, it makes this option inaccessible to schools.

Next in terms of both quality and performance come colour inkjet printers represented by Hewlett-Packard and Integrex.

Firstly, some points about inkjet printers generally – the quality of the resulting image has a lot to do with the quality of paper used. Too coarse a paper tends to produce jagged edges while glossy art paper absorbs the ink and you end up with a runny mess. Manufacturers always recommend their own paper, however, in my experience you can match or even exceed the quality and price by shopping around. Crown Graphic for example, supplies its own inkjet quality paper to schools at a price hard to match.

The inkjet principle enjoys one or two major advantages over the dot-matrix printer - ink cartridges don't gradually dry out as ribbons do, but maintain their quality to the point of exhaustion. Similarly, they never suffer from cross-

virtually been adopted as an 'industry standard'. Although these are expensive, the HP Paintjet is within the price range schools could afford. It is physically similar to its monochrome Deskjet cousin, sharing its quality in construction and having all its facilities easily to hand. What I particularly like is its ability to accept various stationery - fanfold, cut sheets and transparency film (HP's brand only) and the ease at which cartridges and paper can be loaded.

Don't expect much BBC B software to have a Paintjet driver built in, at best you will have to write your own. Arc owners fare better with a Paintjet driver available from Ace Computing which can print colour images in low, medium, or high resolutions.

In my experience there is only one colour printer that consistently offers truly bright colour output - the Integrex 132 Colourjet. Based on the Canon PJ-1080A machine but with Integrex's own firmware on board, the Colourjet outperforms all dot-matrix printers and rivals the Paintjet using Ace Computing's Integrex driver. Like the Paintjet, the Colourjet 132 is virtually silent in operation and ink cartridges do not dry up, generally having a long life. Being compatible with a wide range of computers in use in education, the popularity of the Colourjet 132 has prompted many software publishers to include Integrex printing routines in their BBC B software so that increasingly, children are able to obtain a colourful copy of their work.

Lacking only the Paintjet's ability to print on fanfold paper, the Colourjet can also print overhead projector transparencies and even print on to textiles. By choosing good quality, coated paper the results can be rewarding, especially for children with special needs for whom a colour printer is a valuable resource.

For many schools however, funding will only stretch as far as cheaper dot-matrix printers and here you are spoilt for choice. First though, I want to explode a myth about dot-matrix printers before comparing various types and models. Frequently, you will see advertisements claiming that so-and-so's printer can print with a resolution of  $360 \times 360$  dots per inch (dpi is the standard means of comparing printer resolutions). You may shudder as you realise that the best your printer can output is 180 × 180dpi. However, this printing resolution is about optimum for dot-matrix printers whose quality is governed as much as anything by the size of the pins in the print head. When you begin to increase the printing resolution two things you are looking for a sturdy, reliable colour printer the LC24-200 is good value for money.

As far as schools are concerned, Citizen is probably most well known for its popular 120D nine-pin dot-matrix printer. With aggressive marketing and a determination to pack as much printer-per-buck as possible, its range of 24-pin models will render the ubiquitous nine-pin printer obsolete within a year or two. In addition, Citizen provides its own Archimedes printer dump as an option. All Citizen printers











# PRODUCT DETAILS

The Citizen Swift 24 and Swift 24x are available from Citizen Europe Ltd, Wellington House, 4/ 10 Cowley Road, Uxbridge, Middlesex UB8 2XW. Price: £365 and £489 respectively. Colour upgrades cost from £38 - £41 depending on the length of carriage you require.

The Star LC-200 and LC24-200 are available from Star Micronics UK Ltd, Craven House, 40 Uxbridge Road, Ealing, London W5 2BS. Price: £259 and £319 respectively.

The Integrex Colourjet is available from Integrex Ltd, Church Gresley, Burton-on-Trent, Staffs DE11 9PT. Price: £636.

The HP Paintjet is available from Crown Computer Products, Crown House, Plantation Road, Burscough Industrial Estate, Burscough, Lancs L40 8JT. Price: £625 including 12 months on-site maintenance.

For Integrex/HP Colour inkjet supplies for schools and colleges: Crown Graphic, PO Box 774, Clyde Vale, Forest Hill, London **SE23 3JW.** 

Risc OS printer drivers are available from Ace Computing, 27 Victoria Road, Cambridge CB4 3BW. Prices: Integrex upgrade £5. Hewlett Packard Paintjet £15. Epson JX compatible £15. (Star LC-200, LC-24/200, Citizen Swift-24 colour) Canon PJ 1080-A £15. Integrex Colourcel £25.

happen - the colour saturation improves but detail and tonal subtleties get lost. Also there is more chance for discolouration at resolutions above 180 × 180dpi. No colour dot-matrix printer can match the Integrex Colourjet combined with the Ace Computing driver when dumping a mode 15 sprite on an Arc, for example. Some may obtain equal degree of colour saturation but significantly lose detail. Once reduced to about 180 × 180dpi they accurately resolve the image detail but lose colour saturation and look 'faded'. Dot-matrix printers also suffer from fading ribbons, noise and ribbonbanding across the printed image although obviously some models are better than others. Where they score over the inkjets is that a wider range of fonts are available when using a BBC B/Master 128.

If your funding can only stretch to a nine-pin printer then my vote goes to the Star LC-200 which is comparable in every way with similar, Epson-compatible printers from Citizen, Panasonic, etc. Being a direct descendent of the very popular LC-10 colour printer the LC-200 replaces that particular model. Like its predecessor the LC-200 offers Epson JX compatibility which means that your existing JX-80 printer driver/dump will work. The results can be just as good as those from 24-pin printers but takes twice the time to print.

For an extra £50-£100 you can buy a 24-pin printer. Models which are destined to see service in many schools are the Star LC24-200 and the Citizen Swift 24 and 24x. The LC24-200 is designed as the colour equivalent of the LC24-10.

Styled very much like the LC-200, the 24-pin model possesses all those features which make the LC 24-pin series so successful - a range of resident fonts and styles, an excellent control panel and easy paper handling. The LC24-200 performs its dumps well but the review model rather suffered from ribbon-banding on the print - more so than the nine-pin model. However, if can be upgraded with an additional colour kit which is very straightforward to install - simply plug in the colour decoder and swap the ribbons over and you have a colour printer. This system adds to the cost but you get the choice of purchasing the printer now and adding colour later.

The standard machine is the versatile Swift 24. Unlike other printers in its class it provides an LCD control panel which displays menus from which the printer can be set up. For school however, there are two further features which will probably sway your decision - a simple-touse control panel and excellent paper handling.

The wide-bodied (132 column) version, the Swift 24x, is identical in all respects to the 80column model and performed the best dumps of any of the dot-matrix printers with hardly any ribbon banding. It also produced the best 180 × 180dpi dump but does cost an extra £100.

### CONCLUSION

Each of the above printers can be recommended as they all performed well, appear rugged enough and seem reliable. Choice based on the facilities offered (mode of operation and print quality, etc) is a subjective one, as the running is very close. For versatility the Citizen Swift 24 is hard to beat but the Star LC24-200 costs less.

To date the nine-pin printer still offers the most cost effective means of obtaining a coloured copy of textual or graphical information from the computer and here the Star LC-200 is a clear winner.

Using inkjet technology overcomes the problems of banding, ribbon wear, drying out and discolouration - common dot-matrix problems. Despite its relatively high cost, the Integrex Colourjet is still the logical choice for colour printing in schools. In all cases it pays to shop around to pick up the best discount you can.

Next month I will look at software and hardware which will help you to get the best out of your colour printer.

# Archimede

E & OE

# Desktop Publishing

Acorn Desktop Publisher	£108.00
Fonts	
Newhall	£39.00
Starter	£39.00
Symbol	£39.00
Impression 2 (Ver 2.10)	£132.00
Impression Junior	£72.00
Ovation	£72.00
Poster	£78.00
ShowPage	£130.00
Tempest	£99.00

# **Word Processors**

First Word Plus (Rel 2)	£68.00
Impression 2 (Ver 2.10)	£132.00
Impression Junior	£72.00
Pipedream 3	£110.00
Protext (Ver 5)	£114.00

# **Business**

Alphabase	£36.00
Desktop Office	£96.00
Equasor	£49.00
Financial Accountant	£203.00
Genesis II	£99.00
HotLink Presenter	£43.00
Knowledge Organiser	£46.00
Presenter 2	£35.00
Schema	£95.00
Squirrel	£108.00
Timewatch	£23.00

# Languages & Tools

Acorn ANSI 'C' Release 3	£125.00
ArcDFS	£23.00
<b>Archimedes Basic Compiler</b>	£73.00
Arcterm 7	£61.00
Cambridge Pascal	£61.00
Fortran 77	£84.00
Investigator 2	£21.00
ISO Pascal Rel 2	£87.00
MultiFS	£30.64
PC Emulator	£87.00
Risc Basic	£112.00
Toolkit Plus	£37.00
Twin	£25.00

# Sound & Music

ARTiculate (Speech Synth)	£19.00
Armadeus	£59.00
Rhapsody	£37.00
Superior Speech	£15.00
Tracker	£38.00

Craftshop 2	£27.0
Jiglet	£27.0
Jigsaw	£27.0
Junior Database	£51.0
Magpie	£50.0
Numerator	£68.0
Touch Type	£41.0
attended -	

# Best Sellers

Genesis II	£99
Impression	2 £132
Pipedream .	3 £110
Revelation	£66
Schema	£95
Squirrel	£108
Tracker	£38

**Art & Graphics** 

ArcLight	£38.00
Artisan 2	£44.00
Atelier	£72.00
Euclid 2	£46.00
Font FX	28.00
H.P. Jet Printer Driver	£12.00
Mogol	£15.00
Pro Artisan	£73.00
Render Bender	£58.00
Revelation	£66.00
Snippet	£29.00
Tracer	£46.00

# Games/Adventures

ArcPinball	£19.00
Ballarena	£14.00
Blaston	£15.00
BlowPipe	£15.00
Boogie Buggy	£19.00
Chess 3D	£19.00
Chocks Away(Mk2)	£19.00
<b>Chocks Away Missions Disk</b>	£15.00
Drop Ship	£15.00
Fine Racer	£15.00
Hostages	£15.00
Interdictor II	£27.00
IronLord	£15.00
Mig-29 Fulcrum	£28.00
Master Break	£15.00
Manchester United F.C.	£19.00
Nevryon	£15.00
PowerBand	£19.00
Professor Mariati	£15.00
Real McCoy 2	£23.00
Tactic	£14.00
Twin World	£15.00
Wimp Game	£15.00
<b>World Championship Boxing</b>	£19.00
WorldScape	£15.00
Joystick Interface	£20.00
Alice In Wonderland	£25.00
Fish	£14.00
Guild Of Thieves	£17.00
The Pawn	£17.00

# Education

Bd

Craftshop 1	£27.00
Craftshop 2	£27.00
Jiglet	£27.00
Jigsaw	£27.00
Junior Database	£51.00
Magpie	£50.00
Numerator	£68.00
Touch Type	£41.00

For all your Archimedes needs...

# TO 081 534 1198 TO

# Credit Cards Welcome

Please make all cheques payable to "Arxe Systems Ltd"

Arxe Systems Ltd. Dept A1. PO Box 898, London, E7 9RG

# **Programmers Wanted**

Experienced freelance programmers required to undertake a number of projects for the Archimedes. Projects range from business and cad applications to games. Please write to the above address. Give details of relevant skills and experience as well programming areas of specific interest. If possible please send examples of work.

Need someone to market your software/hardware?

Contact us now....

# Special Offer

Receive Tactic free when purchasing any of the following titles at the full RRP.

Mig 29 Fulcrum	£39.95 (inc VAT)
Wonderland	£34.95 (inc VAT)
Real McCoy 2	£29.95 (inc VAT)

# New Games

Blaston Chess 3D Fine Racer Mig 29 Fulcrum Real McCoy 2 Wonderland

# Hardware

The Graphics Enhancer card from the Serial Port gives you the choice of 16.7 million colours.

Please write for further details.

# and BBC DFS discs from within the desktop environment. **MultiFS Features**

- True RISC OS Filer
- Provides Access to DOS partitions

MultiFS provides the Archimedes with multiple filing system

support. It allows the user to read and write to PC, Atari ST

- Filetypes maintained on DOS discs
- Filetypes mapped to DOS extensions
- Formats and creates system discs
- Supports disc names for DOS

All prices exclude VAT (@17.5%). Mainland UK postage free for cash sales only. Overseas postage please enquire. If you cannot see what you require please write or phone for availability and a copy of our comprehensive software catalogue.

All orders are processed immediately. However, delays can sometimes occur when suppliers are slow to deliver. We apologise for any inconvenience this may cause to our customers. Please include contact telephone number for written orders. Official orders welcome, payment due in 30 days. Invoices subject to late payment surcharges and carriage.



A3000..see below...see below...see below £989.10 £1187.10 A410/1 £1367.10 A420/1 £1169.10 £1529.10 £1727.10 A440/1 £2893.50 £2695.50 A540

SUMMER SUPER SPECIALS A3000 Basic Model SUPER Price £499.99# OR !

A3000 Stereo Colour Model SUPER Price £695.00#

WE ARE OPEN ALL DAY SATURDAY WHY NOT VISIT OUR SHOWROOM ! TEST FLY INTERDICTOR 2 OR TEST DRIVE THE NEW A540 ARM3

WE WILL TRY TO BETTER ANY OTHER DEALER PRICE ... PLEASE TELEPHONE



# **OUR PRICES** DO NOT **INCLUDE V.A.T**

Master 128	E
Cambridge Z88 Lap Top	£359.10
Panasonic KX P1081	£146.95
Citizen Swift 9	£157.00
Citizen Swift 24	£260.83
Citizen Swift colour upgrade	£34.20
Star LC10	£155.40
Star LC10 Colour	£294.35
Philips 8833 Colour	£195.00#
Philips 7522 Amber Screen	£69.52
Philips 8832 Colour	£199.67
Ahkter 40/80 400K Sgle no PSU	£99.00
Ahkter 40/80 800K Dual no PSL	£199.00
Ahkter 40/80 400K Sgle & PSU	£114.53
Ahkter 40/80 800K Dual & PSU	£221.70

# **OAK COMPUTERS**

20 Mb Ext HDisc (B & Master)	£517.75
SCSI 20Mb Add HDisc A3/410	£413.25
SCSI 20Mb Ext HDisc A3000	£508.25
SCSI 45Mb Add HDisc A3/410	£527.25
SCSI 45Mb Ext HDisc A3000	£622.25
SCSI Card for A3000	£189.05
SCSI Card for A3/410	£189.05

FINANCE ON COMPUTERS AND SOFTWARE. WE OPERTATE PLEASE TELEPHONE I



# COMPUTECK Ltd.

Dinting Lane Industrial Estate Glossop

Derbyshire SK13 9NU

Visa-Master-Lombard Cards

We specialise in "Trading in" and buying Used Hardware & Software

Post and Packing Charges £1.00 for small, £2.45 for medium items. Expensive products £10.00 for courier

### ACORNSOFT

Desk Top Publisher (A)	£119.20
LISP (BMC)	£16.10
Logistix (A)	£89.10
Micros in Business (BMC)	£34.75
Twin (A)	\$26.10
View 3.0 (B)	£41.60
View Index (BMC)	£10.40
View Plot (BMC)	£20.83
View Professional (BMC)	£55.51
View Sheet (BMC)	£41.60

### COMPUTER CONCEPTS

Inter-Base (BMC)	£48.00
Inter-Chart (BMC)	£25.60
Inter-Sheet (BMC)	£39.20
Inter-Word (BMC)	£39.20
Inter-Sheet (A)	£23.20
Inter-Word (A)	£23.20
Laser Direct Laser Printer	£949.05
Spell Master (BMC)	£41.03
Impression II (A)	£152.09
Impression Junior (A)	£80.95

# **CLARES MICRO SUPPLIES**

Alpha Base (A)	£39.09
Artisan 2 (A)	£46.91
Toolkit (A)	£39.09
Interdictor 2 (A)	£27.35
Knowledge Organiser (A)	£46.91
Fontwise package (BMC)	£23.47

### IMPACT SOFTWARE

The Real McCoy (A) Discs	£23.44
Man at Arms (A)	£15.62
Holed Out (A)	£15.62
Apocalypse (A)	£23.44
Nevyron (A)	£15.62
The Olympics (A)	£15.62

### PRES

Adv. Control Panel (BMC)	£27.90
Adv. Disc Investigator (BMC)	£23.52
Adv. Disc Toolkit (BMC)	£27.90
Adv. File Manager (BMC)	£22.51
PRES Archi products all discou	nted II

### MINERVA SYSTEMS

£50.83
£62.56
£78.22

# DABS PRESS

Master Gulde Book	£11.66
Vlewstore/Sheet Book	£11.66
Archimedes DFS Disc	£23.44
"C" A Dabhand Gulde	£13.45
Z88 A Dabhand Gulde	£13.45
Archimedes Beginers Guide	£8.95

# Summer Clearance

Goupil Golf Laptop/Desk PC 1meg 286 40meg H/disc VGA ..... Retail £3500.00 SAVE £2000.00...... SALE Price £1500.00

Amstrad PC2086HD 12" VGA colour 30meg H/disc ...... Retail £899.00 SAVE £100.00 ...... SALE Price £799.00

Amstrad PC2086SD Mono monitor 3.5" Floppy Drive ...... Retail £499.00 SAVE £50.00 ...... SALE Price £449.00

Western Digital 30meg H/Card £249.00 SAVE £50.00 ..... SALE Price £199.00

> This advert contains just a few of the items we have Please telephone or send a SAE for our FULL price lists

PRICES MARKED # ARE CHEQUE

or CASH ONLY NO CREDIT CARDS

# USED STOCK SELECTION from COMPUTECK Ltd.

Oak Pace PRES PRES

Superior Walford

Wattord Wattord Wattord Wattord

Acomsoft Acomsoft

Acoinsoft
Acoinsoft
CDS
CDS
CDS & BR
CDS & BR
Domark
Domark

Domatk Impact Impact Melborne Micro Pow Minerva Minerva Misc. Misc.

Misc. Misc. Misc. Misc. Misc. Superior Superior Superior Superior

Superior Superior Tynesoft

8.00 3.00 7.00 4.00 4.00 0.00 3.00 3.00

# COMPUTERS & HARDWARE

com	A420/1 40meg H/Dkc	895.00
coin	BBC B 1770 DFS Series 3	170.00
com	BBC B 1770 DFS Series 4	170.00
com	BBC B 1770 DFS Series 7	200.00
coin	BBC B 8271 DFS Series 3	170.00
com	BBC B 8271 DFS Series 4	170.00
corn	BBC B 8271 DFS Series 7	200.00
com	BBC B+128 Computer	256.52
com	Master 128	282.61
com	Master 512 Board	152.17
com	Master Turbo Board	70.00
Also.	Z80 Second Processor	90.00
hillps	Colour Med Res 8833 Mk I	150.00
Alsc.	Brother HR10 Dalsy Wheel	80.00
Alsc.	Brother HR40 Dalsy Wide Carr.	346.96
anasonic	KX-P1124 80col 160cps	160.00
Also.	Dual Drive 801 no PSU	120.87
Valloid	Dual Drive 801 no PSU	120.87
MS	AMX Mouse	20.00
Acoin	ADFS ROM and Disc	15.00
Acoin	Data Recorder ALF03	15.00
Acom	Master Econel Module	30.00
Acom	Prestel Adaptor (BM)	40.00
Also.	8K SRAM Module	12.00
Also.	Grafpad	60.00
Also.	Ground Control Eprom Eraser	17.00
Also.	Printer Sharer 6 Comps to 1 Pr	160.00
Also.	Prism Modern 2000 in Software	60.00
MISC.	RAM/ROM Ext Box GGC Camb	30.00
MISC.	Terrel printer Sharer Box	23.00
Misc.	Timer Kit	8.00
MISC.	Timewarp RTC Technomatic (B)	13.87
Misc.	UV Stat Epromer	17.00
IloV bblv	Anamouse (BM)	20.00
Viglen	Cartridge System for BBC B	13.00
Viglen	Dual Drive 40/80T No PSU	130.00
Viglen	PC Kill for BBC B	30.00
Watford	16K Disc RAM Board (B)	20.00
Watford	Ailes B20 RAM Board (B)	30.00
Wattord	Power Duck	6.00
	BOOKS	

Dabs Pres Misc. Misc. Misc.

MISC.

Misc. Misc. Misc. Misc. Misc. Misc. Misc. Misc.

Misc

BOOKS	
Advanced User Gulde BBC	
Master OS Dabhand Gulde	
30 Basic Spectrum	
Adv'd Sideways RAM/ B Smith	
Assembly Lang Prog I Birnbaum	
Century Programming Course	
Data Processing/Hardwr & Progm	
Expert Gulde to BBC M James	
Graphics & Sound by S Money	
Inside Information/J Megatry	
Inside Your Computer/ Sincials	
Intro The BBC Micro/I Sinclair	
Little Book of Basic Style	
Science On-line	
Structured Basic /R Freeman	
The Book of Listings/BBC Publi	
The Computer Book/BBC Publics	
The Computer Book/BBC Publics	

# SEBIONS CONTWARDS

SI	erious softwark	
AMS	AMX Super Art ROM (B)	25.00
AMS	Extral Extral (BM) Disc	12.00
AMS	Max (B) ROM	10.00
AMS	Stop Press (B) ROM	25.00
AMS	Stop Press Discs (M)	25.00
Acoin	PC Emulator (A) Discs	60.00
Acoin User	Gallery Disc (B) 2xDisc	6.00
Acom User	User Rom	12.00
Acomsoft	1st Word Plus Rel 1 (A) Disc	30.00
Acomsoft	BCPL ROM (B)	31.31
Acoinsoft	Fortran 77 (A) Disc	60.00
Acomsoft	GXR Rom (B) ROM/Tape	16.00
Acomsoft	HI - View (B) Disc	22.00
Acomsoft	Linkword French (BM) Tape	10.00
Acomsoft	View Spell (BM) ROM & Disc	21.74
Acomsoft	View Store (BMC) ROM	30.00
Acomsoft	Viewsheet (BMC) ROM	30.00
Acomsoft	Workshop (B) Disc	6.00
BBC Pubs	Drawing (B) Tape	3.39
BBC Pubs	Early Learning (B) Tape	4.00
BBC Pubs	VU-Type (B) Tape	6.00
Beebug	Design (B) Disc	10.00
Beebug	Exmon II (B) ROM	15.00
Beebug	Masterfile II (B) Disc	12.00
Beebug	Masterfile II (C) Disc	12.00
Beebug	Paintbox (B) Disc	8.00
Beebug	Sleuth (B) ROM	18.00
Beebug	Sprites Utils (B) Disc	6.00
Beebug	Teletext (B) Tape	3.50
Beebug	Teletext Pack (B) Disc	7.00
Beebug	Toolkii (B) ROM	8.00
Beebug	Vocab Teslet (B) Tape Wordease (B) ROMs	12.00
Beebug	Aitroom (C) Disc	15.00
Clares	Artroom (M) Disc	15.00
Clares	Artroom (M) Disc	12.00
Clares	Artroom Pack (C) Discs	20.00
Clares	Beta Base Utils (B) Disc	6.00
Clares	Fontwise + (C) Disc	8.70
Comp Con	Carelaker (B) ROM	12.00
Comp Con	Communicator (B) ROM	30.00
Comp Con	Disc Doctor (B) ROM	15.00
Comp Con	Graphics (BM) ROM	15.00
Comp Con	Gremlin (B) ROM	15.00
Comp Con	Impression (A) Disc	80.00
Comp Con	Inter-Word (BMC) ROM	30.00
Micro Pow	Basic Extension (B) ROM	15.00
Minerva	Gamma Plot (A) Disc	40.00
Minerva	Inter/View Link (C) Disc	10.00
Minerva	Mall Shot Application (C) Disc	10.00
Minerva	Sales Ledger (BM) Disc	26.04
Minerva	Stock Management (C) Disc	12.00
MISC.	3D Logo (C) Dac AIDS II by Soft Smith	8.65
MISC.	BBC Assembly Lang Course	15.00
MISC.	Busicaic (BM) Disc/Supersoft	8.65
MISC.	Control Logo (C) Disc	12.00
MISC.	Creation Discs (A) EMR 6xDiscs	26.04
MISC.	Deebug and Disk Copy (B) Disc	8.26
MIsc.	Diagram (B) Disc Pineapple	21.70

ontald (B) ROM & Disc CJE	15.00
emini Combo Pack (B) Disc	12.00
raphics Pack (B) Tape Salaman	3.00
on Art Master (BM) Disc	12.00
sant Recall D/base (B) tape	6.00
volcing (B) Disc	10.00
ogo Extension (C) Disc	7.78
eilln Database/Scribe (B) ROM	17.34
orse Tutor (8) Disc	8.65
usic Logo (C) Disc	12.00
kel Perfect DTP (BM) Discs	26.04
kel Perfect Maths Pack (B)	10.00
Inted Circuit Designer (8)	26.04
ro Punter (BM) Discs	30.00
ecord Keeper (B) Tape	4.00
clence & Technology (B) Disc	12.00
hare Anal -Synetgy (B) Disc	26.04
lave + ROM (B)	20.00
panish level A (BM) Disc	10.00
panish level B (BM) Disc	10.00
py (B) ROM	12.00
tar Stick (B) ROM	10.00
uper Graph (8) Disc Glentop	10.00
uperlboot (8M) Disc	6.00
Itiliram (B) Disc by Tubelink	10.00
Islfax-Viewdata (B) ROM	20.00
/u-Calc (Psion) (B) Tape	8.00
/U-File (B) Tape	10.00
(mas Carols (A) EMR Disc	4.30
OOM Mach. Code Monitor (B)	10.00
arametric Design Tool (A)	169.57
Micronet Terminal (B) ROM	8.00
dv'd Disc Toolkit (BM) Rom	20.00
dvnc'd 1770 DFS (B) ROM	20.00
peechl (BM) Disc	6.00
Seebmon (B) ROM	20.00
Colour Art (B) Disc	6.00
NLQ Designer (BM) ROM	12.00
Office Mate (B) Disc	6.00
/lew Printer Driver ROM	25.00

### GAMES

GAMENO	
Ae & My Micro (E) Tape 8 Games	1.50
levs (C) Disc	6.00
locket Raid (B) Tape	2.00
Colossus Chess (BM) Disc	6.00
teve Davles Snooker (B) Dlsc	6.00
litdle Barrage Golf (C) Disc	6.00
liue Ribbon Games 2 (C) Disc	6.00
mpire Strikes Back (B) Disc	4.00
Not a Penny More (B) Disc/Book	6.00
foled Out Designer (A) Disc	8.65
J.I.M. (A) Disc	13.00
Way of the Expl Fist (B) Disc	6.00
or Who & Mines (MB+) Disc	6.00
Minotaur (A) Disc	7.83
Alssile Control (A) Disc	7.83
Avon & Murdac (A) Disc	8.26
Computer Crosswords (M) Disc	6.00
Daley Thompson S/Test (B) Disc	6.00
Ish (A) Disc	15.00
ortress (B) Disc	6.00
Question of Sport (BM) Disc	6.00
res Prime Minister (B) Disc	6.00
Barbarian II (BM) Disc	6.00
Ife of Repton (C) Disc	4.00
Repton 3 (C) Disc	4.00
Sam (BM) Disc	6.00
Strykers Run (C) Disc	4.00
Zaich (A) Disc	8.00
Spy vs Spy (C) Disc	6.00

# USED

BBC B, B+, MASTER & ARCHIMEDES HARDWARE PLUS SOFTWARE IS NOW REQUIRED PLEASE WRITE IN FOR A QUOTE TO TURN YOUR OLD OR UNWANTED GOODS INTO CASH ONCE AGAIN

(B) BBC B (M) Master 128 (C) Compact (A) Archimedes



# **PAUL JAMES**

weathers the odds to bring you even more intriguing programs for the eight-bit micro

# SEASONEI FAYFIRS

s I sat down to write this months' Pieces of Eight I took a look out of my window and stared for a moment at the pouring rain. Seeing as I had planned to do a spot of sunbathing, I thought 'wouldn't it be nice if we could change the weather?' Strangley enough (Ahem) while looking through my set of back issues searching for a couple of classics to bring you this month I found this little wonder from Peter Barry. Peter's program was published in December 1983 and it draws random landscapes. With the press of a key you can change the colour palette to represent the colours associated with the season - no mean feat on the eight colour Beeb.

The thing that impresses me most of all about Peter's program is that no complex 3D formula or fractal graphics are used. The picture is daubed on the screen with a few swipes of a sine curve, a dash of dithers and a smidgen of circles.

Landscape pictures are usually well structured in their make-up and Peter's program follows the same set of rules. The picture is started with the background hills, which are painted in a dull colour to represent distance (as all good artists should know), then a lake is drawn. Another set of hills are drawn over this with the same PROChills procedure, with colours adjusted to suit and finally the grassy field in which you are standing is added.

To add further to the feeling of perspective, a winding road is drawn, getting wider as it comes closer. Around this, fast growing trees are planted in varying shades and sizes, and they get smaller as they fade into the distance.

People who have the GXR Rom fitted can speed things up here by replacing the circledrawing routine (in PROCtrees) with the much faster circle routine in the Rom.

The final section of the program deals with

altering the palette according to the data statements at the end. The program then cycles through the four seasons - from winter to spring, spring to summer, etc...

Me? I set the season to summer, put on my shades, shut the curtains and laid back to relax... Hold on a minute, where did that cloud come from? I don't remember a PROCrainstorm

Incidentally, watch \*INFO next month for a 'simulating nature' special.

The second progam to be unearthed this month is the popular 3D Polyominos game from October 1988. Don Scales suggested the routine, Dave Lawrence wrote it and I'm sure you'll agree that it's a great puzzler.

Pentominoes are made up from five squares, of which 12 different shapes can be made, ignoring mirror reflections and rotations. It is possible to construct four different rectangles from them.

Don's program takes this to another dimension, and challenges you to arrange the now 3D 'polyominoes' so that they fit inside a cuboid. The program (listing 2 on the yellow pages) will run quite happily on a Master and Archimedes but BBC and Electron owners with disc interfaces will need to set PAGE to &1100 before running. Arc owners will also have to make a slight key adjustment, namely change the \_ to a / in line 320 and in line 330, the \ to a '

When the program runs it will first ask you for the dimensions of the cuboid you wish to build, there are three possible variations, all equally difficult.

The screen display is divided into three sections. The box at the right of the screen is your 'playing board' and is the outline of the cuboid you are trying to fill. Inside this box is a red dotted cube. This is the cursor and is where the









# Mercury Games

# rchimedes Software Checklist



TITLE	SRP	SALE
Alien Invesion	14.96	11.95
All in Boxing Amezing Offic (Educ) Ancestry Ansi C (Release 3)	14.96	11.95
Arrezing Offie (Educ)	16.39	14.95
Ancestry	81.69	69.95
Ame C (Hotosso 3)	175.08	149.95
Arc Bign	94.00	79.95
Arosde 3 Compilation	15.50	12.20
Arcade Socoer	19 95	26.95
Arch Operating System	29.95	20.95
Arch Assembly Lang	21.05	18.95
Arch Basic Compiler	21.95	89.95
Arch Sasc Compser	0.05	7.95
Arch First Steps	20 14	25.95
Arclight	50.00	39.95
ArcPinbal	25 50	20.50
Arriem 7	79 95	69.96
Armadous	82.00	71.00
Armsdous Sound Samp Board	154.96	141.95
Artisan 2	61.95	49.95
Astro	23 44	20.50
Autosketch V2	92.82	79.95
Batterena	20.39	16.35
Bert Boot	7.96	6.95
Blowpipe	19.95	16.35
Bug Hunter	18.34	16.35
Bug Hunter in Space	18.34	16.35
Bumper Disc 2 (Educ) Bumper Disc 2 (Educ) Charts & Grapha Chocks Away CIS Ubikos 2 (2 Discs)	23.96	19.95
Bumper Disc 2 (Educ)	23.96	19.95
Charts & Graphs	20.39	17.35
Chocks Away	24 95	14.95
CIS Udifices 2 (2 Discs)	17.32	29.95
Coffee (Educ)	24.05	19.95
Corruption	20.05	14.95
Crisis	18 24	16.35
Delta Cat (Joystick)	34.05	31.95
Doskton Folio	105.75	99.95
Deaktop Office	132.78	112.95
Deaktop Publisher	175.08	139.95
Dominate Drop Ship Dust Cover Archimedes	20.39	16.35
Drop Ship	19.95	19.95
Dust Cover Archimedes	14.95	9.95
Dust Cover A 3000 K'bd	5.95	3.95
E-Type Extra 100 Miles	19.95	19.95
E-Type Extra 100 Miles	16.95	16.95
E-Type Designer	16.95	16.95
Easiword	40.82	34.95
Equazor	57.57	49.95
Euclid (RISC-OS)	70.00	59.95
Farmer Gles	20.39	20.39
Fight Path (Educ)	32.84	29.95 84.95
Ciab	30.05	14.95
Fish Flexifile	153 21	129.95
Fortran 77 (Belance 2)	116 33	97.95
Fortran 77 (Release 2)	11.75	11.75
Freddy's Folly	15 26	11.95
Freddy Teddy		20.50

TITLE	3RP	SALE
Fun School 2 (0-6yrs)	20.00	16.96
Fun School 2 (6-8yrs)	20.99	16.96
Fun School 2 (8+ yrs) Fun School 3 for Arch postponed	20.99	16.95
Fun School 3 for Arch postponed, cell for further details	please	
cell for further details Genesis 2 Giant Killer Graph Box V2		134 95
Circle Killer	20 20	18.36
Graph Box V2	81.50	69.95
H.P. Paint Jet Driver	14 00	11.96
Homes	70.50	59 95
Hoersey Herewith The Clues	25 50	20.50
Holad Out	19 96	19.95
Holed Out Designer Holed Out Extra Courses 1 & 2 (e) Home Accounts	19 95	19 95
Holed Out Extra Courses 1 & 2 (e	ach) 16.95	16.95
Home Accounts	51.03	41.95
Hostages	19.96	15.95
Hotlink Presenter	58 74	49.95
Hoverbod	15.28	12.36
Ibix The Villing	20.30	16.36
Impression 2	198.57	163.47
Impression Junior	105.69	91.95
Investigator Rel 2	27.96	24.96
Inertia	19.96	15.95 41.95
Inter-chart (Disc)	49.90	18.95
Inter-chart (UMC)	24.07	29.95
Inter-sheet II (Disc)	34 07	29 96
Interdictor 2	34 00	30.50
Interdictor 2	10 06	15.95
Jet Fighter	15 28	12.25
Kaptain Konflikt	10.95	15.95
Kiddicad	116 33	99 95
Knowledge Organiser	65 00	54.95
Kiddicad. Knowledge Organiser Last Days of Doom/Hezarin	20.39	16.35
Let's Spell At Home Let's Spell At the Shops	25.50	20.50
Let's Spell At the Shops	25.50	20.50
Lot's Soul Out & About	25.50	20.50
Med Prolossor Mariarti	20.39	16.36
Maddingly Hall	15.28	12.25
Mah Jong Patience	20.39	16.36
Man at Arms Manchester Utd	10 05	19.95
Master Break		15.95
Matter Brook 1 (6 Then)	12.05	10.95
Montal Mathe	20 10	16.36
Maths Pack 1 (5-7yrs)	20.39	16.35
MicroDrive Fatra Courses USA	15.27	13.25
Mooul	20.00	16 95
Mogul Mouse/Joystick Splitter	19.95	17.95
Multistore V2	305.46	254.95
Nevryon	19.95	19.96
Office Tools	375.00	339.95
Office Tools	16.39	14.95
Ovation	116.33	99.95
Overload	16.00	12.95
PC Access	40.82	34.95
PC Emidetor		118 34

TITLE	SRP	BALE
PON	18.34	15.95
Powerband	24 90	24.95
Presenter 2 (RISC OS) Pro Artisan Protest v5 Reatime Solids Modler Rekal Render Bender	46.94	39.95 89.25
Pro Artisan	105.00	
Protext vo	152.75	134.95
Healtime Solids Moder	195.00	164.95
Hoke	15 27	12.95
' 'Animated Discs	BO 00	
Animated Discs	14 10	11.95
Repton 3 Return to Doorn Trilogy	19.98	15 95
Hetum to Loom Intogy	20 30	63 45
Revelation	63 45	39.95
Rhapsody in Blue	49 96	
Risc Basic Compiler RISC-OS Prog Ref Manual	149.90	129.95 79.00
HISC-US PROOF HER MIERUES	20.20	16.95
RiscType RoboLOGO	20.30	84.95
Scan-Light Jnr A3000	200.00	216.95
Soun-Light Jhr A3000	233 63	439.95
Scan-Light Senior Schema	125 00	114.95
Search & Rescue (Educ)	30.00	29.95
Shareholder	105.00	184.96
Showpage	176 07	154 95
Skappi	20.20	16.36
Solid CAD	140 05	129 95
Solid CAD Solid TOOLS	375.00	319.95
Co-Book (4 O.m.)	25 50	20.50
Sportcock (4-byrs)	24 07	29.95
Spellbook (4-9yrs) Spellmaster (Disc) Splice	30.00	24.95
Star LC10 Printer Driver	14 95	11.95
Super Diese	20 05	26 95
Super - Dump Superior Golf	10 05	15.95
Supersound Creations 1 & 2	18 34	16.35
System Dotta Plus	81 60	69.95
Tache	20.30	16.35
Tactic Tempest The Art Machine PK 1 or 2 (each)	135 00	114.95
The Art Machine PK 1 or 2 (each)	35 19	31 95
The Olympics	19.95	19.96
The Pawn	29.95	14.95
The Real McCoy	29.95	29.95
The Wirnu Garne	19.95	19.95
The Wimp Game	25.50	20.50
Things to do with Words	25 50	20.50
Thundermonk Tiny Logo Tiny Draw Tracker Trivial Pursuit	15.28	12.25
Tiny Logo/Tiny Draw	35.19	31.95
Tracker	49.95	44.95
Trivial Pursuit	30 64	24.95
Turties World Tour	20.42	16.25
Tween	30.00	24.95
Twin World	10 05	15.95
UIM	29.96	29.95
White Magic Vol 1 & 2 (each)	19.95	19.96
U.I.M. White Magic Vol 1 & 2 (each). Winter Box. World Champ. Boxing Manager	20 39	16.25
World Champ. Boxing Manager	25.53	20.50
Worldscape	19.95	15.95
Worra Battle	. 17.57	14.95
Worra Plotter	35.19	29.95
Worra Cad	116.33	99.95
	34.07	29.95
Zarch		15.95
		THE PARTY OF

# Phone or write for our Archimedes catalogue -it's FREE!

Great discount structure for Educational Establishments - ask for our info sheet

Impression 2
SRP £198.57
Our Sale price

£163.47 (Inc)

# **NEW RELEASES**

TITLE	SRP	SALE
Blaston	19.95	15.95
Boogie Buggy	24.95	21.95
Bouncer	20.39	17.35
Chess 3D	19.95	19.95
Chocks Away Compendium	39.95	36.95
Chocks Away Extra Missions	19.95	19.95
Clip Art Collection Vol 1	23.44	19.95
Clip Art Set 1	35.19	29.95
Concept Designer Pack	28.20	28.20
Creator	45.77	41.95
Fine Racer	19.95	15.95
Freddy Teddy's Adventure	19.95	18.95
Giant Killer Support Disc	17.88	16.95
Gumshoes	24.95	24.95
Level 4 Fileserver	233.83	215.95
Logotron Logo	77.55	77.55
Magpie	63.45	63.45
MIG-29 Fulcrum	40.85	34.95
No Excuses	25.53	21.95
Numerator	77.55	77.55
Office Tools	375.00	339.95
Pendown Ext. Outline Fonts	21.15	21.15
Revelation	63.45	63.45
Speech	19.95	15.95
Tracer	61.25	54.95
Wonderland	34.99	29.95
Worra Plotter	35.19	29.95



UNDER 5's Includes:- COUNTING - Help teddy reach the jar of honey by counting up to nine

LETTERS - Join in all the fun at the alphabet fair by pairing large letters.

MATCHING - Pair up the shapes to fill teddy's piggy bank with money.

ACTIONS - Make teddy jump, hop, sleep, juggle, skip, eat & more.

PAINTING - Colouring fun down on the farm with all the pigs & cows.

GALLERY - Learning to read is really easy in the Fun School Gallery.

5-7 YRS includes:- TOYSHOP - Spend your pocket money wisely in the shop
- TIME - Tell the time & watch the cuckoo clock come alive

- FUNTEXT - Explore the Ceefax-style database & take the challenge - COLLECT - Guide the frog from log to log to create & solve the sums

- ELECTRICITY - Fix the incorrect circuits to set the bell ringing

JOURNEY - Travel round the village & learn about direction:

**OVER 7 YRS Includes:-**

TREASURE SEARCH - Follow compass directions to find the jewels WORD SEARCH - Pick out the words cleverly hidden in the large grid ROBOT DRAW - Create beautiful patterns & learn how to program

PLANETARY MATHS - Solve the sums before they hit the forcefield SENTENCES - Correct spelling, punctuation & grammar mistakes

DATABASE - Store information, sort it, search it, then test yourself.



All age ranges for the BBC - OUT NOW! (Prices per age-range) SRP BBC Cass £12.99 Sale £9.95 SRP BBC 5.25" Disc £16.99 Sale £13.95



Fun School 3 for the Archimedes/A3000

- release delayed - please call for details

# school



BBC/ELE CASSETTE SRP £10.99 Offer Price £8.95 BBC 5.25" DISC SRP £13.99 Offer Price £11.25
(All prices per age-range - 0-6 yrs, 6-8 yrs or 8+ years)

# RECENT RELEASES

AND MUCH MORE! ASK FOR OUR CATALOGUE!

TITLE	BBC or	BBC	CPCT
	Electron Case	disc	disc
A Question of Sport	8.95	10.50	14.95
Arcade Soccer	6.50	8.50	9.95
Arc Pinball		9.95	10.95
E-Type	6.50	9.75	11.25
Eite	9.95	11.95	15.95
Exile	9.95	11.95	15.95
Hostages	7.95	9.95	11.95
Holed Out	8.50	9.75	9.75
Klax (BBC only)	8.25	-	-
Last Ninja 2	7.95	9.95	11.95
Master Break	7.95	9.95	11.95
Perplexity	7.95	9.95	11.95
Pipemania	8.25	12.25	12.25
Repton Infinity	9.95	11.95	15.95
Sim City	9.95	11.95	15.95
Sporting Triangles	8.25	10.25	-
Tank Attack	10.25	12.25	-
Play It Again Sam Co	ompilations 1 to 1	0 (each):	
State State of State	6.95	8.95	10.50
Play It Again Sam Co	ompilations 11 to	14 (each):	
	7.95	9.95	11.95
Superior Col 1 (BBC	only) 6.95	8.95	10.50
Superior Col 2 (BBC		8.95	10.50
Superior Col 3 (Ele o	nly) 6.95	-	1100
Turtles World Tour	_	7.95	-

Amazing summer offers! - ask for our catalogue.

# Play It Again **Sam 15**

# Includes

Last Ninja 2 Ricochet Cyborg Warriors Network

SRP BBC/Ele Case £12.95, Offer Price £9.95 SRP BBC 5.25\* Disc £14.95, Offer Price £11.95 £19.95, Offer Price £15.95

# **JOYSTICKS**

Joysticks for BBC, B+/Master 128 & Electron Plus 1

> Delta 3B **Twins** £21.95

2 analogue, light spring action, joysticks wired to one plug





Single £14.95 Analogue, light spring action joystick. Can be used as either left or right-handed.



### Printers ... Printers ... Printers ... Printers

| KX-P1081 | Panasonic 9 pin 80 col dot matrix | £159.95 | KX-P1180 | Panasonic 9 pin 80 col dot matrix | £169.95 | KX-P1124 | NEWI Panasonic 24 pin 80 col dot matrix | £299.95 £179.95 £269.95 £314.95 SP-200 SL-92 MP-1350 Seikosha 9 pin dot matrix Seikosha 24 pin dot matrix Seikosha 9 pin dot matrix (Prices include VAT, printer cable & courier despatch - (UK mainland only). Please state for which computer you require the printer)

Please add 95p P&P (Europe £2.50, Outside Europe £4.50)
All prices include VAT (except books which are zero rated)
Goods despatched within 48hrs (subject to availability)
Out of hours answerphone . . . 0532 436300
Educational discount of 30% off SRP available on Archimedes

software, Official Order No. required – minimum order value £30.00

Prices correct at time of going to press, E& OE



Dept. AU71, C/o Northwood House, North Street, Leeds LS7 2AA Telephone 0532 436300

Please make chaques payable to SOFT WARE BARGAINS

'keystone' of your chosen block will be placed. You can move this around inside the cuboid with the arrow keys, left, right, forward and backward. Moving the cursor up or down a level is achieved with the / and " keys. The bottom box is the selection of polyominoes you have left to fit into the cuboid - the currently selected one is highlighted by a red square. The ones you still have left are coloured yellow while the ones that have been placed inside the cuboid are red. You can select the shape you wish to use next with the < and > keys and you can confirm your choice with the SPACE bar.

When you have selected your polyomino it will appear in the top left-hand window. You can rotate it with the X, Y and Z keys and when you are happy with its orientation and position you place it in the box with RETURN. Of course if it doesn't fit in the space then you will be told and you'll have to try elsewhere. If you are not happy with the fit then press DELETE - you can remove any polyomino by selecting it in the bottom window and pressing DELETE.

The cursor in the cuboid shows where the next shape is to be placed. On each polyomino is a keystone, indicated by looking slightly larger than the other four.

This is the part of the shape that falls into the space occupied by the cursor. Take a look at figure 1 for the 12 possible variations, the darker block is where the keystone is.

You can quit the game at any time by pressing Q, but first you will be given the option to restart (useful if you get stuck), or quit completely and return to Basic.

Don offers a few useful hints that may help you in solving the puzzle.


Once you've put in a few polyominoes you'll begin to find it more difficult, and if you get it wrong you won't be able to insert the last couple. One thing you should do is begin building at the back of the cuboid, otherwise you may obscure holes behind other polyominoes. And don't think too dimensionally, you can't solve it by building a layer at a time.

Finally this month comes something a little more simple than weather controlling programs and 3D polyominoes. This neat little routine was published in Eight Bits of October 1989.

Murray Mackenzie's program shows redefining characters within a string to provide a revolutionary scrolling routine. It doesn't go sideways, but drops characters in from the top.


The first program drops one string in, and continues to do so. The second program replaces the old string with a new one giving a rolling effect, as if the characters were glued to a drum.


The first routine works by taking each charac-



KEYS	FOR POLYOMINOES
Cursor Left	TO PROPERTY OF THE PROPERTY OF
Cursor Right	: Move place cursor
Cursor Up	
Cursor Down	
£	Move place cursor up
-	Move place cursor down
Archimedes owne	ers should change these
keys (lines 320 an	d 330) to ' and /
<	Move selection cursor left
>	Move selection cursor right
SPACE	Choose polyomino from cubiod
x	Rotate chosen polyomino about axis
Y	Rotate chosen polyomino about axis
Z	Rotate chosen polyomino about axis
RETURN	Place polyomino in cuboid
Q	QUIT

ter of the string and redefining it eight times, each time moving a row of bits down one byte, then printing it over the old character. The second routine does the same, except that rows yet to be scrolled to aren't cleared, leaving the old character underneath. On an Archimedes the effect is lost because the routine is too fast. You could insert a delay inside the main loop with dummy=INKEY(3), this waits for three tenths of a second. Of course, if you have written a better routine for getting your message across then please send it in.






# Announcing colour graphics conversion between the Acorn Archimedes and the Apple Macintosh




# BBC Micro, Master 128, or Master Compact

Convert to or from a BBC Screen Dump in any appropriate mode, including Teletext. You can dynamically adjust the colours assigned to each logical colour in the original dump, to take account of different palette settings.




### **Acorn Archimedes**

Convert to or from an Archimedes Sprite in any appropriate mode. If the file contains several sprites you can select the one you want from a list of their names.



# Macintosh

Convert to or from PICT, Colour PICT, or MacPaint format. Images can be manipulated in drawing and painting programs, or placed in other Macintosh applications, such as PageMaker, for subsequent colour printing.



### Microsoft Windows 3.0 on the IBM PC

Also ... convert to or from Windows 3.0 .BMP files with up to 256 colours – the standard format for saving Windows screens, or for creating pictures in Paintbrush on the PC.

	ails of Colour Screen Mac for converting corn Archimedes and Apple Macintosh:
Name	
Position	The special control of
Address	o ser y entreat also il inu " esia il alem il di esi seria il distribus seria " (1981 to
Postcode	Tel.
Cambridge, CB1 1B	mputer Interface Limited, FREEPOST, R (no stamp required if posted in UK). 3) 314934, or fax: (0223) 462562.

Overseas Subs Magazine only:			Back Orders
Europe Rest of World		£35.00 □ £45.00 □	Please fill in date (Back to March 1990)  MonthYear - 90 • 91 •
With Disc: Europe Rest of World	5.25in £44.00 □ £64.00 □	3.5in £49.00 🗖 £69.00 🗖	□ Magazine £1.95 □ □ Disc £4.95 (5.25in) □ £5.95 (3.5in) □
(Europe),	rseas orders p and £3 (rest c cover mailing	of the world) to	Please tick all the relevant boxes and return this entire page to <i>BAU Mail Order</i> , PO Box 66, Wetherby LS23 7HL
□ I enclose a C	heque/PO to <b>Re</b>	dwood Publishing Ltd	Name
□ I wish to pay	by Access/Visa		Address
Card number			
Expiry Date		1037	
Signature			
AT T	OHI DDI	OFO I	

# New LOW PRICES branded disks at bulk prices

# BENCHMARK / BRAND

ALL 3.1/2" DISKS COME WITH LABELS ALL 5.1/4" DISKS COME WITH LABELS, WRITE PROTECTS AND SLEEVES

Disk Type	Qty	25	50	100	200	500	1000
31/2" DS/DD 1MB	£	17.00	29.00	41.00	75.00	163.00	309.00
31/2" DS/HD 2MB	£	33.60	61.00	67.00	132.00	320.00	630.00
514" DS/DD 96/48 TPI	£	11.00	18.00	28.00	51.00	122.00	225.00
51/4" DS/HD 1.6MB	3	18.00	31.50	52.50	99.00	228.00	394.00

**ALL OUR DISKS ARE 100% CERTIFIED GUARANTEED ERROR FREE** 

ALL <u>BENCHMARK</u> 31/2" DS/DD DISCS ARE NOW MANUFACTURED BY THE WORLD'S LEADING MAKER

# **DISK STORAGE BOXES LOCKABLE**

3 1/2" 50 Capacity	£3.70
3 1/2" 100 Capacity	£4.70
5 1/4" 100 Capacity	£4.70
3 1/2" 240 Capacity (stackable)	£18.50

THESE PRICES ONLY IF BOUGHT WITH DISKS



ALL PRICES INCLUDE VAT & P&P. UK ORDERS ONLY

estal Orders to:








# **Manor Court Supplies Ltd**

Telephone: 0597 87 792 Fax No: 0597 87 416 Dept AU7, Glen Celyn House, Penybont, Llandrindod Wells, Powys, LD1 5SY

EDUCATION AND GOVERNMENT ORDERS WELCOME

UNBRANDED DISKS AT SAME PRICES



Produced by

The Graphics Factory

# Five Megabytes


of High Quality Clipart. Over 350



Mono Images compressed onto 4 disks with Topics ranging from Animals to Signs to Trees!








Only £19.95

The Graphics Factory
Units 18e & 18f
Boxer Place
Moss Side Employment Centre
Leyland, Preston, PR5 3QL
Telephone (0772) 623000
Fax (0772) 622917
Educational & Government Orders Welcome

No Carriage Charges in UK





Program	Page	BBC B	B+/	Master	Master	Electron	6502SP/	ADFS	Econet	Shadow	Archimedes/	Monthly
		B+128	128	Compact			Turbo			Ram	A3000	disc
★Info	49							The last				
Info 1a												
Info 1b												
Info 2a												
Info 2b												
Info 2c												
Info 2d			Market 1									
Info 3a	Marke Mark		11 45									
Info 3b												
Game Core	55											
GameCore 1												
GameCore 2												
GameCore 3												
View Previewer	59							Sallhar Lake				
Vprev1												
Pieces of 8	77					Negative.						
Po81							ш					
Po82												
Po83	CHISTON.											
Po84												
Comms	62											

**★Info** 

```
Listing 1
                                                                                                                                                                   590 SUB
600 .loop
610 ADR
                                                                                                                                                                                                                                                                                                                           1220 MOV
1230 SWI
1240 LDR
                                                                                                                                                                                                                                                                                                                                                                        RØ,#19
"OS_Byte"
R1,bank
RØ,#113
                                                                                                                                                                                                            R10, temp, #1
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         1830 va%=952:rotvel%=4
        10 REM >3DLiss (Infola)
20 REM 3D Maths in motion!
30 REM by Michael Attenborough
40 REM for Archimedes only
50 REM (c) BAU July 1991
60:
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         1840 !sin%=sin!(va%*4)
1850 !cos%=cos!(va%*4)
1860 ENDPROC
                                                                                                                                                                    620 LDMIA
                                                                                                                                                                                                            RØ, (RØ, R1, R3, R4)
                                                                                                                                                                                                                                                                                                                             125Ø MOV
                                                                                                                                                                   630 \ look up sines and cosines and ap
                                                                                                                                                                                                                                                                                                                             1260 SWI
                                                                                                                                                                                                                                                                                                                                                                         "OS_Byte"
R1,#2
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     Listing 2
                                                                                                                                                           ply formula
640 MUL
650 AND
660 MLA
670 AND
                                                                                                                                                                                                                                                                                                                             1270 CMP
                                                                                                                                                                                                                                                                                                                           1270 CMP
1280 LDREQ
1290 LDRNE
1300 STR
1310 SWI
1320 LDMFD
                                                                                                                                                                                                           ai,RØ,temp
ai,ai,R1Ø
bi,R1,temp,R3
bi,bi,R1Ø
                                                                                                                                                                                                                                                                                                                                                                        RØ, scrpos1
RØ, scrpos2
RØ, scrpos
&100+12
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                10 REM >3DLiss8 (Info1b)
20 REM Original by Michael Attenborou
           60 :
70 ON ERROR MODE 0:PRINT REPORT$" at
line "; ERL: END
80 MODE 128
                                                                                                                                                                                                            sa, [sb, ai, ASL #2]
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                30 REM 8-bit version by Dave Acton
                                                                                                                                                                                                                                                                                                                                                                        (sp)!, (pc)
                                                                                                                                                                    68Ø LDR
          90 PROCinit
                                                                                                                                                                   69Ø LDR
                                                                                                                                                                                                            x, [cb, bi, ASL #2]
                                                                                                                                                                                                                                                                                                                             1330 :
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 40 REM for B/B+/E/M/C
50 REM (c) BAU July 1991
                                                                                                                                                                                                                                                                                                                           1330 :

1340 .vars

1350 EQUD Ø

1360 EQUD Ø

1370 EQUD Ø

1380 .sinpos

1390 .cospos
       90 FROCINIT
100 REPEAT
110 D%=(D%+rotvel%) AND $3FF
120 FRINT;A%;":";B%
130 FRINT;AB(70,0);INT(E%*360/1024)
140 IF C% PRINTAB(79,0)"P"
                                                                                                                                                                   700 MUL
710 MOV
720 LDR
730 MUL
740 MOV
                                                                                                                                                                                                                                                                                                                                                                          ROUD Ø
                                                                                                                                                                                                           x,sa,x
x,x,ASR #11
y,[sb,bi,ASL #2]
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            50 REM (C) B

60:

70 MODE 4

80 PROCINIT

90 *FX 4,1

100 *FX 229,1
                                                                                                                                                                                                            y,sa,y
y,y,ASR #11
z,ai,R4
        150 CASE TRUE OF
                                                                                                                                                                     75Ø ADD
                                                                                                                                                                                                                                                                                                                                                                          EQUD cos
                                                                                                                                                                                                                                                                                                                                                                          EQUD cos
EQUD per
EQUD Ø
EQUD Ø
EQUD 1
EQUD Ø
EQUD Ø
        160 WHEN INKEY(-122):IF rotvel%<30 rot
                                                                                                                                                                                                                                                                                                                           1390 .Cospos
1400 .perpos
1410 .sin%
1420 .cos%
1430 .bank
1440 .scrpos
1450 .scrpos1
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          100 *FX 12,10

110 *FX 12,10

120 VDU 23;8202;0;0;0;

130 CLS

140 REPEAT

150 FRINTTAB(0,0);7aa;":";7bb;" "

160 FRINTTAB(37,0);INT(?ze*360/256);"
                                                                                                                                                                                                            z,[sb,z,ASL #2]
                                                                                                                                                                    760 LDR
                                                                                                                                                                  760 LDR z,(sb,z,ASL #2)
770 MOV z,z,ASR #3
770 MOV z,z,ASR #3
780 \ rotate around y axis
790 LDR ai,cos%
800 LDR bi,sin%
810 MUL R5,x,ai
vel%+=1
170 WHEN INKEY(-26):IF rotvel%>-30 rot
      180 WHEN INKEY(-101):E%=(E%-4) AND &3F
       190 WHEN INKEY(-86):E%=(E%+4) AND &3FF
                                                                                                                                                                    820 MUL
                                                                                                                                                                                                            R6, z, bi
                                                                                                                                                                                                                                                                                                                             1460 .scrpos2 EQUD 0
      190 WHEN INKEY(-86):E%=(I
200 WHEN INKEY(-58):
210 va%=(va%+4) AND &3FF
220 !sin%=sin!(va%*4)
230 !cos%=cos!(va%*4)
240 WHEN INKEY(-42):
250 va%=(va%-4) AND &3FF
260 !sin%=sin!(va%*4)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            170 CALL start
                                                                                                                                                                    83Ø SUB
                                                                                                                                                                                                            R5, R5, R6
                                                                                                                                                                                                                                                                                                                             1470 1
                                                                                                                                                                                                                                                                                                                           1470 |
1480 NEXT pass%
1490 ENDPROC
1500 :
1510 DEF PROCINIT
1520 DIM sin 2048*4
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            170 CALL start
180 UNTIL INKEY-113
190 *PX 4
200 *PX 229
210 *FX 12
220 END
                                                                                                                                                                   840 MOV
850 MUL
860 MLA
870 MOV
                                                                                                                                                                                                            R5,R5,ASR #10
z,ai,z
z,x,bi,z
x,R5
                                                                                                                                             1530 cos=sin+256*4
      260 isin*sin!(n**4)
270 icos*scos!(va**4)
280 OTHERWISS:
290 CASE INKEY(0) AND &DF OF
380 WHEN ASC*2":A*-=1
310 WHEN ASC*2":A*-=1
310 WHEN ASC*2":B*-=1
310 WHEN ASC*Y":B*+=1
340 WHEN ASC*Y":B*+=1
34
                                                                                                                                                                                                                                                                                                                            1530 cos=sin+256*4
1540 PRINT"Filling sine array...";
1550 POR 1%=0 TO 1023
1560 sin!(1%*4)=6400*SIN(1%*PI/512)
1570 NEXT
1580 POR 1%=0 TO 1023
1590 sin!((1%*1024)*4)=sin!(1%*4)
                                                                                                                                                                                                           R5,perpos
R6,x,#&400
R6,[R5,R6,ASL #2]
R6,#&300
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             240 DEF PROCinit
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             250 points=256
260 mask=(points-1) DIV 256
270 DIM code &800+3*points
280 pt=&70
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              290 a=&71
300 b=&72
                                                                                                                                                                                                                                                                                                                             1600 NEXT
                                                                                                                                                                                                                                                                                                                             1610 DIM per &801*4
1620 PRINT'"Filling perspective array...
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              31Ø d=&73
                                                                                                                                                                                                                                                                                                                            ";
1630 FOR i%=0 TO &800
1640 per!(i%*4)=&600/(1+i%/&400)
1650 NEXT
1660 PRINT'"Assembling code...";
        38Ø ENDCASE
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              360 bittab=&80
        390 ENDIF
       390 ENDIF
400 CALL start
410 UNTIL FALSE
420 END
430 :
440 DEF PROCASSEM
450 DIM code 350
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            360 bittab=&80
370 nottab=&83
380 osbyte=&FFF4
390 PRINT"Assembling code...*
400 FOR pass%=0 TO 2 STEP 2
410 F%=code
420 [OFT pass%
430 .start
440 LDA #19
450 JSR osbyte
466 ISR older
                                                                                                                                                                                                                                                                                                                             1670 PROCassem
1680 *FX 112 1
                                                                                                                                                                1040 LDR
1050 MOV
1060 MLA
1070 MOV
1080 ADD
1090 AND
1100 MOV
                                                                                                                                                                                                           R6,#80
R0,R6,z,R0
R5,y,ASR #5
R0,R0,R5,ASL #2
y,y,#31
R6,#1
R5,[R0]
                                                                                                                                                                                                                                                                                                                             1690 CLS
1700 *FX 112 2
1710 CLS
1720 *FX 113 1
      450 DIM code 350
460 x=0:y=1:z=3
470 ai=12:bi=11:aa=9:cb=8:sb=7
480 sp=13:link=14:pc=15
490 temp=14
500 FOR pass%=0 TO 2 STEP 2
510 P%=code
520 [OFT pass%
530 .start
                                                                                                                                                                                                                                                                                                                             1730 scr%=1
1740 DIM iblock% 16
1750 !iblock%=148:iblock%!4=149:iblock%
                                                                                                                                                                 1110 LDR
                                                                                                                                                                 112Ø ORR
                                                                                                                                                                                                            R5, R5, R6, ASL V
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              460 JSR plot
                                                                                                                                                                 113Ø STR
                                                                                                                                                                                                            R5, [RØ]
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              470 LDA bt
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            470 LDA bt

480 CLC

490 ADC rv

500 STA bt

510 LDX #256-122

520 JSR inkey
                                                                                                                                                                1130 STR
1140 .skip
1150 SUBS
1160 BPL
1170 \ swap
1180 LDR
                                                                                                                                                                                                                                                                                                                             1760 SYS "OS_ReadVduVariables", iblock%,
                                                                                                                                                                                                         temp,temp,#1
loop
screens
                                                                                                                                                                                                                                                                                                                           scrpos1
1770 | iscrpos=|scrpos1
1780 A%=3
        530 .start
540 STMFD (sp)!,(link)
                                             ai, vars
(ai)!, (RØ, R1, R3, R4)
ai, (sb, cb)
        55Ø ADR
                                                                                                                                                                                                            R1, bank
RØ, #112
                                                                                                                                                                                                                                                                                                                             1790 B%=4
1800 C%=TRUE
        560 STMIA
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              530 BNE nofaster
                                                                                                                                                                 119Ø MOV
```

1810 D%=0

182Ø E%=256

570 LDMIA

temp, #&400

1200 SWI

121Ø STE

"OS\_Byte

R1. bank

540 LDA rv 550 BMI faster

```
560 CMP #30
570 BEQ nofaster
580 .faster
590 INC rv
600 JMP start
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       3920 NEXT
3930 FOR i%=0 TO points-1
3940 addr1071%=£5800 MDD 256
3950 addr171%=£5800 DIV 256
3950 bitpos?i%=0
3970 NEXT
3990 FNENT"Building tables..."
3990 FOR i%=0 TO (points*2)-1:REM why 2
                                                                                                                                                                                                         1700 CLC
1710 ADC bb
1720 STA bt
                                                                                                                                                                                                                                                                                                                                                                                                                 279Ø STA z+1
                                                                                                                                                                                                                                                                                                                                                                                                                2800 :
2810 LDA d
                                                                                                                                                                                                          1730 :
1740 LDA ze
                                                                                                                                                                                                                                                                                                                                                                                                              2810 LDA d
2820 SEC
2830 SBC ct
2840 TAX
2850 LDA z
2860 CLC
2870 ADC Binlo, X
       500 JMP start
610 .nofaster
620 LDX #256-26
630 JSR inkey
640 BNE noslower
650 LDA rv
660 BPL slower
670 CMP #256-30
                                                                                                                                                                                                         1740 LDA ze
1750 CLC
1760 ADC a
1770 STA d
1780 :
1790 \ x=sin(a+b+c)+sin(a+b-c)+sin(a-b+
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         4000 v%=&280*SIN(i%*2*PI/points)
                                                                                                                                                                                                                                                                                                                                                                                                              2870 ADC sinlo,X
2880 STA z
2890 LDA z+1
2900 LDA z+1
2910 STA z+1
2910 STA z+1
2930 LDA y+1
2930 LDA y+1
2950 LBR A
2950 RGR y
2960 LBR A
2970 RGR y
2990 RGR y
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        4010 sinlo?1%=v% AND EFF
4010 sinlo?1%=v% AND EFF00) DIV £100
4030 NEXT
4040 ENDPROC
                                                                                                                                                                                                    c)+sin(a-b-c) cos(d-c)-cos(d+c)
1800 \
                                                                                                                                                                                                         1800 \
       680 BEQ noslower
690 .slower
700 DEC rv
710 JMP start
                                                                                                                                                                                                         1810 \
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    Listing 3
                                                                                                                                                                                                         1820 \
1830 \ (but not needed here!)
       710 INP Start
720 Inoslower
730 LDX #256-58
740 JSR inkey
750 BNE noince
760 INC ct
770 INC ct
780 JMP start
790 noince
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                10 REM >SortDemo (Info2a)
20 REM Different types of sorting
30 REM By David Lawrence
40 REM For BBC B/B+PM/C/E/A
50 REM (c) BAU July 1991
                                                                                                                                                                                                          1840
                                                                                                                                                                                                          1850 \ y=cos(a-b)-cos(a+b)
                                                                                                                                                                                                          186Ø \
187Ø \
188Ø :
                                                                                                                                                                                                                                                                                                                                                                                                                 2990 ROR Y
3000 LSR A
                                                                                                                                                                                                          1890 LDA a
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 60 :
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            60 :
70 MODE 4
80 VDU 23,8202;0;0;0;
90 PROCinit
100 REPEAT
110 PROCINFO
     790 .noincc
800 LDX #256-42
810 JSR inkey
820 BNE nodecc
830 DEC ct
840 DEC ct
850 JMP start
860 .nodecc
                                                                                                                                                                                                                                                                                                                                                                                                                3010 DSR A
3010 ROR Y
3020 LDA #128
3030 CLC
3040 ADC Y
3050 STA Y
                                                                                                                                                                                                          1900 SEC
1910 SBC b
                                                                                                                                                                                                         1910 SBC D
1920 TAX
1930 LDA coslo,X
1940 STA y
1950 LDA coshi,X
                                                                                                                                                                                                                                                                                                                                                                                                                 3060 :
3070 LDA z+1
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              120 REPEAT
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              130 get$=GET$
140 n=VALget$
150 sort=ASCget$-64
160 IF n>0 AND n<=sizes size = n : PRO
                                                                                                                                                                                                         1960 STA y+1
1970 LDA a
                                                                                                                                                                                                                                                                                                                                                                                                              3070 LDA z-
3080 LSR A
3090 ROR z
3100 LSR A
3110 ROR z
3120 LSR A
       860 .nodecc
870 LDX #0
                                                                                                                                                                                                  1980 CLC
1990 ADC b
2000 TAX
2010 LDA y
2010 SBC Coslo, X
2040 STA y
2050 LDA y+1
2060 SBC Coshi, X
2070 STA y+1
2080 :
2090 \ z=cos(a+b-c)-cos(a+b+c)+cos(a-b-c)-cos(a-b+c)
2100 \
                                                                                                                                                                                                          1980 CLC
     870 LDX #0
880 LDY #0
890 LDA #129
900 JSR osbyte
910 CPY #0
920 BNE nokey
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   Cinfo
170 UNTIL sort > 0 AND sort <= sorts
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           170 UNTIL SORT > 0 AND SORT <= SORTS
180 PROCSetarray
190 dummy = EVAL("FN"+sorts$(sort)+"(1
"+STR$elems+")")
200 PROCnewdata(sort,size)
210 PROCensure
220 UNTIL FALSE
230 END
                                                                                                                                                                                                                                                                                                                                                                                                                 3130 ROR z
3140 LSR A
                                                                                                                                                                                                                                                                                                                                                                                                                3150 ROR z
3160 LDA #128
3170 SEC
3180 SBC z
       93Ø TXA
     930 TXA
940 AND #£DP
950 CMP #ASC"Z"
960 BNE nodeca
970 DEC aa
980 RTS
                                                                                                                                                                                                                                                                                                                                                                                                                 3190 STA z
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              230 END
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  230 END
240:
250 DEF PROCinit
260 READ sorts, sizes
270 DIM sorts$(sorts)
280 DIM times[sorts, sizes], comps(sorts, sizes), moves[sorts, sizes]
290 DIM array(256), tempa(256), blob(siz
                                                                                                                                                                                                                                                                                                                                                                                                                 3200 :
 980 RTS
990 .nodeca
1000 CMP #ASC"X'
1010 BNE noinca
1020 INC aa
1030 RTS
1040 .noinca
1050 CMP #ASC"C'
                                                                                                                                                                                                                                                                                                                                                                                                              3200 :

3210 LDX pt

3220 LDA addrlo,X

3230 STA temp2

3240 LDA addrhi,X

3250 STA temp2+1

3260 LDA bitpos,X
                                                                                                                                                                                                      2110 \
                                                                                                                                                                                                         2120
                                                                                                                                                                                                                                                                                                                                                                                                              3270 LDA Ditpos,X
3270 TAX
3280 LDA nottab,X
3290 LDY #0
3300 AND (temp2),Y
3310 STA (temp2),Y
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   es)
300 FOR sort = 0 TO sorts
310 READ sorts$(sort)
320 FOR size = 1 TO 4
330 times(sort, size) = -1
                                                                                                                                                                                                        2130 LDA a
2140 CLC
2150 ADC b
  1060 BNE nodech
1070 DEC bb
1080 RTS
                                                                                                                                                                                                         2160 PHA
2170 SEC
2180 SBC ct
 1090 .nodecb
1100 CMP #ASC"V"
1110 BNE noincb
1120 INC bb
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           330 cimes(sort,size) = -1
350 moves(sort,size) = -1
350 moves(sort,size) = -1
360 NEXT
370 NEXT
380 FOR size = 1 TO 4
390 READ blob(size)
                                                                                                                                                                                                                                                                                                                                                                                                                3320 :
                                                                                                                                                                                                         219Ø TAX
                                                                                                                                                                                                                                                                                                                                                                                                                3330 LDA z
                                                                                                                                                                                                      2190 TAX
2200 LDA coslo,X
2210 STA z
2220 LDA coshi,X
2230 STA z+1
2240
2250 PLA
                                                                                                                                                                                                                                                                                                                                                                                                              3340 LDA z
3340 LSR A
3350 LSR A
3360 LSR A
3370 TAX
3380 LDA z
3390 AND #7
1130 RTS
1140 .noincb
1150 CMP #ASC"B"
1160 BNE nodecze
1170 DRC ze
1180 RTS
1190 .nodecze
1200 CMP #ASC"N"
1210 ENE noincze
1220 INC ze
1220 INC ze
1220 RC P# #ASC"N"
1240 .noincze
1250 CMP #16
1260 BNE not0
1270 LDA #0
  113Ø RTS
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              400 NEXT
410 size = 3
                                                                                                                                                                                                         2260 CLC
                                                                                                                                                                                                                                                                                                                                                                                                                 3400 STA temp
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              420 ENDPROC
                                                                                                                                                                                                                                                                                                                                                                                                              3400 STA temp
3410 LDA y
3420 AND #255-7
3430 ORA temp
3440 CLC
3450 ADC scrlo,X
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            440 DATA 6,4
450 DATA none
460 DATA bubble,sift,exchange,quick,me
                                                                                                                                                                                                         227Ø ADC ct
                                                                                                                                                                                                        2280 TAX
2290 LDA z
2300 SEC
2310 SBC COSlo,X
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    rge, heap
470 DATA £80, £C0, £F0, £FF
                                                                                                                                                                                                                                                                                                                                                                                                             3450 ADC SCTLO,X
3460 STA temp
3470 LDA SCTHI,X
3480 ADC #0 \ not y+1!
3590 LDA y
3510 AND #7
3520 TAX
3530 LDA bittab,X
3530 LDA bittab,X
3540 CPA (temp), Y
                                                                                                                                                                                                        2320 STA z
2330 LDA z+1
2340 SBC coshi,X
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            480 :
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           488 :

490 DEF PROCINFO

500 elems = 2"(9 - size)

510 scale = 2"(size - 1)

520 VDU 30

530 PRINT"Sort type";TAB(14);"Comps";T
                                                                                                                                                                                                      2340 SBC cost
2350 STA z+1
2360 :
2370 LDA a
2380 SEC
2390 SBC b
 1270 LDA #0

1280 STA ze

1290 RTS

1300 .not0

1310 CMP #25

1320 BNE not9

1330 LDA #64
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  530 PRINT"Sort type";TAB(14);"Comps";T

AB(23);"Moves";TAB(31);"Cime)"

540 PRINT"——-";TAB(14);"——";T

AB(23);"——";TAB(31);"——";

550 FOR sort = 1 TO sorts

550 FORN;CHRS(64*sort);") ";FNname(sor

t);TAB(12);FNnam(comps(sort,size));TAB(30);FNnam(fines(sort,size));TAB(30);FNnam(fines(sort,size));TAB(30);FNnam(fines(sort,size));TAB(30);FNnam(fines(sort,size));TAB(30);FNnam(fines(sort,size));TAB(30);FNnam(fines(sort,size));TAB(30);FNnam(fines(sort,size));TAB(30);FNnam(fines(sort,size));TAB(30);FNnam(fines(sort,size));TAB(30);FNnam(fines(sort,size));TAB(30);FNnam(fines(sort,size));TAB(30);FNnam(fines(sort,size));TAB(30);FNnam(fines(sort,size));TAB(30);FNnam(fines(sort,size));TAB(30);FNnam(fines(sort,size));TAB(30);FNnam(fines(sort,size));TAB(30);FNnam(fines(sort,size));TAB(30);FNnam(fines(sort,size));TAB(30);FNnam(fines(sort,size));TAB(30);FNnam(fines(sort,size));TAB(30);FNnam(fines(sort,size));TAB(30);FNnam(fines(sort,size));TAB(30);FNnam(fines(sort,size));TAB(30);FNnam(fines(sort,size));TAB(30);FNnam(fines(sort,size));TAB(30);FNnam(fines(sort,size));TAB(30);FNnam(fines(sort,size));TAB(30);FNnam(fines(sort,size));TAB(30);FNnam(fines(sort,size));TAB(30);FNnam(fines(sort,size));TAB(30);FNnam(fines(sort,size));TAB(30);FNnam(fines(sort,size));TAB(30);FNnam(fines(sort,size));TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30);TAB(30
                                                                                                                                                                                                                                                                                                                                                                                                              3530 LDA bittab,X
3540 ORA (temp),Y
3550 STA (temp),Y
3560 LDY pt
3570 LDA temp
3580 STA addrlo,Y
3590 LDA temp+1
3600 STA addrhi,Y
                                                                                                                                                                                                         2400 PHA
                                                                                                                                                                                                         2410 SEC
                                                                                                                                                                                                      2410 SEC
2420 SEC ct
2430 TAX
2440 LDA z
2450 CLC
2460 ADC coslo,X
1340 STA re
1350 RTS
1360 .not9
1370 .nokey
1370 .nokey
1490 BEQ esc
1490 BEQ esc
1410 JMP start
1420 .esc
1430 RTS
1440 : Inkey
1450 .inkey
1450 LDY #4FF
1470 LDA #129
1480 JSR osbyte
1490 CDX #4FF
  1340 STA ze
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    m(times(sort, size))
                                                                                                                                                                                                      2400 ADC COSIO, A
2470 STA z
2480 LDA z+1
2490 ADC coshi, X
2500 STA z+1
2510 :
2520 PLA
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   m(times(sort,size))
570 NET
580 PRINT'"Size: ";size;" Elements: "
;slems;" "''"Select sort (or 1-";sizes;
"):"
590 ENDPROC
                                                                                                                                                                                                                                                                                                                                                                                                              3610 TXA
3620 STA bitpos,Y
3630 .skip
3640 RTS
                                                                                                                                                                                                                                                                                                                                                                                                             3640 RTS
3650 :
3660 .at EQUB 0
3670 .bt EQUB 0
3680 .ct EQUB 240
3690 .ce EQUB 192
3700 .rv EQUB 1
3710 .aa EQUB 3
3720 .bb EQUB 4
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            600
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   600:
610 DEF FNname(n)
620 =CHR$(ASCSorts$(n)-32) + MID$(sort
s5(n),2)
630:
640 DEF FNnum(v)
650 IF v.O THEN =" n/a "
660 =RIGHT$(STRING$(7,"") + STR$v,7)
670:
                                                                                                                                                                                                         253Ø CLC
                                                                                                                                                                                                         2540 ADC ct
                                                                                                                                                                                                      2540 ADC ct
2550 TAX
2560 LDA z
2570 SEC
2580 SEC coslo,X
2590 STA z
2600 LDA z+1
2610 SEC coshi,X
2620 STA z+1
2630 :
 1480 JSR osby
1490 CPX #&FF
1500 RTS
1510 :
1520 .plot
1530 LDA #0
                                                                                                                                                                                                                                                                                                                                                                                                            3720 .bb EQUB 4
3730 ]
3740 scrhi=P%:P%=P%+32
3750 scrhi=P%:P%=P%+23
3750 sddrlo=P%:P%=P%+256
3760 addrlo=P%:P%=P%+256
3760 addrlo=P%:P%=P%+256
3780 bitpos=P%:P%=P%+256
3780 bitpos=P%:P%=P%+27points
3800 coslo=sinlo-points/4
3810 sinli=P%:P%=P%-2*points
3800 coslo=sinli-points/4
3810 NEXT pas%
3810 FOR 1%=0 TO 7
3850 1%*Poittab=2*(7-1%)
3860 1%*Poittab=2*(7-1%)
3860 1%*Poittab=2*5-1%*Pbittab
3870 NEXT
3880 FOR 1%=0 TO 31
3890 a%=25800+320*1%+12
3900 scrlo?1%=a% MOD 256
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          500 = RIGHTS(STRINGS(7,") + 570:
580 DEF PROCNEWdata(n,s)
590 times(n,s) = TIME - Time
700 comps(n,s) = Comps
710 moves(n,s) = Moves
720 RNDPROC
 1540 STA pt
1550 .plotloop
1560 JSR point
1570 INC pt
1580 BNE plotloop
1590 RTS
                                                                                                                                                                                                         2630
                                                                                                                                                                                                        2640 LDA z+1 \ ASR z...
2650 ASL A
2660 ROR z+1
2670 ROR z
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            730 :
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           740 DEF PROCensure
 1600 :
1610 .point
1620 LDA at
1630 STA a
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            750 PRINTTAB(32,29); SPC8; TAB(32,30); SP
                                                                                                                                                                                                         2680 :
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 750 PRINTTAB(32,29);SPC8;TAB(32,30);SI
CG;TAB(18,20);
760 FOR loop = 1 TO elems
770 IF array(loop) <> loop PRINT"Sort
failed("END
780 NEXT
790 PRINT"Data correctly sorted"
                                                                                                                                                                                                         2690 LDA d
                                                                                                                                                                                                         2700 CLC
                                                                                                                                                                                                         2710 ADC ct
                                                                                                                                                                                                        2720 TAX
2730 LDA z
2740 CLC
2750 ADC sinlo,X
  164Ø CLC
  1650 ADC as
 1660 STA at
1670 :
1680 LDA bt
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            800 ENDPROC
                                                                                                                                                                                                                                                                                                                                                                                                                3900 scrlo?i%=a% MOD 256
3910 scrhi?i%=a% DIV 256
                                                                                                                                                                                                         2760 STA z
2770 LDA z+1
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           810 :
820 DEF PROCsetarray
```

830 VDU 23,255	1900 :	2980 DEF PROCcheckchild 2990 IF child < count PROCchecksibling	850 ENDPROC 860 :
840 FOR i = 8 TO 1 STEP -1 850 IF i <= scale VDU blob(size) ELSE	1910 DEF FNquick(from,to) 1920 quick1 = from - 1	3000 IF value < array(child) PROCmovech	870 DEF FNnewnode(v)
VDU Ø	1930 quick2 = to + 1	ild 3010 Moves = Moves + 1	880 mem_ptr!Value = v 890 mem_ptr!Left = NULL
860 NEXT 870 CLS	1940 pivot = array((from + to) / 2) 1950 Moves = Moves + 1	3020 Comps = Comps + 1	900 mem_ptr!Right = NULL
880 PRINTTAB(33,30);"Making"	1960 REPEAT	3030 ENDPROC 3040 :	910 mem_ptr = mem_ptr + node_size 920 = mem_ptr - node_size
890 FOR loop = 1 TO elems 900 array(loop) = loop	1970 REPEAT 1980 Comps = Comps + 1	3050 DEF PROCchecksibling	930 :
910 PROCdota(loop,1)	1990 quick1 = quick1 + 1	3060 IF array(child) < array(child + 1)	940 DEF PROCdrawtree(tree) 950 VDU 5
920 NEXT 930 PRINTTAB(33,30); "Mixing"	2000 UNTIL array(quick1) >= pivot 2010 REPEAT	child = child + 1 3070 Moves = Moves + 2	960 PROCdrawnode (tree, 640, 320, 1023-box
940 FOR loop = 1 TO elems	2020 Comps = Comps + 1	3080 Comps = Comps + 1	size)
950 PROCswap(loop,RND(elems)) 960 NEXT	2030 quick2 = quick2 - 1 2040 UNTIL array(quick2) <= pivot	3090 ENDPROC 3100 :	970 VDU 4 980 ENDPROC
970 PRINTTAB(32,29); FNname(sort)	2050 IF quick1 <= quick2 PROCswap(quick	3110 DEF PROCmovechild	990 :
980 PRINTTAB(32,30); "Sorting"; 990 Comps = 0	1,quick2) 2060 UNTIL quick1 > quick2	3120 PROCdota(child,0) 3130 array(parent) = array(child)	1000 DEF PROCdrawnode(node,x,w,y) 1010 GCOL 0,1
1000 Moves = 0	2070 IF quick1 < to x=FNquick(quick1,to	3140 PROCdota(parent,1)	1020 IF node <> NULL MOVE x-w,y-128 : D
1010 Time = TIME 1020 ENDPROC	2080 IF quick2 > from x=FNquick(from,qu	3150 Moves = Moves + 2 3160 parent = child	RAW x,y : DRAW x+w,y-128 1030 PROCbox(x-boxsize,y-boxsize,x+boxs
1030 :	ick2)	3170 done = FALSE	ize,y+boxsize,0,2)
1040 DEF PROCswap(one, two) 1050 PROCdota(one, 0)	2090 =0 2100 :	318Ø ENDPROC	1040 GCOL 0,3 1050 IF node = NULL MOVE x-boxsize,y-bo
1060 PROCdota(two,0)	2110 DEF FNmerge(from,to)	Listing 4	xsize:DRAW x+boxsize,y+boxsize:MOVE x-bo
1070 temp = array(one) 1080 array(one) = array(two)	2120 LOCAL mid 2130 IF from >= to THEN =0	10 REM >Heaping (Info2b)	xsize,y+boxsize:DRAW x+boxsize,y-boxsize :ENDPROC
1090 array(two) = temp	2140 mid = (from + to) DIV 2	20 REM By David Lawrence	1060 n\$=STR\$(node!Value)
1100 Moves = Moves + 4	2150 x=FNmerge(from,mid) 2160 x=FNmerge(mid+1,to)	30 REM FOR BBC B/B+/M/C/E/A 40 REM (c) BAU July 1991	1070 MOVE x-(LENn\$*32/2),y+boxsize/2-4: PRINTn\$
1110 PROCdota(one,1) 1120 PROCdota(two,1)	2170 PROCmrg(from,mid,mid+1,to)	50 :	1080 PROCdrawnode(node!Left,x-w,w/2,y-1
113Ø ENDPROC	2180 =0	60 MODE 1	1898 PROCAraymode (node   Bight year w/2 v-
1140 : 1150 DEF PROCdota(d,c)	2190 : 2200 DEF PROCmrg(from1,to1,from2,to2)	70 VDU 23;8202;0;0;0; 80 PROCinit	1090 PROCdrawnode(node!Right,x+w,w/2,y- 128)
1160 PROCdot(c,d*4,array(d)*4)	2210 FOR i = from1 TO to1	90 PROCgettree	1100 ENDPROC 1110 :
1170 ENDPROC 1180 :	2220 tempa(i) = array(i) 2230 Moves = Moves + 2	100 PROCmakeheap(root) 110 CLS	1120 DEF PROCbox(x1,y1,x2,y2,b,f)
1190 DEF PROCdott(d,c)	2240 NEXT	120 PROCinform(20, "Converted to heap")	1130 IF b>=0 VDU 24,x1;y1;x2;y2;18,0,b,
1200 PROCdot(c,d*4,tempa(d)*4) 1210 ENDPROC	2250 place = from1 2260 REPEAT	130 PROCdrawtree(root) 140 PROCspace	16,26 1140 GCOL Ø,f
1220 :	2270 Moves = Moves + 2	150 PROCsortheap(root)	1150 MOVE x1,y1:DRAW x1,y2:DRAW x2,y2:D
1230 DEF PROCdot(c,x,y) 1240 GCOL 0,c	228Ø Comps = Comps + 1 229Ø IF tempa(from1) < array(from2) PRO	160 CLS 170 PROCdrawtree(NULL)	RAW x2,y1:DRAW x1,y1 1160 ENDPROC
1250 IF size = 1 PLOT 69,x-4,y-4:ENDPRO	Cusetempa ELSE PROCusearray	180 PROCshowout	1170 :
C 1260 MOVE (x-4)*scale, (y-4)*scale+31:VD	2300 PROCdota(place,1) 2310 Comps = Comps + 1	190 PROCinform(20, "Data sorted") 200 COLOUR 3	1180 DEF FNaddnode(tree,val) 1190 new = FNnewnode(val)
U 5,255,4	2320 Moves = Moves + 1	210 VDU 30	1200 IF tree = NULL THEN =new
127Ø ENDPROC 128Ø :	2330 place = place + 1 2340 UNTIL from1 > to1 OR from2 > to2	220 END 230 :	1210 REPEAT 1220 tree = FNchecktree(tree)
1290 :	2350 IF from1 > to1 ENDPROC	240 DEF PROCinit	1230 UNTIL tree = NULL
1300 REM Sort routines from here	2360 FOR i = from1 TO to1	250 max_nodes = 15 260 nodes = 0	1240 =NULL 1250 :
1310 : 1320 DEF FNbubble(from, to)	237Ø PROCdott(i,Ø) 238Ø array(place) = tempa(i)	270 Value = 0	1260 DEF FNchecktree(tree)
1330 REPEAT	2390 PROCdota(place,1)	280 Left = 4	1270 ld = FNfindleaf(tree!Left,0) 1280 rd = FNfindleaf(tree!Right,0)
1340 sorted = TRUE 1350 FOR bubble = from TO to - 1	2400 place = place + 1 2410 Moves = Moves + 2	290 Right = 8 300 node_size = 12	1290 IF ld = 0 tree!Left = new : =NULL
1360 Moves = Moves + 2	2420 NEXT	310 DIM tree max_nodes * node_size	1300 IF rd = 0 tree!Right = new : =NULL
1370 Comps = Comps + 1 1380 IF array(bubble+1) < array(bubble)	2430 ENDPROC 2440 :	320 NULL = 0 330 mem_ptr = tree	1310 IF ld <= rd THEN =tree!Left 1320 =tree!Right
PROCswap(bubble,bubble+1) : sorted = FA	2450 DEF PROCusetempa	340 root = NULL	1330 :
LSE 1390 NEXT	2460 PROCdott(from1,0) 2470 array(place) = tempa(from1)	350 boxsize = 36 360 out\$ = ""	1340 DEF FNfindleaf(node,level) 1350 IF node = NULL THEN =level
1400 UNTIL sorted	2480 Moves = Moves + 2	37Ø ENDPROC	1360 IF node!Left = NULL OR node!Right
1410 =0 1420 :	2490 from1 = from1 + 1 2500 ENDPROC	380 : 390 DEF PROCgettree	= NULL THEN =level+1 1370 LOCAL left_level,right_level
1430 DEF FNsift(from,to)	2510 :	400 REPEAT	1380 left_level = FNfindleaf(node!Left
1440 REPEAT 1450 sorted = TRUE	2520 DEF PROCusearray 2530 PROCdota(from2,0)	410 PROCdrawtree(root) 420 PRINTTAB(7,30);" "	,level+1) 1390 right_level = FNfindleaf(node!Righ
1460 FOR sift = to TO from + 1 STEP -1	2540 array(place) = array(from2)	430 INPUTTAB(0,30); "Data : "v\$	t,level+1)
1470 Moves = Moves + 1 1480 Comps = Comps + 1	2550 Moves = Moves + 2 2560 from2 = from2 + 1	440 IF v\$ <> "" PROCnewnode(VALv\$) 450 UNTIL v\$ = "" OR nodes = 15	1400 IF left_level <= right_level THEN =left_level
1490 IF array(sift) < array(sift-1) PRO	2570 ENDPROC	460 IF nodes > 0 ENDPROC	1410 =right_level
Csiftin(sift) : sorted = FALSE 1500 NEXT	2580 : 2590 DEF FNheap(x,count)	470 PRINTTAB(0,30);" " 480 FOR i = 1 TO 7+RND(8)	1420 : 1430 DEF PROCmakeheap(tree)
1510 UNTIL sorted	2600 node = (count DIV 2) + 1	490 PROCnewnode (RND (99))	1440 IF tree = NULL ENDPROC
1520 =0 1530 :	2610 REPEAT 2620 IF node = 1 PROCmoveroot ELSE PROC	500 NEXT 510 PROCdrawtree(root)	1450 max = FNhighest(tree) 1460 temp = tree!Value
1540 DEF PROCsiftin(top)	makeheap	520 PROCinform(20, "Created random tree	1470 tree!Value = max!Value
1550 value = array(top) 1560 Moves = Moves + 1	263Ø IF count <> 1 PROCinsert(node, valu e)	") 530 PROCspace	1480 max!Value = temp 1490 PROCmakeheap(tree!Left)
1570 PROCdota(top,0)	2640 UNTIL count = 1	540 ENDPROC	1500 PROCmakeheap(tree!Right)
1580 pos = top 1590 REPEAT	2650 array(1) = value 2660 Moves = Moves + 1	550 : 560 DEF PROCnewnode(v)	1510 ENDPROC 1520 :
1600 found = TRUE	2670 =0	570 new = FNaddnode(root,v)	1530 DEF FNhighest(node)
1610 pos = pos - 1 1620 IF array(pos) > value PROCshuffle	2680 : 2690 DEF PROCmoveroot	580 IF root = NULL root = new 590 nodes = nodes + 1	1540 LOCAL high 1550 high = node
1630 Moves = Moves + 1	2700 PROCdota(count,0)	600 ENDPROC	1560 PROCcheck(Left)
1640 Comps = Comps + 1 1650 UNTIL found OR pos = 0	2710 value = array(count) 2720 PROCdota(1,0)	610 : 620 DEF PROCinform(line,a\$)	1570 PROCcheck(Right) 1580 =high
1660 array(pos+1) = value	2730 array(count) = array(1)	630 COLOUR 2	1590 :
1670 Moves = Moves + 1 1680 PROCdota(pos+1,1)	2740 PROCdota(count,1) 2750 Moves = Moves + 2	640 PRINTTAB(0,line); SPC40; TAB((40-LEN (a\$))/2,line); a\$	1600 DEF PROCcheck(dir) 1610 IF node!dir = NULL ENDPROC
1690 PROCEDER (POS+1,1)	2760 count = count - 1	650 ENDPROC	1620 this = FNhighest(node!dir)
1700 : 1710 DEF PROCshuffle	277Ø ENDPROC 278Ø :	660 : 670 DEF PROCSpace	1630 IF this: Value > high! Value high = this
1720 PROCEduta (pos,0)	2790 DEF PROCmakeheap	68Ø COLOUR 3	164Ø ENDPROC
1730 array(pos+1) = array(pos)	2800 node = node - 1	690 PRINTTAB(8,31); "Press SPACE to con tinue";	1650 : 1660 DEF PROCsortheap(heap)
1740 PROCdota(pos+1,1) 1750 Moves = Moves + 2	2810 PROCdota(node,0) 2820 value = array(node)	700 IFGET	1670 IF heap = NULL ENDPROC
1760 found = FALSE	2830 Moves = Moves + 1	710 PRINTTAB(8,31); STRING\$(23," "); 720 ENDPROC	1680 REPEAT 1690 v\$ = STR\$(heap!Value)
1770 ENDPROC 1780 :	284Ø ENDPROC 285Ø :	730 :	1700 out\$ = v\$ + " " + out\$
1790 DEF FNexchange(from, to)	2860 DEF PROCinsert(parent, value)	740 DEF PROCshowout	1710 PROCinform(20, "Removing root ("+ v\$+")")
1800 FOR slow1 = from TO to 1810 lowest = slow1	2870 REPEAT 2880 done = TRUE	750 COLOUR 3 760 PRINTTAB(0,27);"Out: ";	1720 PROCshowout
1820 FOR slow2 = slow1 TO to	2890 child = parent * 2	77Ø COLOUR 1	1730 UNTIL FNheapdone 1740 ENDPROC
1830 Comps = Comps + 1 1840 Moves = Moves + 2	2900 IF child <= count PROCcheckchild 2910 UNTIL done	780 cur = 1 790 REPEAT	1750 :
1850 IF array(slow2) < array(lowest) lo	2920 array(parent) = value	800 spc = INSTR(out\$,"",cur) 810 PRINTRIGHT\$(""+MID\$(out\$,cur	1760 DEF FNheapdone 1770 IF heap!Left = NULL AND heap!Right
west = slow2 1860 NEXT	2930 PROCdota(parent,1) 2940 Moves = Moves + 1	,spc-cur),4);	= NULL THEN PROCspace:=TRUE
1870 PROCswap(slow1, lowest) 1880 NEXT	2950 Comps = Comps + 1 2960 ENDPROC	820 IF POS > 36 PRINT'TAB(5); 830 cur = spc + 1	1780 rightaddr = FNrightmost(heap) 1790 rightptr = !rightaddr
1890 NEXT	2970 ENDPROC 2970 :	840 UNTIL cur > LEN(out\$)	1800 rightval = rightptr!Value

```
740 BEQ nocheck
750 BCS storecur
760 LDX child
770 LDA loptr%-1,X
780 STA addr1
790 LDA hiptr%-1,X
860 STA addr1+1
810 LDA loptr%,X
820 STA addr2
830 LDA hiptr%,X
■ 1810 !rightaddr = NULL
1820 heap!Value = rightval
1830 PROCinform(22,"Replacing with righ
tmost ("*STR$rightval+")")
1840 PROCspace
                                                                                                                                                                                                                                                                                                                                                                                                                                                          420 MODE 1
430 PROCreset
440 COLOUR 0,0,100,100
450 COLOUR 1,200,200,200
460 COLOUR 2,0,0,100
470 COLOUR 3,200,0,0
                                                                                                                                                                                                                                                                                                               80 number = 10000
                                                                                                                                                                                                                                                                                                              90 DIM memory number*8, pointers numbe
                                                                                                                                                                                                                                                                                                           100 PROCassemble
                                                                                                                                                                                                                                                                                                          110 PROCESSE
110 PROCESSO
120 END
130 :
        1850 CLS
1860 PROCshowout
                                                                                                                                                                                                                                                                                                                                                                                                                                                             480 player%=2:winner%=0
                                                                                                                                                                                                                                                                                                           130 :
140 DEF PROCassemble
        1870 PROCdrawtree(heap)
1880 PROCinform(20, "Converting back to
                                                                                                                                                                                                                                                                                                                                                                                                                                                           490 x%=2:y%=1:pd%=4
500 DIM board%(9,9),ix%(4),iy%(4),entr
                                                                                                                                                                                                                                                                                                         140 DEF PROCassemble
150 n_bit% = 1<<31
160 v_bit% = 1<<25
170 link = 1
180 pc = 15
190 DIM code 100
200 FOR pass = 0 TO 2 STEP 2
210 P% = code
220 IOPT pass
                                                                                                                                                     830 STA addr2+1
830 LDA hiptr*, X
840 STA addr2+1
850 JSR compare
860 BCS nocheck
870 INC child
880 .nocheck
830 LDA curlo
900 STA addr1
910 LDA curli
920 STA addr1+1
930 LDX child
940 LDA loptr*-1, X
950 STA addr2+1
950 LDA hiptr*-1, X
970 STA addr2+1
970 JSR compare
950 BCS storecur
1000 LDY parent
1000 LDY parent
1001 LDA loptr*-1, X
1010 STA loptr*-1, X
1010 STA loptr*-1, X
1010 LDA hiptr*-1, X
1014 STA hiptr*-1, X
1014 STA hiptr*-1, X
1016 STA hiptr*-1, X
1017 STA hiptr*-1, X
1017 STA hiptr*-1, X
1018 STA hiptr*-1, X
1018 STA hiptr*-1, X
                                                                                                                                                                                                                                                                                                                                                                                                                                                    500 DIM board%19,9),ix%(4),iy%(4),entr
ance(3,4)
510 FOR dir=1 TO 4
520 READ ix%(dir),iy%(dir)
530 NEXT dir
540 FOR piece=1 TO 3
550 FOR entrance=1 TO 4
550 READ entrance(piece,entrance)
570 NEXT entrance
580 NEXT piece
590 board%(1,1)=2:board%(8,8)=2
600 FOR x=1 TO 8
610 FOR y=1 TO 8
620 FRCCdraw(FNord(x),FNord(y),board%(x,y))
      heap...")
1890 PROCspace
        1900 PROCmakeheap(heap)
1910 PROCdrawtree(heap)
1920 =FALSE
       1920 = FALSE

1930 :

1940 DEF FNrightmost(tree)

1950 IF tree = NULL THEN =NULL

1960 Id = FNdepth(tree!Left)

1970 rd = FNdepth(tree!Right)

1980 IF Id = 1 AND rd = 0 THEN =tree +
                                                                                                                                                                                                                                                                                                         220 [OPT pass
230 .compare
240 LDR 1
250 LDR 1
260 CMP 1
270 BEQ
                                                                                                                                                                                                                                                                                                                                              e
R2,[R0,#4]
R3,[R1,#4]
R2,R3
checkbottom
R2,R3
        1990 IF 1d = 1 AND rd = 1 THEN =tree +
                                                                                                                                                                                                                                                                                                           28Ø CMP
     Right
2000 IF ld = rd THEN =PNrightmost(tree!
                                                                                                                                                                                                                                                                                                          290 BICCSS pc,link,#(n_bit% OR v bit%
                                                                                                                                                                                                                                                                                                                                                                                                                                                    620 PROCGRAW(FNord(x),FNord(
x,y))
630 NEXT y
640 NEXT x
650 RECTANGLE 96,96,804,804
660 GCOL 0,2
670 RECTANGLE 92,92,812,812
                                                                                                                                                                                                                                                                                                         300 BIC link,link, #v_bit% 310 ORRS pc,link, #n_bit% 320 .checkbottom 330 LDR R2,[R0]
     Right)
        2010 =FNrightmost(tree!Left)
        2020
       2020 :
2030 DEF FNdepth(node)
2040 IF node = NULL THEN =0
2050 LOCAL left_depth,right_depth
2050 left_depth = FNdepth(node!Left) +
                                                                                                                                                                                                                                                                                                                                                                                                                                                           680 FOR piece=1 TO 3
690 px%=FNord(.5+piece*2)
700 py%=-12
710 PROCdraw(px%,py%,piece)
                                                                                                                                                                                                                                                                                                           340 LDR
                                                                                                                                                                                                                                                                                                                                              R3. [R1]
                                                                                                                                                                                                                                                                                                           350 CMP
                                                                                                                                                       1030 LDA hiptr%-1,X
1040 STA hiptr%-1,Y
1050 JMP sortloop2
1060 .storecur
1070 LDX parent
1080 LDA curlo
1090 STA loptr%-1,X
                                                                                                                                                                                                                                                                                                          360 BICCSS pc,link, #(n_bit% OR v_bit%
                                                                                                                                                                                                                                                                                                        370 BIC
380 ORRS
390 ]NEXT
400 ENDPROC
        2070 right_depth = FNdepth(node!Right)
                                                                                                                                                                                                                                                                                                                                          link,link, #v_bit%
pc,link, #n_bit%
                                                                                                                                                                                                                                                                                                                                                                                                                                                            720 GCOL 0,3
730 MOVE px%+42,py%-32
740 VDU 5,48+piece
     + 1
2080 IF left_depth > right_depth THEN =
left_depth
2090 =right_depth
                                                                                                                                                                                                                                                                                                                                                                                                                                                          740 VDU 5,48+piec
750 GCOL 0,1
760 MOVE BY -36,4
770 VDU 5,48+piec
780 NEXT piece
790 ENDPROC
                                                                                                                                                                                                                                                                                                         400 ENDPROC
410 :
420 DEF PROCdemo
430 FOR i = 0 TO number - 1
440 memory!(i*8+4) = RND
450 memory!(i*8) = RND
460 NEXT
                                                                                                                                                        1100 LDA curhi
                                                                                                                                                        1110 STA hiptr%-1,X
                                                                                                                                                     1110 STA hiptr%-1,X
1120 JMP sortloop
1130:
1140: Compare
1150 LDY #0
1160 .compareloop
1170 LDA (addr1),Y
1180 CMP (addr2),Y
1190 BCC compared
1200 BME compared
1210 INY
1220 CPY #maxlen%
1230 BME compared
1240 scompared
    Listing 5
             10 REM >Heap8 (Info2c)
20 REM eight-bit heap sort
30 REM by Dave Acton
40 REM for B/B+/E/M/C
                                                                                                                                                                                                                                                                                                                                                                                                                                                            800
                                                                                                                                                                                                                                                                                                                                                                                                                                                            810 DEF PROCreset
                                                                                                                                                                                                                                                                                                          470 PRINT"Before sorting... (Selection
                                                                                                                                                                                                                                                                                                                                                                                                                                                           820 VDU 26
830 ORIGIN 124,100
840 ENDPROC
                                                                                                                                                                                                                                                                                                       of 10)"
                                                                                                                                                                                                                                                                                                   of 10]"'
480 FOR i = 0 TO 9
480 FOR i = 0 TO 9
490 PRINTPRINUM (i number/10)
500 NEXT
510 time%=TIME
520 SYS "OS_HeapSort", number, pointers
OR %11 << 30), compare, ,memory, 8
530 time%=TIME-time%
530 time%=TIME-time,
530 time%=TIME-time,
530 FRINT'"After sorting... (Selection
of 10]"'
550 FOR i = 0 TO 9
550 PRINTPRINUM (i number/10)
570 NEXT
              50 REM (c) BAU July 1991
              70 MODE Ø
                                                                                                                                                                                                                                                                                                                                                                                                                                                            860 DEF FNord(a)=(a*100) ANDNOT3
          70 MODE 0
80 objects%=100
90 maxlen%=10
100 DIM wk% objects%*maxlen%
110 DIM loptr% objects%,hiptr% objects
                                                                                                                                                                                                                                                                                                                                                                                                                                                           870
                                                                                                                                                                                                                                                                                                                                                                                                                                                          870 :
880 DEF PROCCITAW(rx,ry,piece)
890 VDU 24,rx;ry;rx+96;ry+96;
900 GCOL 0,1
910 RECTANGLE FILL rx,ry,96,96
920 GCOL 0,2
930 RECTANGLE rx,ry,96,96
                                                                                                                                                     1236 BNE compareloop
1240 .compared
1250 RTS
1260 ]
1270 NEXT pass%
1280 PRINT"Bytes used=";P%-code%
1290 PRINT"Building random words;"'
1300 FOR 13*e To Objects%-1
1310 a%=wk%+i%*maxlen%
1320 $A%=PKrandword
1330 FROGISpword(5%,i%=objects%-1)
1340 loptr%1%=a% MOD 256
1350 hiptr%1%=a% DIV 256
1350 NEXT
           120 DIM code% £100
        130 :

140 addr1 =&70

150 addr2 =&72

160 curlo =&74

170 curli =&75

180 node =&76

190 count =&77

200 child =&78
                                                                                                                                                                                                                                                                                                                                                                                                                                                            940 GCOL 0,3
                                                                                                                                                                                                                                                                                                                                                                                                                                                        940 GCOL 0,3

950 FOR iy=0 TO 4 STEP 4

960 FOR iy=0 TO 4 STEP 4

970 CASE piece OF

980 WHEN 1:

990 CIRCLE rx+ix,ry+iy,50

1000 CIRCLE rx+ix+96,ry+iy+96,50
                                                                                                                                                                                                                                                                                                          570 NEXT
580 PRINT'"Time taken: ";time%/100
590 ENDPROC
                                                                                                                                                                                                                                                                                                    610 DEF FNnum(n)
620 FRINT" ";FNhex(memory!(n*8+4));F
Nhex(memory!(n*8));
630 =""
                                                                                                                                                                                                                                                                                                                                                                                                                                                         1010 WHEN 2:
                                                                                                                                                                                                                                                                                                                                                                                                                                                         1020 LINE rx+ix, ry+iy+50, rx+ix+100, ry+i
                                                                                                                                                       1360 NEXT
           230 FOR pass%=0 TO 2 STEP 2
                                                                                                                                                       1370 A%=objects%
                                                                                                                                                                                                                                                                                                         640 :
650 DEF FNhex(dec)
660 =RIGHT$("00000000"+STR$"dec,8)
                                                                                                                                                   1370 A%=objects%
1380 THME=0
1390 CALL sort
1400 t%=THME
1410 PRINT''Sorted in ",t%;" centiseco
nds:"
1420 FOR i%=0 TO objects%-1
                                                                                                                                                                                                                                                                                                                                                                                                                                                         1030 LINE rx+ix+50, ry+iy, rx+ix+50, ry+iy
           250 [OPT pass%
                                                                                                                                                                                                                                                                                                                                                                                                                                                     1040 WHEN 3:
1050 CIRCLE rx+ix+96, ry+iy, 50
1060 CIRCLE rx+ix, ry+iy+96, 51
         250 [OPT pass
260 .sort
270 STA count
280 LSR A
290 STA node
300 INC node
                                                                                                                                                                                                                                                                                                   Listing 7
                                                                                                                                                                                                                                                                                                          10 REM > Squiggle (Info3a)
20 REM Fipe Game
30 REM by Barry Wickett
40 REM for Archimedes only
50 REM (0 BAU July 1991
60 :
                                                                                                                                                                                                                                                                                                                                                                                                                                                        1070 ENDCASE
                                                                                                                                                      1430 a%=loptr%?i%+256*hiptr%?i%
1440 PROCdispword($a%,i%=objects%-1)
                                                                                                                                                                                                                                                                                                                                                                                                                                                        1080 NEXT iy
1090 NEXT ix
1100 PROCreset
1110 ENDPROC
         310 .sortloop
320 LDY node
330 CPY #1
340 BNE nodenot1
350 LDX count
360 LDA loptr%-1,X
                                                                                                                                                      1450 NEXT
1460 END
                                                                                                                                                      1470 :
1480 DEF PROCdispword(w$,last%)
                                                                                                                                                                                                                                                                                                             60 :
70 PROCsetup
                                                                                                                                                                                                                                                                                                                                                                                                                                                       1130 DATA 0,-1,-1,0,0,1,1,0
1140 DATA 4,3,2,1
1150 DATA 1,2,3,4
1160 DATA 2,1,4,3
                                                                                                                                                      1490 PRINT w$;
1500 IF NOT last% PRINT",";
1510 IF POS>78-maxlen% PRINT
                                                                                                                                                                                                                                                                                                        76 PROCEEUR

86 REPEAT

90 player%=3-player%

100 PROCPlay

110 UNTIL winner%>0

120 VDU 4

130 COLOUR 1

140 PRINTTAB(12,30); Player "; winner%"
           370 STA curlo
380 LDA hiptr%-1,X
         380 LDA hiptr%-1,X
390 STA curhi
400 LDA loptr%
410 STA loptr%-1,X
420 LDA hiptr%
430 STA hiptr%-1,X
                                                                                                                                                     1510 IF POS>78-max1e
1520 ENDPROC
1530 :
1540 DEF FNrandword
1550 r$=""
1560 cons%=TRUE
1570 count%=0
                                                                                                                                                                                                                                                                                                                                                                                                                                                    Listing 8
                                                                                                                                                                                                                                                                                                                                                                                                                                                            10 REM >Squig8 (Info3b)
20 REM Original by Barry Wickett
30 REM 8-bit version by Dave Acton
40 REM fo B/8+/E/M/C/A
50 REM (c) BAU July 1991
                                                                                                                                                                                                                                                                                                    ;" won! "
150 END
           440 DEX
         440 DEX
450 STX count
460 CPX #1
470 ENE sort2
480 LDA curlo
490 STA loptr%
                                                                                                                                                                                                                                                                                                         150 and
160 :
170 DEF PROCplay
180 rx%=PNord(x%)
190 ry%=PNord(y%)
                                                                                                                                                       158Ø REPEAT
                                                                                                                                                      1590 IF cons% PROCconsonant ELSE PROCvo
                                                                                                                                                    Med 1F COMB$ PROCCOMBONANT ELSE PROCCOM
wel 1600 UNTIL LEN(r$) = maxlen$-1 OR (LEN(r$)
>3 AND RND(5)=5)
1610 = r$
                                                                                                                                                                                                                                                                                                                                                                                                                                                              60 :
70 ON ERROR MODE 0:REPORT:PRINT" at 1
                                                                                                                                                                                                                                                                                                        200 GCOL 3,3
210 RECTANGIE FILL rx%,ry%,96,96
220 MOVE BY -60,-32
230 YDU 48+player%
240 REPEAT
250 key%=GET-48
260 UNTIL key%>=1 AND key%<=3
270 FROCdraw(FNord(x%),FNord(y%),key%)
280 board%(x%,y%)=key%
280 Bepat
                                                                                                                                                                                                                                                                                                         200 GCOL 3.3
                                                                                                                                                                                                                                                                                                                                                                                                                                                   70 ON ERROR MODE 0:RE
ine ":RELEND
80 MODE 1
90 PROCestup
100 REPEAT
110 player%=3-player%
120 PROCplay
130 UNTIL winner%>0
140 UNI 4
         500 LDA curhi
510 STA hiptr%
520 JMP sort2
                                                                                                                                                       1620
                                                                                                                                                       1630 DEF PROCeonsonant
                                                                                                                                                  1630 DEF PROCECHBORABAT
1640 r$=r$+MID$("BEDFGHJKLMNPQRSTVWXYZ",
NRD[21],1)
1650 count%=count%+1
1660 IF count%=2 OR RND[3]<3 cons%=NOT
cons%:count%=0
1670 ENDPROC
         520 JMP sort2
530 .nodenot1
540 DEY
550 STY node
560 LDA loptr%-1,Y
570 STA curlo
580 LDA hiptr*-1,Y
                                                                                                                                                                                                                                                                                                                                                                                                                                                          140 VDU 4
                                                                                                                                                                                                                                                                                                    280 board*(x*,y*)=key*
290 REPEAT
300 pd%=entrance(board*(x*,y*),pd%)
310 x**=ix*(pd%)
320 y**=iy*(pd%)
330 UNTIL board*(x*,y*)=0 OR x*<1 OR y
$<10 R x*>5 OR y*>8
340 IF (x*=8 AND y*=9) OR (x*=9 AND y*
=9) THEN
                                                                                                                                                                                                                                                                                                                                                                                                                                                           150 COLOUR 3
                                                                                                                                                                                                                                                                                                                                                                                                                                                         150 COLOUR 3
160 PRINTTAB(12,30); Player "; winner%"
"won! "
170 END
180:
190 DEF PROCPLAY
          590 STA curhi
         590 STA curhi
600 .sort2
610 LDA count
620 CMP #1
630 BNE notdonesort
640 RTS
650 .notdonesort
660 STY child
670 .sortloop2
                                                                                                                                                     1690 DEF PROCVOWel
1700 r$=r$+MID$("ABIOU",RND(5),1)
1710 cons%=NOT cons%
1720 ENDPROC
                                                                                                                                                                                                                                                                                                  340 IF (xssc and yss)
=9) THEN
350 winner%=player%
360 ELSE
370 IF x*<1 OR y%<1 OR x*>8 OR y%>8 TH
EN winner%=3-player%
380 EMDIF
390 EMDIF
390 EMDFOC
400:
                                                                                                                                                                                                                                                                                                                                                                                                                                                          200 rx%=FNord(x%)
                                                                                                                                                  Listing 6
                                                                                                                                                                                                                                                                                                                                                                                                                                                          210 ry%=FNord(y%)
220 GCOL 0,2
                                                                                                                                                                                                                                                                                                                                                                                                                                                         220 GCOL 0,2
230 FRCCrectfill(rx%,ry%,96,96)
240 GCOL 0,3
240 GCOL 0,3
250 WDU xx%+36,ry%+64
250 WDU 48+player%
270 REPEAT
280 key%=GET-48
290 UNTIL key%>=1 AND key%<=3
                                                                                                                                                           10 REM >OSHeapDemo (Info2d)
20 REM 32 Bit heap sort
30 REM By David Lawrence
40 REM For Archimedes only
50 REM (c) BAU July 1991
60 :
70 MODE 0
          670 .sortloop2
680 LDA child
         680 EDA CHIId
690 STA parent
700 ASL A
710 STA child
720 BCS storecur
730 CMP count
                                                                                                                                                                                                                                                                                                         400 :
410 DEF PROCSETUP
```

330 RPPAT 330 pd%=entrance(board%(x*,y*),pd%) 340 x*=x**+ix*(pd%) 350 y*=y*=ix*(pd%) 350 y*=y*=ix*(pd%) 360 UNTIL board%(x*,y*)=0 OR x*<1 OR y %=1 OR x*>8 OR y*>8 370 IF (x*=8 AND y*=9) OR (x*=9 AND y* =9) THEN winner*=player*:ENDPROC 380 IF x*<1 OR y*<1 OR x*>8 OR y*>8 TH EN winner*=3-player* 390 ENDPROC 400: 410 DEF PROCeetup 420 VDU 19,0,4,0,0,0 430 VDU 19,0,4,0,0,0 440 VDU 5 450 PROCreset 460 player*=2:winner*=0 470 x*=2:y*=1:pd%=4 480 DIM board%(9,9),ix*(4),iy*(4),entrance(3,4) 490 FOR dir=1 TO 4 500 READ ix*(dir),iy*(dir) 510 NEXT dir 520 FOR piece=1 TO 3 530 FOR entrance=1 TO 4 540 READ entrance(plece,entrance) 550 NEXT piece 570 FOR c%=128 TO 143 580 VDU 23,c%	7)) 880 NEXT Y 980 NEXT X 100 PROCrect(96,96,804,804) 110 GCOL 0,2 120 PROCrect(92,92,812,812) 130 FOR piece=1 TO 3 140 px%=FNord(.5tpiece*2) 150 py%=-12 160 PROCdraw(px%,py%,piece) 170 GCOL 0,2 180 MOVE px%+40,py%-32 190 MOVE px%+40,py%-32 1910 MOVE px%+40,py%-28 1910 MOVE px%+36,py%-28 1910 MOVE px%+36,py%-28 1910 MOVE px%+36,py%-28 1910 MOVE px%+36,py%-28 1910 MEXT piece 1910 PROCreset 1910 PROCRESE 1910 PROC	1090 MOVE x-64+32*j%,y+63-32*i% 1100 VDU 128+j%+4*i% 1110 NEXT 1130 ENDPROC 1140: 1150 DEF PROCtype1 1160 PROCcircle(rx,ry) 1170 PROCcircle(rx,ry) 1180 ENDPROC 1190: 1200 DEF PROCtype2 1210 PROCrectfill(rx,ry+50-4,100,8) 1220 PROCrectfill(rx,ry,8,100) 1230 ENDPROC 1240: 1250 DEF PROCtype3 1260 PROCcircle(rx,ry,8,100) 1270 PROCcircle(rx,ry+96,ry) 1270 PROCcircle(rx,ry+96) 1280 ENDPROC 1290: 1300 DEF PROCrect(x%,y%,w%,h%) 1310 MOVE x%,y% 1320 DRAW X%+w%,y%	1500 DATA 0,0,0,0,0,1,3,3 1510 DATA 0,0,7,63,127,248,224,192 1520 DATA 0,0,240,254,255,15,3,1 1530 DATA 0,0,240,254,255,15,3,1 1530 DATA 0,0,0,0,0,192,224,224 1540 DATA 7,15,14,14,28,28,28,28,28,28 1550 DATA 128,0,0,0,0,0,0,0 1560 DATA 0,0,0,0,0,0,0,0 1570 DATA 240,120,56,56,52,82,82,8,28,28 1580 DATA 28,28,28,14,14,15,7,3 1590 DATA 0,0,0,0,0,0,0,128,192 1600 DATA 0,0,0,0,0,0,0,0 1610 DATA 28,28,28,56,120,240,224 1620 DATA 3,1,0,0,0,0,0 1630 DATA 242,248,127,63,7,0,0,0 1630 DATA 224,248,127,63,7,0,0,0 1630 DATA 3,15,255,254,240,0,0 1650 DATA 224,192,0,0,0,0,0
310 board%(x%,y%)=key% 320 REPEAT 330 pd%=entrance(board%(x%,y%),pd%) 340 x*=x*e*:tx*(pd%) 350 y*=y*e*:ty*(pd%) 350 y*=y*e*:ty*(pd%) 350 UNTIL board%(x%,y%)=0 OR x%<1 OR y \$ 370 IF (x%=8 AND y%=9) OR (x%=9 AND y% 370 IF (x%=8 AND y%=9) OR (x%=9 AND y% 380 IF x*e*:1 OR x*e*:1 OR x%>8 TH EN winner%=3-player%:ENDPROC 380 IF x*e*:1 OR x*e*:0 OR y*e*:0	\$80 NEXT y \$190 NEXT x \$190 FROCrect(96,96,804,804) \$100 GCOL 0,2 \$120 FROCrect(92,92,812,812) \$130 FRO piece=1 TO 3 \$140 pxk=Frord(.5+piece*2) \$150 pyk=-12 \$150 pyk=-12 \$150 pyk=-12 \$150 pyk=-12 \$150 pyk=-12 \$150 pyk=-2 \$	1100 VDU 128+j%+4*i% 1110 NEXT 1120 NEXT 1130 ENDPROC 1140: 1150 DEF PROCtype1 1160 PROCcircle(rx,ry) 1170 PROCcircle(rx,ry) 1170 PROCcircle(rx,96,ry+96) 1180 ENDPROC 1190: 1200 DEF PROCtype2 1210 PROCrectfill(rx,ry+50-4,100,8) 1220 PROCrectfill(rx,50-4,ry,8,100) 1230 ENDPROC 1240: 1250 DEF PROCtype3 1260 PROCcircle(rx,1y+96,ry) 1270 PROCcircle(rx,1y+96) 1280 ENDPROC 1290: 1300 DEF PROCcircle(rx,y,y,w,k,h,k) 1310 MOVE x,y,y,w,k,h,k)	1510 DATA 0,0,7,63,127,248,224,192 1520 DATA 0,0,240,254,255,15,31 1530 DATA 0,0,0,0,0,924,224,224 1540 DATA 7,15,14,14,28,28,28,28 1550 DATA 128,0,0,0,0,0,0,0 1560 DATA 0,0,0,0,0,0,0,0 1560 DATA 240,120,56,56,28,28,28,28 1580 DATA 28,22,28,14,14,15,7,3 1590 DATA 0,0,0,0,0,0,28,192 1600 DATA 0,0,0,0,0,0,0,128,192 1600 DATA 0,0,0,0,0,0,0,0 1610 DATA 28,28,28,56,56,120,240,224 1620 DATA 3,1,0,0,0,0,0,0 1630 DATA 244,248,127,63,7,0,0,0 1630 DATA 244,248,127,63,7,0,0,0 1640 DATA 3,1,0,0,0,0,0 1650 DATA 224,192,0,0,0,0,0 1650 DATA 224,28,165,56,120,240,0,0 1650 DATA 224,192,0,0,0,0,0,0  Listing 9  10 REM >GRABSPF (Info4) 20 REM by Dave Acton
320 REPEAT 330 pds=entrance(board%(x*,y*),pd%) 340 x*=x*+ix*(pd%) 350 y*=y*=iy*(pd%) 350 y*=y*=iy*(pd%) 360 UNTIL board%(x*,y*)=0 OR x*<1 OR y %=1 OR x*>8 OR y*>8 370 IF (x*=8 AND y*=9) OR (x*=9 AND y* =9) THEN winner*=player*:ENDFROC 380 IF x*<1 OR y*<1 OR x*>8 OR y*>8 TH EN winner*=3-player*: 390 ENDFROC 400: 410 DEF PROCeetup 420 VDU 19,0,4,0,0,0 430 VDU 19,0,4,0,0,0 440 VDU 5 450 PROCreset 460 player*=2:winner*=0 470 x*=2:y*=1:pd%=4 480 DIM board%(9,9),ix*(4),iy*(4),entr ance(3,4) 490 FOR dir=1 TO 4 500 READ ix*(dir),iy*(dir) 510 NEXT dir 520 FOR piece=1 TO 3 530 FOR entrance=1 TO 4 540 READ entrance(plece,entrance) 550 NEXT piece 570 FOR c%=128 TO 143 580 VDU 23,c%	\$390 NEXT x (800 PROCrect(96,96,804,804)) (100 GOU 0.2 (120 PROCrect(92,92,812,812)) (30 FOR piccel TO 3 (40 px%=FNord(.5+picce*2)) (50 pr%=-12 (50 PROCdraw(px%,py%,picce)) (70 GOU 0.2 (800 MOVE px%+40,py%-32 (90 VDU 48+picce) (80 MOVE px%+40,py%-28 (30 MOVE px%+36,py%-28 (300 MEXT picce) (300 DEF PROCreset (300 DEF PROCreset (300 DEF PROCreset (300 DEF FNord(a)=(a*100) AND (NOT 3)) (300 DEF PROCreset (300 DE	1110 NEXT 1120 NEXT 1130 ENDPROC 1140: 1150 DEF PROCtype1 1160 PROCcircle(rx,ry) 1170 PROCcircle(rx,e) 1180 ENDPROC 1190: 1200 DEF PROCtype2 1210 PROCrectfill(rx,ry+50-4,100,8) 1220 PROCrectfill(rx,ry+50-4,100,8) 1230 ENDPROC 1240: 1250 DEF PROCtype3 1260 PROCcircle(rx,e) 1270 PROCcircle(rx,ry+96) 1270 PROCcircle(rx,ry+96) 1270 PROCcircle(rx,ry+96) 1280 ENDPROC 1290: 1300 DEF PROCrect(x*,y*,w*,h*) 1310 MOVE x*,y*	1520 DATA 0,0,240,254,255,15,3,1 1530 DATA 0,0,0,0,0192,224,224 1540 DATA 7,15,14,14,28,28,28,28 1550 DATA 128,0,0,0,0,0,0,0 1560 DATA 0,0,0,0,0,0,0,0 1570 DATA 240,120,56,56,28,28,28,28,28 1580 DATA 240,120,56,56,28,28,28,28,28 1580 DATA 0,0,0,0,0,0,0,128,192 1600 DATA 0,0,0,0,0,0,0,0 1610 DATA 28,28,28,56,56,120,240,224 1620 DATA 3,1,0,0,0,0,0,0 1630 DATA 24,248,127,63,7,0,0,0 1640 DATA 31,5,255,254,240,0,0,0 1550 DATA 224,248,127,63,7,0,0,0
340 X=x*+ix*(pd*) 350 UNTIL board*(x*,y*)=0 OR x*<1 OR y 350 UNTIL board*(x*,y*)=0 OR x*<1 OR y 350 UNTIL board*(x*,y*)=0 OR x*<1 OR y 370 IF (x*=8 AND y*=9) OR (x*=9 AND y* =9) THEN winner*=player*:ENDFROC 380 IF x*<1 OR y*<1 OR x*>8 OR y*>8 TH EN winner*=3-player* 390 ENDFROC 400 : 410 DEF PROCSetup 420 VDU 19,0,4,0,0,0 430 VDU 19,0,4,0,0,0 440 VDU 5 550 PROCRest 460 player*=2:winner*=0 470 x*=2:y*=1:pd*=4 480 DIM board*(9,9),ix*(4),iy*(4),entr ance(3,4) 490 FOR dir=1 TO 4 500 RRAD ix*(dir),iy*(dir) 510 NEXT dir 520 FOR piece=1 TO 3 530 FOR entrance=1 TO 4 540 RRAD entrance(piece,entrance) 550 NEXT entrance 550 NEXT entrance 550 NEXT entrance 550 NEXT piece 570 FOR c%=128 TO 143 580 VDU 23,c*	110 GCOL 0, 2   120 PROCrect (92,92,812,812)   120 PROCrect (92,92,812,812)   120 PROCrect (92,92,812,812)   140 pxi=FNord(.5:piece*2)   150 pyi=-12   150	1130 ENDPROC 1140: 1150 DEF PROCtype1 1160 PROCcircle(rx,ry) 1170 PROCcircle(rx,ry) 1180 ENDPROC 1190: 1200 DEF PROCtype2 1210 PROCrectfill(rx,ry+50-4,100,8) 1220 PROCrectfill(rx,ry+50-4,100,8) 1230 ENDPROC 1240: 1250 DEF PROCtype3 1260 PROCcircle(rx,ry+96,ry) 1270 PROCcircle(rx,ry+96) 1280 ENDPROC 1290: 1300 DEF PROCcircle(rx,ry+96) 1280 ENDPROC 1290: 1300 DEF PROCrect(x*,y**,w**,h**) 1310 MOVE x**,y**	1540 DATA 7,15,14,14,28,28,28,28 1550 DATA 128,0,0,0,0,0,0 1570 DATA 240,0,0,0,0,0 1570 DATA 240,120,55,55,28,28,28,28,28 1580 DATA 26,28,28,14,14,15,7,3 1590 DATA 0,0,0,0,0,0,0,1 1610 DATA 3,10,0,0,0,0,0,0 1630 DATA 24,24,28,55,55,120,240,224 1620 DATA 3,1,0,0,0,0,0,0 1630 DATA 224,248,127,63,7,0,0,0 1640 DATA 3,15,255,254,240,0,0,0 1650 DATA 224,192,0,0,0,0,0  Listing 9  10 REM >GrabSpr (Info4) 20 REM by Dave Acton
350 UNTIL board%(x%,y%)=0 OR x%<1 OR y 370 IF (x%=8 AND y%=9) OR (x%=9 AND y% =9) THEN winner%=player%:ENDPROC 380 IF x%=0 AND y%=9 OR x%=8 OR y%>8 TH EN winner%=3-player% 390 ENDPROC 400: 410 DEF PROCSetup 420 VDU 19,0,4,0,0,0 430 VDU 19,0,4,0,0,0 430 VDU 19,0,4,0,0,0 440 VDU 5 450 PROCSet 460 player%=2:winner%=0 470 x%=2:y%=1:pd%=4 480 DIM board%(9,9),ix%(4),iy%(4),entr ance(3,4) 490 FOR dir=1 TO 4 500 READ ix%(dir),iy%(dir) 510 NEXT dir 520 FOR plece=1 TO 3 530 FOR entrance=1 TO 4 540 READ entrance(plece,entrance) 550 NEXT entrance 550 NEXT entrance 550 NEXT entrance 550 NEXT plece 570 FOR c%=128 TO 143 580 VDU 23,c%	330 FOR piece=1 TO 3	1150 DEF PROCType1 1160 PROCGITCLE(rx,ry) 1170 PROCGITCLE(rx,ry) 1180 ENDPROC 1190: 1200 DEF PROCType2 1210 PROCTECTILL(rx,ry+50-4,100,8) 1220 PROCTECTILL(rx,ry+50-4,100,8) 1230 ENDPROC 1240: 1250 DEF PROCType3 1260 PROCGITCLE(rx,ry+96,ry) 1270 PROCGITCLE(rx,ry+96) 1280 ENDPROC 1290: 1300 DEF PROCTECT(x*,y*,w*,h*) 1310 MOVE x*,y*	1560 DATA 0,0,0,0,0,0,0 1570 DATA 240,120,56,56,28,28,28,28 1580 DATA 28,22,26,14,14,15,7,3 1590 DATA 0,0,0,0,0,0,0,128,192 1600 DATA 0,0,0,0,0,0,0,0,1 1610 DATA 0,0,0,0,0,0,0,0 1630 DATA 3,1,0,0,0,0,0 1630 DATA 24,248,127,63,7,0,0,0 1640 DATA 3,1,0,0,0,0,0 1650 DATA 24,192,0,0,0,0 1650 DATA 24,288,156,56,120,240,0,0 1650 DATA 24,192,0,0,0,0,0  Listing 9  10 REM >GrabSpr (Info4) 20 REM by Dave Acton
%cl OR x%s 8 OR y%s 8 370 IF (x%=8 AND y%=9) OR (x%=9 AND y% 370 IF (x%=8 AND y%=9) OR (x%=9 AND y% 370 IF (x%=1 OR y%=1 OR x%=8 OR y%=8 TH 8 Winner%=3-player% 390 ENDPROC 400: 410 DBF PROCeetup 420 VDU 19,0,4,0,0,0 430 VDU 19,0,4,0,0,0 440 VDU 5 450 PROCreset 460 player%=2:winner%=0 470 x%=2:y%=1:pd%=4 480 DIM board%(9,9),ix%(4),iy%(4),entr ance(3,4) 490 FOR dir=1 TO 4 500 READ ix%(dir),iy%(dir) 510 NEXT dir 520 FOR piece=1 TO 3 530 FOR entrance=1 TO 4 540 READ entrance(plece,entrance) 550 NEXT entrance 550 NEXT piece 570 FOR c%=128 TO 143 580 VDU 23,c%	140 px%=FNord(.5+piece*2) 150 py%=-12 150 py%12 150	1160 PROCcircle(rx,ry) 1170 PROCcircle(rx+96,ry+96) 1180 ENDPROC 1190 : 1200 DEF PROCtype2 1210 PROCrectfill(rx,ry+50-4,100,8) 1220 PROCrectfill(rx+50-4,ry,8,100) 1230 ENDPROC 1240 : 1250 DEF PROCtype3 1260 PROCcircle(rx+96,ry) 1270 PROCcircle(rx,ry+96) 1280 ENDPROC 1290 : 1300 DEF PROCrect(x*,y*,w*,h*) 1310 MOVE x*,y*	1570 DATA 240,120,56,56,28,28,28,28 1580 DATA 28,28,28,14,14,15,7,3 1590 DATA 0,0,0,0,0,128,192 1600 DATA 0,0,0,0,0,0,1 1610 DATA 32,28,28,56,55,120,240,224 1620 DATA 3,1,0,0,0,0,0,0 1630 DATA 24,248,127,63,7,0,0,0 1630 DATA 24,248,127,63,7,0,0,0 1650 DATA 224,192,0,0,0,0,0 1650 DATA 24,192,0,0,0,0,0
9) THEN winner%-player%:ENDFRCC 380 IF xk-1 OR yk-1 OR xk-8 OR yk-8 TH EN winnerk=3-player% 390 ENDPRCC 400 : 410 DEF PROCSetup 420 VDU 19,0,4,0,0,0 430 VDU 19,2,0,0,0,0 440 VDU 5 450 PROCreset 460 player%=2:winner%=0 470 xk=2:yk=1:pd%=4 480 DIM board%(9,9),ixk(4),iyk(4),entr ance(3,4) 490 FOR dir=1 TO 4 500 READ ixk(dir),iyk(dir) 510 NEXT dir 520 FOR piece=1 TO 3 530 FOR entrance=1 TO 4 540 READ entrance(piece,entrance) 550 NEXT entrance 550 NEXT entrance 550 NEXT entrance 570 FOR c%=128 TO 143 580 VDU 23,c%	150 PROCdraw(px%,py%,piece) 170 GCOL 0,2 170 GCOL 0,3 170	1180 ENDPROC 1190: 1200 DEF PROCtype2 1210 PROCrectfill(rx,ry+50-4,100,8) 1220 PROCrectfill(rx+50-4,ry,8,100) 1230 ENDPROC 1240: 1250 DEF PROCtype3 1260 PROCcircle(rx+96,ry) 1270 PROCcircle(rx,ry+96) 1280 ENDPROC 1290: 1300 DEF PROCrect(x*,y**,w**,h**) 1310 MOVE x**,y**	1590 DATA 0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,
380 IF xk-1 OR yk-1 OR xk-8 OR yk-8 TH  EN winnerk=3-playerk 390 ERDPROC 400: 400: 410 DEF PROCSETUP 420 VDU 19,0,4,0,0,0 430 VDU 19,2,0,0,0,0 440 VDU 5 450 PROCSEST 460 playerk=2:winnerk=0 470 xk-2:yk=1:pdx-4 480 DIM boardk(9,9),ixk(4),iyk(4),entr ance(3,4) 490 FOR dir=1 TO 4 500 READ ixk(dir),iyk(dir) 510 NEXT dir 520 FOR piece=1 TO 3 530 FOR entrance(1 TO 4 540 READ entrance(plece,entrance) 550 NEXT entrance 550 NEXT plece 570 FOR ch=128 TO 143 580 VDU 23,ck	770 GCOL 0,2  190 VDU 48+plece 180 MOVE pxk+40,pyk-32 190 VDU 48+plece 1810 MOVE pxk+36,pyk-28 1810 MOVE pxk-36,pyk-28 1810 MOVE pxk-36,pyk-36 1810 MOVE pxk-36 1810 MOVE pxk	1190 : 1200 DEF PROCType2 1210 PROCrectfill(rx,ry+50-4,100,8) 1220 PROCrectfill(rx+50-4,ry,8,100) 1230 ENDPROC 1240 : 1250 DEF PROCType3 1260 PROCcircle(rx+96,ry) 1270 PROCcircle(rx,ry+96) 1280 ENDPROC 1290 : 1300 DEF PROCrect(x*,y*,w*,h*) 1310 MOVE x*,y*	1600 DATA 0,0,0,0,0,0,0,1 1610 DATA 28,28,28,56,56,120,240,224 1620 DATA 3,1,0,0,0,0,0,0 1630 DATA 224,248,127,63,7,0,0,0 1640 DATA 3,15,255,254,240,0,0,0 1650 DATA 224,192,0,0,0,0,0,0  Listing 9  10 REM >GrabSpr (Info4) 20 REM by Dave Acton
390 ENDPROC 400: 410 DEF PROCSetup 420 VDU 19,0,4,0,0,0 430 VDU 19,0,4,0,0,0 440 VDU 5 450 PROCSest 460 player%=2:winner%=0 470 x%=2:y%=1:pd%=4 480 DIM board%(9,9),ix%(4),iy%(4),entr ance(3,4) 490 FOR dir=1 TO 4 500 READ ix%(dir),iy%(dir) 510 NEXT dir 520 FOR piece=1 TO 3 530 FOR entrance=1 TO 4 540 READ entrance(plece,entrance) 550 NEXT entrance 550 NEXT entrance 550 NEXT entrance 550 NEXT piece 570 FOR c%=128 TO 143 580 VDU 23,c%	190 VDU 48-piece 300 GCUL 0,3 310 MOVE px%+36,py%-28 320 VDU 48-piece 330 NEXT piece 340 ENDPROC 350 DEF PROCreset 370 VDU 26,29,124;100; 3800 ENDPROC 390 : 390 DEF FNord(a)=(a*100) AND (NOT 3) 310 2	1210 PROCrectfill(rx,ry+50-4,100,8) 1220 PROCrectfill(rx+50-4,ry,8,100) 1230 ENDPROC 1240: 1250 DEF PROCtype3 1260 PROCcircle(rx+96,ry) 1270 PROCcircle(rx,ry+96) 1280 ENDPROC 1290: 1300 DEF PROCrect(x*,y*,w*,h*) 1310 MOVE x*,y*	1620 DATA 3,1,0,0,0,0,0,0 1630 DATA 224,248,127,63,7,0,0,0 1640 DATA 3,15,255,254,240,0,0,0 1650 DATA 224,192,0,0,0,0,0,0 Listing 9 10 REM >GrabSpr (Info4) 20 REM by Dave Acton
400: 410 DEF PROCSETUP 420 VDU 19,0,4,0,0,0 430 VDU 19,0,4,0,0,0 430 VDU 19,2,0,0,0,0 440 VDU 5 450 PROCTESET 460 player%=2:winner%=0 470 x%=2:y%=1:pd%=4 480 DIM board%(9,9),ix%(4),iy%(4),entr ance(3,4) 490 FOR dir=1 TO 4 500 READ ix%(dir),iy%(dir) 510 NEXT dir 520 FOR piece=1 TO 3 530 FOR entrance=1 TO 4 540 READ entrance(piece,entrance) 550 NEXT entrance 550 NEXT entrance 550 NEXT piece 570 FOR c%=128 TO 143 580 VDU 23,c%	300 GCOL 0,3 3100 MOVE px%+36,py%-28 320 VDU 48+piece 3300 NBXT piece 4400 ENDPROC 550: 670 VDU 26,29,124;100; 880 ENDPROC 890 ENDPROC 9900 ENDPROC 9900 EF FNOrd(a)=(a*100) AND (NOT 3) 910: 9200 DEF PROCdraw(rx,ry,piece) 9300 DEF PROCdraw(rx,ry,piece) 9300 GCOL 0,129	1220 PROCrectfill(rx+50-4,ry,8,100) 1230 ENDPROC 1240: 1250 DEF PROCtype3 1260 PROCcircle(rx+96,ry) 1270 PROCcircle(rx,ry+96) 1280 ENDPROC 1290: 1300 DEF PROCrect(x*,y*,w*,h*) 1310 MOVE x*,y*	1630 DATA 224,248,127,63,7,0,8,0 1640 DATA 3,15,255,254,240,0,0,0 1650 DATA 224,192,0,0,0,0,0,0  Listing 9  10 REM >GrabSpr (Info4) 20 REM by Dave Acton
420 VDU 19,0,4,0,0,0  430 VDU 19,2,0,0,0,0  440 VDU 5  450 PROCreset  460 playex=2:winner%=0  470 x%=2:y%=1:pd%=4  480 DIM board%(9,9),ix%(4),iy%(4),entr  ance(3,4)  490 FOR dir=1 TO 4  500 READ ix%(dir),iy%(dir)  510 NEXT dir  520 FOR piece=1 TO 3  530 FOR entrance=1 TO 4  540 READ entrance(plece,entrance)  550 NEXT entrance  560 NEXT plece  570 FOR c%=128 TO 143  580 VDU 23,c%	220 VDU 48+piece 330 NEXT piece 340 ENDPROC 550 : 550 : 570 VDU 26,29,124;100; 880 ENDPROC 990 : 990 BF FNord(a)=(a*100) AND (NOT 3) 910 : 920 DEF PROCdraw(rx,ry,piece) 930 VDU 24,rx;ry;rx+96;ry+96; 940 GCOL 0,129	1240 : 1250 DEF PROCType3 1260 PROCCircle(rx+96,ry) 1270 PROCCircle(rx,ry+96) 1280 ENDROC 1290 : 1300 DEF PROCrect(x%,y%,w%,h%) 1310 MOVE x%,y%	1650 DATA 224,192,0,0,0,0,0,0  Listing 9  10 REM >GrabSpr (Info4) 20 REM by Dave Acton
430 VDU 19,2,0,0,0,0  440 VDU 19,2,0,0,0,0  450 PROCreset  460 player%=2:winner%=0  470 x%=2;%=1:pd%=4  480 DIM board%(9,9),ix%(4),iy%(4),entr  ance(3,4)  490 FOR dir=1 TO 4  500 READ ix%(dir),iy%(dir)  510 NEXT dir  520 FOR piece=1 TO 3  530 FOR entrance=1 TO 4  540 READ entrance [Diece, entrance)  550 NEXT entrance  560 NEXT piece  570 FOR c%=128 TO 143  580 VDU 23,c%	330 NEXT piece 340 ENDPROC 550 : 550 : 570 VDU 26,29,124;100; 880 ENDPROC 980 ENDPROC 990 DEF FNOrd(a)=(a*100) AND (NOT 3) 910 : 920 DEF PROCdraw(rx,ry,piece) 930 VDU 24,rx;ry;rx+96;ry+96; 940 GCCL 0,129	1250 DEF PROCtype3 1260 PROCcircle(rx+96,ry) 1270 PROCcircle(rx,ry+96) 1280 ENDPROC 1290 : 1300 DEF PROCrect(x%,y%,w%,h%) 1310 MOVE x%,y%	Listing 9  18 REM >GrabSpr (Info4) 28 REM by Dave Acton
450 PROCreset 8 460 player%=2:winner%=0 470 x%=2:y%=1:pd%=4 480 DIM board%(9,9),ix%(4),iy%(4),entr ance(3,4) 490 FOR dir=1 TO 4 500 READ ix%(dir),iy%(dir) 510 NEXT dir 520 FOR piece=1 TO 3 530 FOR entrance=1 TO 4 540 READ entrance(piece,entrance) 550 NEXT entrance 550 NEXT entrance 550 NEXT entrance 550 NEXT piece 570 FOR c%=128 TO 143 580 VDU 23,c%	550 : PROCreset 570 VDU 26,29,124;100; 880 ENDROC 990 DEF FNOrd(a)=(a*100) AND (NOT 3) 910 : 920 DEF PROCdraw(rx,ry,piece) 930 DEF VDU 24,rx;ry;rx+96;ry+96; 940 GCOL 0,129	1270 PROCCIPCIe(rx,ry+96) 1280 ENDROC 1290: 1300 DEF PROCPEC(x%,y%,w%,h%) 1310 MOVE x%,y%	10 REM >GrabSpr (Info4) 20 REM by Dave Acton
460 player%=2:winner%=0 470 x%=2:y%=1:pd%=4 480 DIM board%(9,9),ix%(4),iy%(4),entr ance(3,4) 490 FOR dir=1 TO 4 500 RRAD ix%(dir),iy%(dir) 510 NEXT dir 520 FOR piece=1 TO 3 530 FOR entrance=1 TO 4 540 RRAD entrance=1 TO 4 540 RRAD entrance=1 TO 4 550 NEXT entrance= 550 NEXT entrance= 550 NEXT piece= 570 FOR c%=128 TO 143 580 VDU 23,c%	560 DEP PROCRESET 370 VDU 26,29,124;100; 3800 ENDROC 390 : 390 DEF FNord(a) = (a*100) AND (NOT 3) 310 : 320 DEF PROCREW(IX, IY, piece) 330 VDU 24, IX, IY, IX, IY, Piece) 340 GCOL 0,129	1280 ENDPROC 1290 : 1300 DEF PROCrect(x%,y%,w%,h%) 1310 MOVE x%,y%	20 REM by Dave Acton
480 DIM board%(9,9),ix%(4),iy%(4),entr ance(3,4) 490 FOR dir=1 TO 4 500 READ ix%(dir),iy%(dir) 510 NEXT dir 520 FOR piece=1 TO 3 530 FOR entrance=1 TO 4 540 READ entrance(piece,entrance) 550 NEXT entrance 550 NEXT piece 570 FOR C%=128 TO 143 580 VDU 23,c%	880 ENDPROC 990 DEF FNord(a) = (a*100) AND (NOT 3) 910 : 920 DEF FROCdraw(rx,ry,piece) 930 VDU 24,rx;ry;rx+96;ry+96; 940 GCOL 0,129	1300 DEF PROCrect(x%,y%,w%,h%) 1310 MOVE x%,y%	
ance(3,4) 490 FOR dir=1 TO 4 500 READ in%(dir),iy%(dir) 510 NEXT dir 520 FOR piece=1 TO 3 530 FOR entrance=1 TO 4 540 READ entrance(piece,entrance) 550 NEXT entrance 550 NEXT piece 570 FOR c%=128 TO 143 580 VDU 23,c%	900 DEF FNOrd(a)=(a*100) AND (NOT 3) 910 : 920 DEF PROCdraw(rx,ry,piece) 930 VDU 24,rx;ry;rx+96;ry+96; 940 GCOL 0,129		30 REM for Archimedes only
500 READ ix%(dir),iy%(dir)   510 NEXT dir   520 FOR piece=1 TO 3   530 FOR entrance=1 TO 4   540 READ entrance(piece,entrance)   550 NEXT entrance   550 NEXT piece   570 FOR c%=128 TO 143   580 VDU 23,c%   550 NEXT   5	910 : 220 DEF PROCCdraw(rx,ry,piece) 330 VDU 24,rx;ry;rx+96;ry+96; 940 GCOL 0,129	1320 DRAW X5+W5, Y5	40 REM (c) BAU July 1991 50 :
510 NEXT dir 520 FOR piece=1 TO 3 530 FOR entrance=1 TO 4 540 READ entrance(piece,entrance) 550 NEXT entrance 550 NEXT piece 570 FOR c%=128 TO 143 580 VDU 2%=128 TO 143	930 VDU 24,rx;ry;rx+96;ry+96; 940 GCOL 0,129	1330 DRAW x%+w%, y%+h%	60 SYS "Wimp_BaseOfSprites" TO base1%
530 FOR entrance: TO 4 540 READ entrance(piece,entrance) 550 NEXT entrance 560 NEXT piece 570 FOR c%=128 TO 143 580 VDU 23,c%	940 GCOL 0,129	1340 DRAW x%, y%+h%	,base2% 70 PROCsave("ROM",base1%)
550 NEXT entrance 560 NEXT piece 570 FOR c%=128 TO 143 580 VDU 23,c%	950 CLC	1350 DRAW x%,y% 1360 ENDPROC	80 PROCsave("RAM", base2%)
560 NEXT piece 570 FOR c%=128 TO 143 580 VDU 23,c%		1370 :	90 END 100 :
570 FOR c%=128 TO 143 580 VDU 23,c%	960 GCOL 0,2 970 PROCrect(rx,ry,96,96)	1380 DEF PROCrectfill(x%,y%,w%,h%) 1390 MOVE x%,y%	110 DEF PROCsave(which\$, base%)
	980 GCOL 0,3	1400 MOVE x%+w%,y%	120 REPEAT 130 PRINT"Save "which\$" sprites as: "
590 FOR d%=0 TO 7	990 IF piece=1 PROCtype1 000 IF piece=2 PROCtype2	1410 PLOT 85,x%,y%+h% 1420 PLOT 85,x%+w%,y%+h%	
600 READ b% 10	010 IF piece=3 PROCtype3	1430 ENDPROC	140 INPUT""file\$ 150 SYS "XOS_SpriteOp",256+12,base%,f
	020 PROCreset 030 ENDPROC	1440 : 1450 DATA 0,-1,-1,0,0,1,1,0	ile\$ TO ;ok%
630 NEXT 16	040 :	1460 DATA 4,3,2,1	160 UNTIL (ok% AND 1)=0 170 ENDPROC
650 FOR x=1 TO 8	050 DEF PROCeircle(x,y) 060 LOCAL 1%,j%	1470 DATA 1,2,3,4 1480 DATA 2,1,4,3	1.0 Billerio
660 FOR y=1 TO 8	070 FOR 1%=0 TO 3 080 FOR 5%=0 TO 3	1490 :	GameCore
Disting 1	610 REPEAT 620 CASE status%(gameno%) OF	ameover") 1136 UNTIL winner%(gameno%)<>-2	1720 laflg =1<<5 1730 inlaflg=1<<6
	630 WHEN stat_prethink%: 640 tt%=TIME	1140 IF winner%(gameno%)=-1 THEN 1150 games(gameno%,0)+=.5	1740 nullflg=1<<7 1750 :
20 REM GameCore Demo	650 info%(gameno%)?60=player%(gameno%)	1160 games(gameno%,1)+=0.5	1760 who=0
	660 SYS "GameCore_Stale",player%(gamen ),,inst1% TO z%	1170 ELSE 1180 games(gameno%, winner%(gameno%))+=1	1770 level=1 1780 bestptr=2
50 REM (c) BAU July 1991	670 IF z% THEN	1190 ENDIF	1790 val=3
	680 stale%(gameno%)+=1 690 status%(gameno%)=stat_postmove%	1200 : 1210 starts%(gameno%)=1-starts%(gameno%	1800 delta=4 1810 base2=5
80 OFF	700 ELSE		1820 temp=6
	710 stale%(gameno%)=0 720 CASE control(gameno%,player%(gamen	1220 game%+=1 1230 PROCc(" Game Over ",6)	183Ø temp2=7 184Ø beta=8:nval=8
110 NEXT 0%	)) OF	1240 FOR p%=0 TO 1	1850 maxsofar=9:minsofar=9:temp3=9
	730 WHEN Ø:PROCinitcomputermove(gameno player%(gameno%))	1250 PROCc("Player "+STR\$(p%+1)+", Game s="+STR\$(games(gameno%,p%)),24+p%)	1860 base=10 1870 alpha=11:temp4=11
140 *RMLOAD <gamecore\$dir>.GameCore</gamecore\$dir>	740 WHEN 1:PROCinitplayermove(gameno%,	1260 NEXT 1270 PROCC("Click mouse to continue"	1880 wkpt=12:brd=12
	ayer%(gameno%)) 750 ENDCASE	,12)	1890 sp=13 1900 link=14
170 gameno%=0	760 status%(gameno%)=stat_think%	1280 REPEAT:MOUSE x,y,b:UNTIL b=0 1290 REPEAT:MOUSE x,y,b:UNTIL b<>0	1910 pc=15
	770 z%=FNfunc(gameno%, "listmoves") 780 ENDIF	1300 UNTIL FALSE	1920 : 1930 vbit=1<<28
0%))	790 IF control(gameno%,player%(gameno%	1310 END	1940 cbit=1<<29
	=0 PROCc("Thinking",6) ELSE PROCc( our move",6)	1320 : 1330 DEF PROCe(t\$,y%)	1950 ENDPROC 1960 :
220 best%(gameno%)=FNgetablock(info%(g	800 WHEN stat_think%:	1340 PRINTTAB(60-LEN(t\$)/2,y%)t\$	1970 DEF PROCinitcomputermove(gameno%,w
	810 CASE control(gameno%,player%(gamen	1350 ENDPROC 1360 :	ho%) 1980 gotvalidmove%=PALSE
240 ss%=&100+info%(gameno%)!32*info%(g	820 WHEN 0:	1370 DEF PROCmaininit	1990 flgs%=0
	830 done%=FNgetcomputermove(gameno%,pl er%(gameno%))	1380 MOUSE x%,y%,wasbut% 1390 think\$="> "	2000 IF turn%(gameno%)<5 flgs%=flgs% OR rndflg
260 !s%(gameno%)=ss%	840 z%=FNpassonclicks(gameno%,who%, "id	1400 maxgames%=8	2010 level%=info%(gameno%)?52
270 s%(gameno%)!4=0 le 280 s%(gameno%)!8=16	") 850 WHEN 1:	1410 DIM pres% &300 1420 DIM scale% 16	2020 level2%=info%(gameno%)?53 2030 finished%=0
290 s%(gameno%)!12=16	860 done%=FNpassonclicks(gameno%,playe	1430 scale%!0=256*0.5	2040 prethink%(gameno%)=TRUE
	(gameno%), "getmove") 87Ø ENDCASE	1440 scale%!4=256*0.5 1450 scale%!8=256	2050 cutofftime%=TIME+timepermove(gamen o%, who%) *1.1
ameno%)!36/4,12	880 IF done% THEN	1460 scale%!12=256	2060 couldmove%(gameno%)=TRUE
TO inst1% 0%	89Ø CASE control(gameno%,player%(gamen	1470 DIM games(maxgames%,1),examined(ma xgames%,1),step(maxgames%,1)	2070 ENDPROC 2080 :
320 spare%(gameno%)=!info%(gameno%)+in	900 WHEN 0:PROCdonecomputermove(gameno	1480 DIM last(maxgames%,1),timeforlast(	2090 DEF PROCinitplayermove(gameno%, who
	player%(gameno%)) 910 WHEN 1:PROCdoneplayermove(gameno%,	maxgames%,1) 1490 DIM timepermove(maxgames%,1),contr	%) 2100 z%=FNfunc(gameno%, "initgetmove")
340 control(gameno%,1)=0 pl	ayer%(gameno%))	ol(maxgames%,1)	2110 ENDPROC
	920 ENDCASE 930 :	1500 DIM info%(maxgames%),s%(maxgames%),f\$(maxgames%)	2120 : 2130 DEF PROCdonecomputermove(gameno%,w
370 step(gameno%,0)=2	940 moves%(gameno%,player%(gameno%))+=	1510 DIM player%(maxgames%), starts%(max	ho%)
380 step(gameno%,1)=2 1 390 player%(gameno%)=0	95Ø PROCrestoreboard(gameno%)	games%) 1520 DIM moves%(maxgames%,1)	2140 IF finished%<2 THEN 2150 last(gameno%,0)=info%(gameno%)?52
400 starts%(gameno%)=0	960 status%(gameno%)=stat_premove%	1530 DIM prethink%(maxgames%)	2160 last(gameno%,1)=info%(gameno%)?52
420 :	970 ENDIF 980 WHEN stat_premove%:	1540 DIM gameover%(maxgames%), winner%(m axgames%)	2170 ENDIF 2180 ENDPROC
430 REPEAT	990 z%=FNfunc(gameno%, "unlistmoves")	1550 DIM couldmove%(maxgames%)	2190 :
450 PROCc("GameCore - Demo Version",2)	.000 z%=FNfunc(gameno%, "initdomove") .010 status%(gameno%)=stat_move%	1560 DIM best%(maxgames%),turn%(maxgame s%)	2200 DEF PROCdoneplayermove(gameno%, who %)
460 PROCc("3-D Noughts & Crosses",4)	020 WHEN stat_move%:	1570 DIM status%(maxgames%)	2210 ENDPROC
480 last(gameno%,0)=info%(gameno%)?52 1	.030 z%=FNfunc(gameno%, "domove") .040 PROCpreserveboard(gameno%)	1580 DIM stale%(maxgames%) 1590 DIM spare%(maxgames%)	2220 : 2230 DEF FNgetcomputermove(gameno%,who%
490 last(gameno%, 1)=info%(gameno%)?52 1	Ø50 IF z% THEN status%(gameno%)=stat_p	1600 stat_prethink%=0	
	tmove% .060 WHEN stat_postmove%	1610 stat_think%=1 1620 stat_premove%=2	2240 LOCAL gotmove% 2250 gotmove%=FALSE
520 PROCpreserveboard(gameno%) 1	070 player%(gameno%)=1-player%(gameno%	1630 stat_move%=3	2260 IF gotvalidmove% AND TIME>cutoffti
530 z%=FNfunc(gameno%, "showboard") 540 status%(gameno%) = stat_prethink% 1	1980 IF player%(gameno%)=starts%(gameno	1640 stat_postmove%=4 1650 slice%=5	me% THEN 2270 gotmove%=TRUE
550 player%(gameno%)=starts%(gameno%) %)	turn%(gameno%)+=1	1660 :	2280 ELSE
570 moves%(gameno%,1)=0 1	1090 status%(gameno%)=stat_prethink%	1670 llflg =1<<0 1680 frcflg =1<<1	2290 IF prethink%(gameno%) THEN 2300 prethink%(gameno%)=FALSE
58Ø gameover%(gameno%)=FALSE 1	110 info%(gameno%)?61=stale%(gameno%)	1690 hltflg =1<<2	2310 timestarted=TIME
	120 winner%(gameno%)=FNfunc(gameno%, "g	1700 winflg =1<<3	

```
2320 SYS "GameCore_Think", who%, 1, inst1%, level%, level2%, flgs% TO ex%, status%, num poss%, result%
2330 ELSE
2340 SYS "GameCore_Continue", , slice%, in st1% TO ex%, status%, numposs%, result%
2350 ENDIF
                                                                                                                                                                                                     3260 VDU 24,x0;y0;x1;y1;
3270 SYS "OS_SpriteOp",34+256,s%(gameno
%),"board",0,0,0
3280 VDU 26,28,40,31,120,0
                                                                                                                                                                                                                                                                                                                                                                                                       980 CMP R2,#0
990 SWINE "XOS_Module"
1000 ADD R9,R9,#1
1010 CMP R9,#maxinst%
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      2110 .checkstaleloop
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     2110 .checkstaleloop
2120 STMP[ (sp)!, (bestptr,level)
2130 BTC level, level, #hltflg+frcflg
2140 MOV link, pc
2150 LDR pc, listonemoveaddr
2160 LDMRD (sp)!, (bestptr,level)
2170 MOV link, pc
2180 BVC notstale
2190 BVC Lbeckstaleloop
                                                                                                                                                                                                                                                                                                                                                                                                      1010 CAP M9, mmaxinsts
1020 BLT quitloop
1030 MOV R0, #tickerv
1040 ADR R1, tickeroutine
1050 MOV R2, #0
1050 SWI "XOS_Release"
1070 LDMFD (sp)1, (R0-R12, pc)
1090
                                                                                                                                                                                                         3290 ENDIF
                                                                                                                                                                                                         3300 ENDIF
3310 =z%
           2350 ENDIF
        2350 ENDIF
2360 examined(gameno%,who%)+=ex%
2370 IF status%=0 THEN
2380 finished%+=1
2390 prethink%(gameno%)=TRUE
                                                                                                                                                                                                        3330 DEF FNgetablock(please%)
3340 DIM lights% please%
3350 =lights%
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      2190 BCC checkstaleloop
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      2200 MVN RØ.#0
                                                                                                                                                                                                                                                                                                                                                                                                      1070 LDMFD (sp)!, (RO-R12,pt)
1080 :
1090 .tickroutine
1100 STMFD (sp)!, (RO,link)
1110 LDR RO,ticker
1120 ADD RO,RO,#1
1130 STR RO,ticker
1140 LDMFD (sp)!, (RO,pc)*
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     2200 MVN R0,#0
2210 LDMFD (sp)!, {R1-R12,link}
2220 BTCS pc,link,#vbit
2230 :
2240 .notstale
2250 MOV R0,#0
2260 LDMFD (sp)!, {R1-R12,link}
           2400 IF numposs%>0 THEN 2410 IF numposs%=1 THEN
                                                                                                                                                                                                   Listing 2
          2410 19-00
2430 ELSE
2440 18-00
2430 ELSE
2440 REPPAT
2450 19-RND (numposs%) -1
2460 UNTIL !(!(result%+4*i%))=!!result%
2470 ENDIF
                                                                                                                                                                                                                10 REM >GCS1 (GameCore2)
20 REM GameCore module source
30 REM by Adam Broges
40 REM for Archimedes only
50 REM (c) BAU July 1991
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      2270 BICS pc, link, #vbit
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   2280 :
2290 :movelength
2300 EQUD 0
2310 :
2320 :gcinit
2320 :gcinit
2330 STMFD (sp)!, (R1-R12,link)
2340 MOV R11,R0
2350 ADR R9,instptr
2360 MOV R8,#0
2370 :
2380 :findinst
2390 LDR R10, (R9,R8,ASL #2)
2400 CMP R10,80
2410 BEG foundinst
                                                                                                                                                                                                                                                                                                                                                                                                       1150 :
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      2280
                                                                                                                                                                                                                                                                                                                                                                                                   1160 .ticker

1170 EQUD 0

1180 :

1190 .swihandler

1200 CMP R11,86

1210 ADDCC pc,pc,R11,LSL #2

1220 B returntosender

1230 .jumptable

1240 B gcinit

1250 B think

1250 B think

1260 B validate

1270 B kill

1280 B continue

1290 B stale

1390 :
                                                                                                                                                                                                                                                                                                                                                                                                       1160 .ticker
           2480 PROCcopy(best%(gameno%),!(result%+
      4*1%),info%(gameno%)?55)
2490 IF !best%(gameno%)>&FE00 gotmove%=
TRUE
                                                                                                                                                                                                                           DIM code% &1000
                                                                                                                                                                                                            80 PROCass
90 PRINT"Bytes used: ";0%-code%
100 SYS "0S_File",10, "GameCore",&FFA,,
          2510 couldmove%(gameno%)=FALSE
2520 gotmove%=TRUE
                                                                                                                                                                                                          ode%,0%
110 END
120:
130 DEF PROCASS
140 maxinst%=8
150 instreq%=64
160 prooff%=instreq%
    2530 ENDIF
2540 IF NOT gotvalidmove% THEN
2550 level%=last(gameno%, who%)
2560 IF timeforlast(gameno%, who%)>0.9*(
cutofftime%-THE) AND level%>2 level%-s
tep(gameno%, who%)
2570 ELSE
2580 last(gameno*,
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 2390 LDR R10, [R9, R8, ASL #2]
2400 CMP R10, #0
2410 BEG foundinst
2420 ADD R8, R8, #1
2430 CMP R8, #maxinst*
2440 BET findinst
2450 :
2450 :
2450 :
2450 .cantinit
2470 ADR R0, toomany
2486 LDMPT (sp)!, (R1-R12, link)
2490 ORRS pc, link, #vbit
2500 :
2510 .foundinst
2500 MOV R3, #required*
2510 MOV R3, #required*
2520 MOV R3, #required*
2550 STR R2, [R9, R8, ASL #2]
2570 LDMIA (11)!, (R4-R7)
2580 STMIA (21); (R4-R7)
2580 STMIA (21); (R4-R7)
2600 STMIA (21); (R4-R7)
2610 LDMIA (11)!, (R4-R7)
2630 STMIA (21); (R4-R7)
2630 LDMIA (11); (R4-R7)
2630 LDMIA (11); (R4-R7)
2630 EDMIA (21); (R4-R7)
2630 EDMIA (21); (R4-R7)
2630 EDMIA (21); (R4-R7)
2630 EDMIA (21); (R1-R12, link)
2660 LDMIP (sp)!, (R1-R12, link)
2690 kill
                                                                                                                                                                                                            170 ptrsize%=32*1024-ptroff%
180 required%=ptroff%+ptrsize%
                                                                                                                                                                                                                                                                                                                                                                                                       1300 :
1310 .returntosender
1320 ADR RØ,errmsg
1330 ORRS pc,R14,#vbit
      2570 HISE
2580 last(gameno%, who%) =level%
2590 timeforlast(gameno%, who%) =TIME-tim
estarted
2600 level%+=step(gameno%, who%)
2610 IF timeforlast(gameno%, who%)>(cuto
fftime%-TIME)/2 gotmove%=TRUE
2520 PUNE
                                                                                                                                                                                                          200 tickerv=&iC
210:
220 llflg =1<<0
230 froflg =1<<1
240 hltflg =1<<2
250 winflg =1<<3
260 rndflg =1<<<4
270 laflg =1<<5
280 inlaflg=1<<6
                                                                                                                                                                                                                                                                                                                                                                                                     1340 .errmsg
1350 EQUD &801A00+1
1360 EQUS "Unrecognised GameCore SWI"
1370 EQUB 0
1380 ALIGN
1390 :
1400 .switable
                                                                                                                                                                                                                                                                                                                                                                                                       1340 .errmsg
       2620 EMDIF
2630 level2%=level%+info%(gameno%)?54
2640 gotvalidmove%=TRUE
2650 IF level2%==info%(gameno%)?24 THEN
gotmove%=TRUE
2660 EMDIF
2670 PMT**
          2620 ENDIF
                                                                                                                                                                                                                                                                                                                                                                                                     1400 .switable
1410 EQUS "GameCore"
1420 EQUB 0
1430 EQUS "Init"
1440 EQUB 0
1450 EQUS "Think"
1460 EQUB 0
1470 EQUS "Alidate"
                                                                                                                                                                                                            290 nullflg=1<<7
           2670 ENDIF
                                                                                                                                                                                                            300 inflg =1<<10
           268Ø =gotmove%
                                                                                                                                                                                                            310
                                                                                                                                                                                                            320 qpti=3
330 qptj=4
340 qsa=5
          2700 DEF FNpassonclicks(gameno%, who%, f$
       2710 LOCAL gotmove%
2720 gotmove%=FALSE
2730 MOUSE X%,y%,but%
2740 IF but%<>wasbut% THEN
2750 IF but%<>0 THEN
2750 IF x%>=0 AND x%<info%(gameno%)!32
                                                                                                                                                                                                            350 qsn=6
                                                                                                                                                                                                                                                                                                                                                                                                       1480 EQUB 0
1490 EQUS "Kill"
                                                                                                                                                                                                            360 gsi=7
                                                                                                                                                                                                           370 qsj=8
380 qsp=9
390 qstemp=10
400 qstemp2=11
410:
420 who=0
                                                                                                                                                                                                                                                                                                                                                                                                     1490 EQUS "KIII"
1500 EQUB 0
1510 EQUS "Continue"
1520 EQUB 0
1530 EQUS "Stale"
1540 EQUB 0
    THEN 2770 IF y%>=0 AND y%<info%(gameno%)!36
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    2670 BICS pc,11nk,#VD1t
2680: 2690 .kill
2700 STMFD (sp)!,(R0-R12,1ink)
2710 CMP R0,#0
2720 BLT cantkill
2730 CMP R0,#maxinst%
                                                                                                                                                                                                                                                                                                                                                                                                       1550 ALIGN
                                                                                                                                                                                                            430 level=1
                                                                                                                                                                                                                                                                                                                                                                                                       1560 :
       THEN
2780 info%(gameno%)!64=x%
2790 info%(gameno%)!68=x%
2800 info%(gameno%)!72=but%
2810 gotmove%=FNfunc(gameno%,f$)
2820 ENDIF
2830 ENDIF
                                                                                                                                                                                                                                                                                                                                                                                                     1550 :
1570 .validate
1580 STMPD (sp):,{R1-R12,link}
1590 STR R3,movelength
1600 BL getinst
1610 MOV ptr,R1
1620 MOV level,#0
1630 ADD bestptr,wkpt,#ptroff%
1640 LDR wkpt,[wkpt]
1650 MOV link.pc
1660 LDR pc,initlistmovesaddr
1670 :
1680 .validateloop
                                                                                                                                                                                                           440 bestptr=2
450 val=3
460 ptr=4
470 base2=5
480 temp=6
490 temp2=7
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 2730 CMP R0, #maxinst%
2740 BGE canckill
2750 ADR R1, instptr
2760 LDR R2, [R1, R0, ASL #2]
2770 MOV R3, #0
2780 STR R3, [R1, R0, ASL #2]
2790 CMP R2, #0
2800 BSC canckill
2810 MOV R0, #7
2820 SMI "XOS Module"
2830 LDMYCPD (sp)!, (R0-R12, link)
2840 BCCVCS pc, link, #vbit
2850 :
2850 canckill
           2840 ENDIF
                                                                                                                                                                                                            500 beta=8:nval=8
510 maxsofar=9:minsofar=9:temp3=9
           2850 wasbut%=but%
    2850 Masbut%-but%
2860 ENDIP
2870 =gotmove%
2880 : 2890 DEP PROCCopy(to%,from%,n%)
2900 LOCAL i%
2910 IF n%-0 THEN
2920 IF to%-from% THEN
2930 FOR i%-n%-1 TO 0 STEP -1:i%?to%-i%
2From%-NEXT
                                                                                                                                                                                                           510 maxsofar=9:minsofs
520 base=10
530 alpha=11:temp4=11
540 wkpt=12:brd=12
550 sp=13
560 link=14
                                                                                                                                                                                                                                                                                                                                                                                                   1680 validateloop
1690 STMPD (ep);(bestptr,level)
1790 BtC level,level,#hltflg+frcflg
1710 MOV link,pc
1720 LDR pc,listonemoveaddr
1730 LDMPD (sp)!,(bestptr,level)
1740 MOV link,pc
1750 BVS nomovetocheck
1760 STMPD (sp)!,(R3,R5,R6,R7,bestptr)
1770 ADD bestptr,bestptr,#12
1780 LDR R7,movelength
1790 MOV R3,#0
1800 :
1810 .checkmove
1820 LDRR R5,[bestptr,R3]
                                                                                                                                                                                                                                                                                                                                                                                                       1680 .validateloop
                                                                                                                                                                                                            570 pc=15
                                                                                                                                                                                                            580
                                                                                                                                                                                                            580 :
590 vbit=1<<28
600 cbit=1<<29
610 :
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     2860 .cantkill
        2940 ELSE
2950 FOR i%=0 TO n%-1:i%?to%=i%?from%:N
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    2870 LDMFD (sp)!, (RØ-R12, link)
2880 ADR RØ, nosuch
                                                                                                                                                                                                            620 FOR pass%=4 TO 6 STEP 2
                                                                                                                                                                                                         620 POR pase%=4 TO 6
630 P%=0:0%=code%
640 (OPT pase%)
650 .modstart
660 EQUD 0
670 EQUD init
690 EQUD e
700 EQUD title
700 EQUD belp
720 EQUD belp
720 EQUD &
730 EQUD &
740 EQUD switable
750 EQUD switable
750 EQUD switable
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     2890 ORRS pc, link, #vbit
        2960 ENDIF
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    2990 :
2990 :
2910 .toomany
2920 EQUD 0
2930 FNequz("Too many GameCore instanti
        2970 ENDIE
          2980 ENDPROC
    3900 DEF PROCpreserveboard(gameno%)
3010 PROCcopy(spare%(gameno%),!info%(ga
meno%),info%(gameno%)!40)
3020 ENDPROC
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                ations")
                                                                                                                                                                                                                                                                                                                                                                                                     1820 LDRB R5, [bestptr,R3]
1830 LDRB R6, [ptr,R3]
1840 CMP R5,R6
1850 LDMNEPD (sp)!,(R3,R5,R6,R7,bestptr
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    2940 :
2950 .nosuch
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                2970 FNequz("Unknown GameCore instantia
tion")
          3030
     3040 DEF PROCrestoreboard(gameno%)
3050 PROCcopy(finfo%(gameno%),spare%(gameno%),info%(gameno%)!40)
3060 ENDPROC
                                                                                                                                                                                                                                                                                                                                                                                                     1860 BNE nomovetocheck
1870 ADD R3,R3,#1
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    2980
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     2990 .workaddr
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         :EQUD Ø
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   2990 workaddr
3000 moveaddr
3010 unmoveaddr
3010 initiistmovesaddr
3010 ilotoamoveaddr
3040 lookaheaddepth1
3050 lookaheaddepth2
3060 lookaheadmask
3070
                                                                                                                                                                                                                                                                                                                                                                                                       1880 CMP R3,R7
1890 BLT checkmove
                                                                                                                                                                                                            760 EQUD Ø
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          :EQUD Ø
        3070 :
3080 DEF FNfunc(gameno%,fn%)
3090 LOCAL r0%,r1%,r2%,r3%,z%,w%,x0%,y0
                                                                                                                                                                                                            770 :
780 .title
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          :EQUD Ø
                                                                                                                                                                                                                                                                                                                                                                                                     1890 BLT checkmove

1900 LDMFD (sp)!, (R3,R5,R6,R7,bestptr)

1910 MYN R0,#0

1920 LDMFD (sp)!, (R1-R12,link)

1930 BICS pc,link,#vbit

1940 :

1950 nomovetocheck
                                                                                                                                                                                                 785 .title
790 FNequz("GameCore")
800 .help
810 FNequz("GameCore"+CHR$(9)+"0.20 ("
****HID$(THR$5,5,11)+")")
820:
830 .init
840 STMFD (sp)!,(link)
850 MOV RO,#tickerv
860 ADR RI,tickroutine
870 MOV R2,#0
880 SMI "XOS_Claim"
890 LDMFD (sp)!,(pc)
900:
910 .quit
920 STMFD (sp)!,(R0-R12,link)
930 ADR R8,instptr
   3090 LOCAL r0%, r1%, r2%, r3%, z%, v%, x0%, y0%, x1%, y1% s100 IF s%(gameno%)>0 THEN 3110 Ipres%=0 3120 SYS "0S_SpriteOp", 60+256, s%(gameno %), "board", pres% TO r0%, r1%, r2%, r3% 3130 SYS "0S_ChangedBox", 2 3150 SYS "0S_ChangedBox", 1 3160 SYIS "0S_ChangedBox", 2 3160 SYS "0S_ChangedBox", 1 3160 SYIS "0S_ChangedBox", 1 3160 SYIS "0S_ChangedBox", 2 3160 SYIS "
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          : EQUB Ø
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         :EQUB Ø
                                                                                                                                                                                                                                                                                                                                                                                                     1960 TST link,#cbit
1970 BEQ validateloop
1980 MOV RØ,#0
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     3080 .absmax
3090 .staletype
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          : EOUB Ø
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         : EOUB Ø
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         :EQUW Ø
:EQUD Ø
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     3100
                                                                                                                                                                                                                                                                                                                                                                                                   1980 MOV RO,#0
1990 LDMPD (sp)1, (R1-R12,1ink)
2000 BICS pc,link,#vbit
2010 :
2020 .stale
2030 STMPD (sp)1, (R1-R12,1ink)
2040 BL getinst
2050 MOV level,#0
2060 ALD bestort why Entroff%
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     3110 .staleaddr
        3150 SYS "OS_ChangedBox",1
3160 ENDIT
3170 z%=EVAL("FN"+f$(gameno%)+","+fn$+"
"+5TR$(info%(gameno%))+")")
3180 IF a%(gameno%)>0 THEN
3190 SYS "OS_ChangedBox",-1 TO ,w%
3200 xb=2*w%14
3201 xb=2*xb*18
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    3120 :
3130 :curinst
3140 :timeout
3150 :reg
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        :EQUD Ø
:EQUS STRING$(1
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                6, CHR$Ø)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   3160 .total
3170 .levelstore
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        :EQUD Ø
                                                                                                                                                                                                                                                                                                                                                                                                   2059 ADD bestptr,wkpt,#ptroff%
2079 LDR wkpt, [wkpt]
2080 MOV link,pc
2099 LDR pc,initlistmovesaddr
2100:
          3210 y0=4*w%18
                                                                                                                                                                                                           930 ADR R8,instptr
940 MOV R9,#0
950 MOV R0,#7
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    3180 :
3190 .mainthink
3200 STR R13,reg+8
3210 STR R14,reg+12
           3220 x1=2*w%!12
        3230 yl=4"w%:16
3240 SYS "OS_SpriteOp",r0%,r1%,r2%,r3%
3250 IF x0<x1 AND y0<y1 THEN
                                                                                                                                                                                                           960 .quitloop
970 LDR R2,[R8,R9,ASL #2]
```

```
3220 TST R3,#%1
3230 ADDME R3,R3,#1
3240 STR R3,maxdepth
3250 STR R3,maxdepth
3250 MOV level,R5,ASL,#16
3270 MOV level,Level,LSR #16
3260 MOV temp,#0
3290 STR temp,total
3300 MOV val,#0
3310 MOV val,#0
3310 MOV beta,#£10000
3320 MOV beta,#100000
3320 MOV R1, #1000000
3320 MOV RDT, Wkpt,#444
33360 LDR R13,reg+8
3390 LDR R14,reg+12
3400 MOV pc,link
3410 :
                                                                                                                                                                                                                                               4350 :
4360 .nolookahead
4370 ADR base,liststart%
4380 STR ptr,[base,level,LSR #14]
4390 STMFD (sp!!,(R3,R5-R11)
4400 MOV link,pc
4410 LDR pc,initiistmovesaddr
4420 STR level,levelstore
4410 :
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            5480 CMP temp2,maxsofar
5490 MOVGT maxsofar,temp2
5500 TSTEQ level,#rndflg
5510 SUBEQ temp2,temp2,#1
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           6600 BGE noswap
6610 STR qpti,[qsa,qsj,ASL #2]
6620 STR qptj,[qsa,qsi,ASL #2]
6630 ADD qsi,qsi,#1
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              5520 CMP maxsofar, alpha
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             6640 SUB qsj,qsj,#1
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             5530 MOVOT alpha,maxsofar
5540 STR temp2,[base2]
5550 CMP maxsofar,beta
5560 BLT makemoves
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             6650 CMP qsi,qs
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             6660 BLE partloop2a
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           6670 :
6680 .parted2
6690 STMFD (sp)!, (qsa,qsi,qsn)
6700 MOV qsn,qsi
                                                                                                                                                                                                                                                  4430 :
4440 .loop
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            5560 BLT makemoves
5570 BNE mademoves
5580 TST level, #rndflg
5590 BNE makemoves
5600 B mademoves
5610 cddlevel
5630 CMP temp2, minsofar
5640 MOVLT minsofar, temp2
5650 ADBO temp2.#mm2.#
                                                                                                                                                                                                                                                  4450 STR bestptr.[ptr]
                                                                                                                                                                                                                                                   4460 BIC level, level, #hltflg+frcflg+nul
                                                                                                                                                                                                                                         4460 BIC level, #whitflg+frcflcflflg.

1flg
4470:
4480 .b.lonemove
4490 EQUD 0
4500 LDR level, levelstore
4510 ADDVC ptr, ptr, #4
4520 BCC loop
4530 LDMFD (sp)1, {R3, R5-R1}
4540 ADR base, liststart%
4550 LDR temp, [base, level, LSR #14]
4560 CMF temp, ptr
4570 BNE nothone
4580 TST level, ##FF0000
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             6710 BL gsort2
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             6720 LDMFD (sp), (qsa, qsi, qsn)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             6730 ADD qsa,qsa,qsi,ASL #2
6740 SUB qsn,qsn,qsi
6750 BL qsort2
6760 LDMFD (sp)!,(qsa,qsi,qsn,pc)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              5650 ADDEO temp2, temp2, #1
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             6770 :
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          6780 .assbl
6790 CMF temp,#0
6800 LDREG temp,dummyinst
6810 SUBNE temp,temp,temp2
6820 SUBNE temp,temp,ASR #2
6840 BICNE temp,temp,#(%11111111)<<24
6850 GRRNE temp,temp,#(%111101011)<<24
6850 GRRNE temp,temp,#(%11101011)<<24
6860 STR temp,temp,1(%11101011)<<26
6870 MOV pc,link
6880 :
6890 .dummyinst
6900 MOVANY RØ,RØ
6910 :
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              5660 CMP minsofar, beta
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             6780 .assbl
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            5660 CMP minsofar, beta
5670 MOVLT beta, minsofar
5680 STR temp2, [base2]
5690 CMP minsofar, alpha
5700 BGT makemoves
5710 BNE mademoves
5720 TST level, #rndflg
     3410 :
3420 .maxdepth :EQUD 0
3430 .maxdepth2 :EQUD 0
      3440
      3450 .instpt:
3450 EQUS STRING$(4*maxinst%,CHR$0)
3470:
3480 stry
3490 strFFD (sp)1,{maxsofar,bestptr,ptr,alpha,beta,level,link}
                                                                                                                                                                                                                                                  4580 TST level, #&FF00000
4590 BEQ notnone
4600 STMFD (sp)!, (val)
4610 .blstale
4620 MOV val, #0
4630 EQUD 0
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      5730 BNE makemoves
5740:
5750 .mademoves
5760 TST level,#inlaflg
5770 ADREQ base,listend%
5780 STREQ temp,[base,level,LSR #14]
5790 MOV val_maxsofar
5800 MOV temp2,bestptr
5810 LDMFD (sp)!,(bestptr,ptr,maxsofar,alpha,beta,level,pc)
5820:
5830 .timeoutstack
5840 EQUS STRING$(4*maxinst%,CHR$0)
5850:
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              5730 BNE makemoves
  3500 :
3510 carryon
3510 TST level,#1<16
3520 TST level,#1<16
3530 MVMEQ maxsofar,#£10000
3540 MOVNE minsofar,#£10000
3550 LDR temp2,maxdepth
3560 CMP temp2,level,LSR #16
3570 ORALE level,level,#11f1g
3580 BICGT level,level,#11f1g
3590 LDR temp2,ticker
3600 CMP temp2,#2
3610 BLT skiptimeout
3620 MOV temp2,#0
3630 STR temp2,ticker
3640 STR temp2,ticker
3640 STR temp2, ticker
     3500 :
                                                                                                                                                                                                                                                   4640 LDRB base, staletype
                                                                                                                                                                                                                                                  4640 LDRB base,staletype
4650 TST base,#%1
4660 BEQ smallowed
4670 :
4680 .mforbidden
4690 LDMFD (sp)!,(temp2)
4700 TST level,#1<<16
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          6910 :
6920 :continue
6930 STMPD (sp)1,{R1-R12,R14}
6940 STR R2,curinst
6950 STR R13,reg
6950 STRPD (sp)1,{R0,R2}
6970 SMT "0S_ReadMonotonicTime"
6980 ADD R1,R1,R0
6990 STR R1,timeout
7000 LDMPD (sp)1,{R0,R2}
7010 MOV temp,#0
7020 STR temp,ttotal
7030 ADR temp,timeoutstack
7040 LDM sp,[temp,R2,ASL #2]
7050 LDMPD (sp)1,{R0-R12,R14}
7060 B Carryon
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             6910 :
                                                                                                                                                                                                                                                4700 TST level, #1<a href="#14">4700 TST level, #1<a href="#14">4710 Universel Manuscript (Lemp2, val 4720 SUBNE maxsofar, temp2, val 4730 B mademoves 4740: smallowed 4760 STR bestptr, (ptr], #4 4770 MOV temp2, #8 4780 ORR base, level, #mulfig 4790 STR val, [bestptr], #4 4800 STR val, [bestptr], #4 4810 STR base, [bestptr], #4 4820 STR temp2, [bestptr], #4 4830 LDMFD (mp)!, (val) 4840: STR base, [bestptr], #4 4830 STR val, [bestptr], #4 4830 STR 
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            5840 EQUS STRING$(4*maxinst*,CHR$65850 :
5850 :getinst
5870 STMFD (sp)!,(R1,R3-R11,link)
5880 ADR R1,instptr
5890 ADR R9,workaddr
5910 LDMIA (wkpt),(R1-R2,ASL #2)
5920 STMIA (9),(R1-R8)
5930 LDR temp,moveaddr
5940 ADR temp2,blmove
5950 BLassbl
5960 LDR temp,unmoveaddr
5970 ADR temp2,blumove
5970 ADR temp2,blumove
5970 ADR temp2,blummove
5970 ADR temp2,blummove
5980 BLassbl
     3630 STR temp2,ticker
3640 STMP1 (sp)1,(R0,R1)
3650 SWI "XOS ReadEscapeState"
3660 BCS dotimeout
3670 SWI "XOS ReadMonotonicTime"
3680 LDR R1,timeout
3690 CMP R0,R1
3700 BLT notimeout
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               7060 B carryon
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           7070 :
7080 .think
7090 STMPD (sp)!, (R1-R12,R14)
7100 STR R2, curinst
7110 STR R13.reg
7110 STR R13.reg
7120 STMPD (sp)!, (R0)
7130 STM "0S, ReadMonotonicTime"
7140 ADD R1,R1,R0
7150 STR R1,timeout
7160 LDMPD (sp)!, (R0)
7170 BL getinst
7180 BL mainthink
7190 MOV R0,ptr
        3710 :
                                                                                                                                                                                                                                                   4840 :
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              5970 ADR temp2, Diummove
5990 LDR temp, listonemoveaddr
6000 ADR temp2, blonemove
6010 BL assbl
6020 LDR temp, staleaddr
6030 ADR temp2, blstale
6030 ADR temp2, blstale
                                                                                                                                                                                                                                                     4850 .notnone
                                                                                                                                                                                                                                                  4850 ADR base,listend%
4860 ADR base,listend%
4870 STR ptr,[base,level,LSR #14]
4880 BL sort
4990 :
        3730 LDMFD (sp)!, (RØ,R1)
3740 STMFD (sp)!, (RØ-R12,R14)
3750 ADR R1, timeoutstack
3760 LDR R2, curinst
     7:00 LDR R2;CUTINET
3770 STR sp,[R1,R2,ASL #2]
3780 LDR R13;reg
3790 LDRFD (sp)!,[R1-R12,R14]
3800 LDR R0,total
3810 MOV R1,#1
3820 MOV R2,#0
3810 MOV R2,#0
                                                                                                                                                                                                                                                4900 .donela
4910 .makemoves
4920 CMP temp,ptr
4930 BEQ mademoves
4940 STMF0 (sp)i,(val,temp,level)
4950 LDR temp, [temp]
4960 LDR temp, [temp, #4]
4970 LDR level, [temp, #8]
4980 TST level, #winfig
4990 MOVNE val, #9
5000 TST level, #1<<16
5010 ADDEQ val,val,temp2
5020 SUBNE val,val,temp2
5030 TST level, #hltfig
5040 BNE halthere
5050 TST level, #htfig
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 6040 BL assbl
6050 LDR bestptr, [wkpt,#48]
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             7180 BD Maintnink
7190 MOV R0,ptr
7200 LDR R13,reg
7210 LDMFD (sp)!, (R1-R12,R14)
7220 MOV R3,R0
7330 LDR R0,total
7240 MOV R1,#0
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 6060 LDMFD (sp)!, (R1, R3-R11, pc)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             6666 LDMFD (BP)1, (R1, R3-R11, pc, 6070: 6080 .sort 6090 STMPD (BP)1, (R1-R11, link) 6100 ADR qsa, liststart% 6110 LDR qsa, [qsa, level, LSR #14] 6120 ADR qstemp2, listend% 6130 LDR qstemp2, [qstemp2, level, LSR #14]
        3830 MOV pc, link
        3840 :
        3850 .notimeout
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             7240 MOV R1,#0
7250 LDR R2,liststart%
7260 LDR R4,listend%
7270 SUB R2,R4,R2
7280 MOV R2,R2,LSR #2
7290 MOV pc,link
7300 ]
7310 liststart%=P%
      3850 LDMFD (sp)!, (RØ,R1)
3870:
3880 .skiptimeout
3890 TST level, #llflg
3900 BNE nolookahead
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              6140 SUB qsn,qstemp2,qsa
6150 MOV qsn,qsn,LSR #2
6160 BL qsort2
     3900 BNE nolookahead
3910 LDRB temp2,lookaheadmask
3920 TST level,temp2
3930 TSTEQ level,#inlafig
3940 BNE nolookahead
3950 TST level,#islafig
3960 BEQ nolookahead
3970 MOV temp2,level,LSR #16
3980 LDRB base,lookaheaddepth1
3980 ADN temp2,temp2,base
                                                                                                                                                                                                                                                  5050 TST level, #frcflg
5060 BNE forced
5070 TST level, #llflg
5080 BEQ further
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 6170 LDMFD (sp)!, {R1-R11,pc}
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              7310 0%+=256:P%+=256
7320 0%+=256:P%+=256
7330 listend%=liststart%+4
7340 NEXT pass%
7350 ENDPROC
7360 :
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 6180 :
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              6190 .qsort2
6200 CMP qsn,#1
6210 MOVLE pc,link
6220 STMFD (sp)!,(link)
6230 LDR qstemp,[qsa]
                                                                                                                                                                                                                                                  5880 BBQ further

5899 :

5100 .halthere

5110 LDR temp2,temp2,#1

5120 ADD temp2,temp2,#1

5130 STR temp2,total

5140 B nofurther

5150 :

5160 .forced

5170 LDR temp2,maxdepth2

5180 CMP temp2,level,LSR #16

5190 BLE halthere
     3980 LDRB base, lookaheaddepth1
3990 ADD temp2, temp2, base
4000 LDR base, maxdepth
4010 CMP temp2, base
4020 BGE nolookahead
4030 LDR temp, maxdepth
4040 LDR temp2, maxdepth
4050 STMFD (sp)!, (temp, temp2, val)
4050 MOV temp2, level, LSR #16
4070 LDRB base, lookaheaddepth1
4080 ADD temp2, temp2, base
4090 STR temp2, maxdepth
4100 LDRB base, lookaheaddepth2
4110 ADD temp2, temp2, base
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               7370 DEF FNequz(z$)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                6240 LDR qstemp, [qstemp]
6250 MOV qsi,#1
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               7380 [OPT pass%
7390 EQUS z$
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              6250 MOV qsi,#1
6260:
6270:.findpivot2
6280: DDR qpti,[qsa,qsi,ASL #2]
6290 LDR qstemp2,[qpti]
6390 CMP qstemp2, qstemp2
6310 ENE gotpiv2
6320 ADD qsi,qsi,#1
6330 CMP qsi,qsn
6340 ENE findpivot2
6350 LDMMPD (sp)!,[pc)
6350:
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               7400 EQUB 0
7410 ALIGN
                                                                                                                                                                                                                                                   5190 BLE halthere
5200 :
5210 .further
5220 STMFD (sp)!,(temp,level)
5230 TST level,#nullflg
5240 BNE skipblmove
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        Listing 3
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        10 REM >TD (GameCore3)
20 REM 3D N & C library
30 REM by Adam Broges
40 REM for Archimedes only
50 REM (c) BAU July 1991
      4100 LDRB base, lookaheaddepth2
4110 ADD temp2, temp2, base
4120 STR temp2, maxdepth2
4130 GRR level, level, #inlaflg
4140 BL try
4150 MOV bestptr, temp2
4160 BCC level, level, #inlaflg
4170 LDMFD (ap)!, {temp, temp2, val}
4180 STR temp2, maxdepth
4190 STR temp2, maxdepth
4200 BL acr
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 6360 :
                                                                                                                                                                                                                                                      5250 :
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 6370 .gotpiv2
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              6370 .gotpiv2
6380 MOVLT qsp.qstemp
6390 MOVGT qsp.qstemp2
6400 MOV qsi,#0
6410 SUB qsj,qsn,#1
6420 :
6430 .noswap
6440 CMP qsi,qsj
6450 BGT parted2
6460 mrttoon2
                                                                                                                                                                                                                                                      5260 .blmove
                                                                                                                                                                                                                                                   5260 .blmove

5270 EQUD 0

5280 :

5290 .skipblmove

5300 ADD level,level,#1<<16

5310 RSB who,who,#1

5320 BL try who,#1

5340 LNEW, kenl (feep level
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         70 DEF FNtd_desc="3D Noughts & Crosse
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   80 :
90 DEF FNtd_idle(info%)
100 IF info%!72=0 OR info%!68>32 THEN
      4200 BL sort
4210 ADR base,listend%
4220 LDR ptr,[base,level,LSR #14]
4230 ADR base,liststart%
4240 LDR temp,[base,level,LSR #14]
4250
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              6450 partloop2a
6470 LDR qpti,[qsa,qsi,ASL #2]
6480 LDR qstemp,[qpti]
6490 CMP qstemp,qsp
6590 ADDGT qsi,qsi,#1
6510 BGT partloop2a
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  110 LOCAL x%,y%,b%,z%
120 x%=info%!64
130 y%=info%!68
140 b%=info%!72
                                                                                                                                                                                                                                                     5340 LDMFD (sp)!,(temp,level)
5350 TST level,#nullflg
5360 BNE skipblunmove
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   140 CASE TRUE OF
160 WHEN x%<=16:PROCtd_rotate(info%,-1
                                                                                                                                                                                                                                                     5380 .blunmove
5390 EQUD 0
      4250 :
4260 .restorevals
4270 LDR base, [temp], #4
4280 LDR temp2, [base, #4]
4290 STR temp2, [base]
4300 CMP temp, ptr
4310 BLT restorevals
4320 ADR base, liststart%
4330 LDR temp, [base, level, LSR #14]
4340 B donela
                                                                                                                                                                                                                                                      5400 :
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 6520 :
                                                                                                                                                                                                                                                   5400 :

5410 .skipblunmove

5420 .nofurther

5430 MOV temp2,val

5440 LDMFD (sp)!,(val,temp,level)

5450 LDR base2, [temp],#4

5450 ETS level,#1<6

5470 BNE oddlevel
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                6520 .partloop2b
6540 LDR qptj.[qptj]
6550 LDR qstemp2.[qptj]
6560 CDR qstemp2.[qpt]
6570 SUBLE qsj.qsj.#1
6580 BLE partloop2b
6590 CDR qsi.qsj
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   170 WHEN x%>=512-15:PROCtd_rotate(info
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 180 WHEN x%>=256-40 AND x%<=256+40:
| 190 info%?92=(info%?92) EOR 1
| 200 PROCEd_buildtab(info%)
| 210 z%=FRd_showboard(info%)
| 220 ENDCASE
```

```
2170 ORREQ level, level, #winflg
2180 ADDEQ val,val, #s20000
2190 SUBEQ val,val,level,LSR #12
2200 ADDLT val,val,temp
2210 ADR temp2, weight%
2220 LDRB temp2, (temp2,base2)
2230 AD val,val,temp2
2240 ORR temp2,base2,temp,ASL #8
2250 TST level,##d fflg
2260 BICNE level,level,#tdfflg
2270 ORRNE level,level,#ffcflg
2270 ORRNE level,level,#ffcflg
                                                                                                                                      1240 IF b%?i%=&FF GCOL i%/16 ELSE GCOL
74b%?i%
1250 ELSE
1260 GCOL col%
       230 =0
                                                                                                                                                                                                                                                                                                                                                                                                                    3310 NEXT it%
        240
                                                                                                                                                                                                                                                                                                                                                                                                                    3320 [OPT pass% 3330 CMP nval,#0
       240 :

250 DBF PROCtd_rotate(info%,angle%)

260 info%?93+=angle%

270 !(info%+94)=SIN(info%?93*PI/128)

280 !(info%+99)=COS(info%?93*PI/128)

290 PROCtd_buildtab(info%)
                                                                                                                                                                                                                                                                                                                                                                                                                    3340 CMPNE R1.#0
                                                                                                                                                                                                                                                                                                                                                                                                                   3350 MOVNE pc,link
3360 CMP nval,#0
3370 MULNE temp3,nval,temp3
3380 CMP nval,temp
                                                                                                                                          1270 ENDIF
                                                                                                                                          1280 ENDPROC
        300 z%=FNtd_showboard(info%)
                                                                                                                                          1300 DEF PROCtd_showsquare(board%,i%,co
                                                                                                                                       1310 LOCAL level%,row%,column%
1320 LOCAL x0%,x1%,x2%,x3%,y0%,y1%,y2%,
         310 ENDPROC
                                                                                                                                                                                                                                                                                                                                                                                                                    3390 MOVGT temp, nval
                                                                                                                                                                                                                                                                                                                                                                                                                    3400 CMP R1, temp2
         330 DEF FNtd_getmove(info%)
340 LOCAL best%,b%,x%,y%,1%,gotmove%,z
                                                                                                                                                                                                                                                                           2270 ORRNE level, level, #frcflg
2280 CMP temp, #3
2390 ORRED level, level, #frcflg
2390 ORRED level, level, #dfig
2300 ORRED level, level, #htcflg
2310 ORROT level, level, #htcflg
2310 ORROT level, level, #htcflg
2310 STR val, [bestptr], #4
2340 STR val, [bestptr], #4
2350 STR temp2, [bestptr], #4
2350 STR temp2, [bestptr], #4
2360 LDMPD (sp)!, (link)
2370 BTC link, levbit
2380 SUBS base2, base2, #1
2390 BICPLS pc, link, #cbit
2400 ORRS pc, link, #cbit
2410 notpossible
                                                                                                                                                                                                                                                                                                                                                                                                                    3410 MOVGT temp2.R1
                                                                                                                                                                                                                                                                                                                                                                                                                   3420 MOV pc,link
3430 :
3440 .stale
3450 MOV pc,link
                                                                                                                                      y3%,a%
1330 level%=i%>>4
  %, board%, usep%
350 gotmove%=FALSE
360 best%=info%156
370 x%=info%164
380 y%=info%166
390 b%=info%162
400 IF y%<=32 THEN z%=FNtd_idle(info%)
.FPLMSE
                                                                                                                                        1330 level%=1%>>4
1340 row%=(1%>>2) AND 3
1350 column%=1% AND 3
1350 PROCgcol(col%, board%, i%)
1370 FV usep% THEN
1380 PROCtd_getxy(level%, row%, column%, x
                                                                                                                                                                                                                                                                                                                                                                                                                    3460 :
                                                                                                                                                                                                                                                                                                                                                                                                                    3470 .move
                                                                                                                                                                                                                                                                                                                                                                                                                   3480 LDRB temp2, [temp,#12]
3490 STRB who, [brd,temp2]
3500 MOV pc,link
3510 :
                                                                                                                                      0%, y0%)
                                                                                                                                         1390 PROCtd getxy(level%,row%+1,column%
   :=FALSE
       =PALSE
410 IF POINT(x*,y*)<4 THEN
420 i*=16*POINT(x*,y*)-1
430 board*=info*
440 usep*=info*,792=1
450 SYS "Hourglass_On"
460 WHILE NOT gotmove*
                                                                                                                                       ,x1%,y1%)
1400 PROCtd_getxy(level%,row%+1,column%
                                                                                                                                                                                                                                                                                                                                                                                                                    352Ø
                                                                                                                                        +1,x2%,y2%)
1410 PROCtd_getxy(level%,row%,column%+1
                                                                                                                                                                                                                                                                                                                                                                                                                   3530 LDRB temp2, [temp, #12]
                                                                                                                                                                                                                                                                                                                                                                                                                  3530 LDRB temp2, [temp,#12]
3540 MOV base2, #&FF
3550 STRB base2, [brd,temp2]
3560 MOV pc,link
3570 ]
3580 td_board%=P%:P%+=128
                                                                                                                                                                                                                                                                             2400 ORRS pc,link,#cbit
2410 .notpossible
2420 SUBS base2, base2,#1
2430 BPL listonemoveloop
2440 LDMFD (sp)!,(link)
2450 ORRS pc,link,#cbit
2460 :
2470 .checksquare
2480 STMFD (sp)!,(link)
                                                                                                                                        x3%, y3%)
                                                                                                                                    1426 PROCgcol(col%, board%, 1%)
1436 NOVE xx8, yx8
1456 PLOT 85, x38, y3%
1456 PLOT 85, x38, y3%
1476 COL 6
1480 NOVE xx8, yx8
1478 COL 6
1480 NOVE xx8, yx8
1590 DRAW x18, y18
1500 DRAW x28, y28
1510 DRAW x38, y3%
1520 DRAW x38, y28
1510 DRAW x38, y28
1520 BRAW x88, y88
1530 ELSE
1540 RECTANGLE FILL td_lm%+td_sq%*colum n%, 128+td_sq%*(cow%+4*level%)+16*level%, td_sq%*(sq%)
                                                                                                                                        1420 PROCecol (col%, board%, i%)
        47Ø i%+=1
        480 IF board%?1%=&FF THEN
                                                                                                                                                                                                                                                                                                                                                                                                                  3580 td_board%=P%:P%+=1
3590 weight%=P%:P%+=64
3600 map%=P%:P%+=256
3610 NEXT pass%
3620 FOR i%=0 TO 63
3630 map%:(4*i%)=0
3640 NEXT
3650 FROCtd_makemap
3660 ilinfo%+td_board%
3670 info%14=move
3680 info%18=unmove
3680 info%18=ill=inthlistm
        490 PROCtd_indic(board%,i%,5,i%/16,use
 p%)
500 IF POINT(x%,y%)=5 gotmove%=TRUE
510 PROCtd_indic(board%,1%,1%/16,5,use
                                                                                                                                                                                                                                                                             2470 .checksquare
2480 STMFD (sp)!,(link)
2490 ADR brd,td_board%
2500 MOV base2,R0
2510 LDRB who,[brd,base2]
2520 BL findmax
2530 MOV R0,temp
 p%)
520 ENDIF
       520 ENDIF
530 ENDWHILE
540 SYS "Hourglass_Off"
550 best%712=1%
560 ENDIF
570 =gotmove%
                                                                                                                                                                                                                                                                             2540 LDMFD (sp)!, (pc)
                                                                                                                                                                                                                                                                                                                                                                                                                  3680 info%18-unmove
3760 info%112-initlistmoves
3760 info%16-118th Look ahead 1
3710 info%201-18EM Look ahead 1
3720 info%212-14TEM Look ahead 2
3730 info%221-3TEM lookahead mask
                                                                                                                                                                                                                                                                             2550
                                                                                                                                                                                                                                                                             2560 findmax
                                                                                                                                      td_sq%,td_sq%
       590 DEF FNtd_initdomove(info%)
                                                                                                                                                                                                                                                                             2570 STMFD (sp)!, (delta,R1,R2,link)
2580 MOV temp,#0
2590 MOV temp2,#0
2600 MOV temp3,#1
                                                                                                                                        1550 GCOL 6
                                                                                                                                     1550 RECTANGLE td lm%+td_sq%*column%,12
8+td_sq%*(row%+4*level%)+16*level%,td_sq
%,td_sq%
1570 ENDIF
1580 ENDPROC
       600 info%!80=TIME
       610 info%:88=9:REM counter
620 info%:88=?(info%:56+12)
630 =0
640 :
                                                                                                                                                                                                                                                                                                                                                                                                                   3740 info%?23=0
                                                                                                                                                                                                                                                                                                                                                                                                                  3750 info%?24=td_maxdepth%
3760 info%?25=1:REM stalemate not allow
                                                                                                                                                                                                                                                                             2610
                                                                                                                                                                                                                                                                             2610 BIC base, base2, #%000011
2630 MOV delta, #1
2640 BL countline
2650 BIC base, base2, #%001100
2660 MOV delta, #4
       640 :
650 DEF FNtd_domove(info%)
                                                                                                                                         1590
                                                                                                                                                                                                                                                                                                                                                                                                                 ed 3770 info%!28=stale 3780 info%!32=512 3790 info%!36=1024
                                                                                                                                         1600 DEF PROCtd_getxy(1%,r%,c%,RETURN x
       660 LOCAL doneanim%
670 doneanim%=FALSE
                                                                                                                                        1600 DEF PROCECT_Getxy(1%,r%,c%,RETUR,
,RETURN,V%)
1610 1%=info%:104+(25*1%+5*r%+c%)*8
1620 x*=11%
1630 x*=1%14
1640 ENDPROC
       000 OGNESTICATION: 80>10 THEN 690 Info%180=TIME 700 info%184+=1 710 IF info%184=7 THEN
                                                                                                                                                                                                                                                                                                                                                                                                                 3790 info%136=1024
3800 info%140=64
3810 info%144±td_stack%+td_stacksize%
3820 info%148±td_movelist%
3820 info%752=2
3840 info%753=2
3850 info%753=2
3850 info%754=4
3860 info%755=16;REM move size
3870 info%792=1;REM Perspective
3880 info%793=0;REM angle of rotation
3890 [(info%+94)=SIN(0)
3900 [(info%+94)=SIN(0)
3900 [(info%+94)=SIN(0)
3900 PROCtd_buildtab(info%)
3930 =RTUE
3940 :
                                                                                                                                                                                                                                                                             2670 BL countline
2680 BIC base, base2, #%110000
2690 MOV delta, #16
                                                                                                                                        1650 :
1660 DEF PROCtd_getpersp(lev,x,y,RETURN
                                                                                                                                                                                                                                                                             2700 BL countline
2710 ADR base,map%
2720 LDR R2,[base,base2,ASL #2]
2730 TST R2,#1<<0
       720 doneanim%=TRUE
730 ?(!info%+info%!88)=info%?60
       740 PROCtd_showsquare(!info%,info%!88,
                                                                                                                                        xx, RETURN yy)
1670 xx=(x-2)*|(info%+99)+(y-2)*|(info%
740 FROCEd_showsquare(!info%,info%!88,
-1,info%?22=1)
750 ELSE
760 FROCEd_showsquare(!info%,info%!88,
6*(info%!84 MOD 2),info%?92=1)
770 ENDIF
                                                                                                                                                                                                                                                                            2740 BICNE base, base2, #%001111
2750 MOVNE delta, #5
                                                                                                                                        1680 yy=(x-2)*|(info%+94)-(y-2)*|(info%
                                                                                                                                                                                                                                                                            2750 MOVNE delta,#5
2760 BLME countline
2770 TST R2,#1<<1
2780 BLME base, base, 2,#001111
2790 ADDNE base, base,#3
2800 MOVNE delta,#3
                                                                                                                                        1690 x=-xx*64
                                                                                                                                        1700 y=yy*64+1400
1710 xx=256+x*1400/y
1720 yy=1200+(lev*1.6-7.5)*120*1400/y
1730 IF lev=0 yy-=32
       78Ø ENDIF
       790 =doneanim%
       810 DEF FNtd_newgame(info%)
820 LOCAL i%
830 FOR i%=0 TO 63 STEP 4
                                                                                                                                                                                                                                                                                                                                                                                                               3940:
3950 DEP FROCTd_buildtab(info%)
3950 IF info%192=0 ENDPROC
3970 LOCAL i%, level%, row%, column%, x0, y0, x1, y1, a%, aa%
3980 a%=info%1104
3990 SYS "Hourglass_On"
4000 FOR 10*ev1%=0 TO 4
4010 FOR row%=0 TO 4
4010 FROCTd_getpersp(level%, row%, 0, x0, y
0)
                                                                                                                                                                                                                                                                             2810 BLNE countline
2820 TST R2,#1<<2
                                                                                                                                                                                                                                                                                                                                                                                                                  3940 :
                                                                                                                                         1740 ENDPROC
                                                                                                                                                                                                                                                                            2820 TST R2,#1<22
2838 BICNE base,base2,#%111100
2840 MOVNE delta,#20
2850 BINE countline
2860 TST R2,#1<3
2870 BICNE base,base2,#%110011
2880 MOVNE delta,#17
                                                                                                                                        1750 :
                                                                                                                                        1760 DEF FNtd_init(info%)
1770 td_sq%=48
1780 td_lm%=(512-4*td_sq%)/2
1790 td_maxdepth%=32:REM absolute maxim
       840 !(!info%+i%)=-1
       850 NEXT
       860 =0
       870 : 880 DEF FNtd_showboard(info%)
890 LOCAL 1%, b%, p%
900 b%=[info%+info%!40
                                                                                                                                      um depth
1800 td_movesize%=16:REM move size roun
                                                                                                                                                                                                                                                                            2890 BLNE countline
2900 TST R2,#1<6
2910 BLNE base,base2,#%111100
2920 ORRNE base,base, #%001100
2930 MOVNE delta,#12
2940 BLNE countline
2950 TST R2,#1<65
2960 MLNE base base2 #%110011
                                                                                                                                    1800 td_movesizes=16:RRM move size roun ded up to word boundary
1810 td_maxmoves%=64:REM absolute maxim um number of moves possible in a level
1820 td_movelist%=FNgetablock(td_movesize%*td_maxdepth%*td_maxmoves%)
1830 td_stacksize%=61000+64*td_maxdepth
       910 p%=info%?92=1
920 GCOL 132
                                                                                                                                                                                                                                                                                                                                                                                                                  4030 PROCtd_getpersp(level%,row%,4,x1,y
       920 GCOL 132
930 CLG
940 FOR 1%=0 TO 63
950 FROCEd_showsquare(b%,i%,-1,p%)
950 NEXT
970 GCOL 7
                                                                                                                                                                                                                                                                                                                                                                                                                  4040 x1=(x1-x0)/4
                                                                                                                                                                                                                                                                                                                                                                                                                  4050 y1=(y1-y0)/4
4060 FOR column%=0 TO 4
4070 aa%=a%+8*(column%+5*row%+25*level%
                                                                                                                                                                                                                                                                            2950 BTCME base, base2, #%110011
2970 ORRNE base, base2, #%100011
2970 ORRNE base, base, #%000011
2980 MOVNE delta, #15
2990 BLNE countline
3000 TST R2, #1x<6
3010 MOVNE base, #0
3020 MOVNE delta, #21
                                                                                                                                        1840 td stack%=FNgetablock(td stacksize
       980 MOVE 0,32
                                                                                                                                     %)
1850
   990 WOVE 0,32
990 VDU 136
1000 MOVE 512-16,32
1010 VDU 137
1020 MOVE 256-40,32
1030 PRINT"2D-3D";
                                                                                                                                                                                                                                                                                                                                                                                                                  4080 aa%10=x0+column%*x1
                                                                                                                                        1860 td_code%=FNgetablock(&500)
1870 :
                                                                                                                                                                                                                                                                                                                                                                                                                  4090 aa%!4=y0+column%*y1
4100 NEXT
                                                                                                                                        1880 td_fflg=1<<10
                                                                                                                                                                                                                                                                                                                                                                                                                  4110 NEXT
                                                                                                                                                                                                                                                                            3030 BLNE countline
3040 TST R2,#1<7
3050 MOVNE base,#3
3060 MOVNE delta,#19
3070 BLNE countline
3080 TST R2,#1<68
                                                                                                                                        1890 :
                                                                                                                                                                                                                                                                                                                                                                                                                  4120 NEXT
                                                                                                                                       1890 :
1900 FOR pass%=0 TO 2 STEP 2
1910 F%=td_code%
1920 [OFT pass%
1930 .initlistmoves
1940 MOV base2,#63
1950 MOV pc,link
                                                                                                                                                                                                                                                                                                                                                                                                                  4130 SYS "Hourglass_Off"
4140 ENDPROC
    1040 =0
    1050
    1060 DEF PROCtd_indic(board%,i%,col1%,c
1060 DEF PROCCtd_indic(board%,1%,col1%,c

012%,usep%)

1070 LOCAL level%,row%,column%,x0%,x1%,

y0%,y1%

1080 level%=i%>>4

1090 row%=(1%>>2) AND 3

1100 column%=i% AND 3

1110 CCOL 128+col2%

1120 CCOL col1%
                                                                                                                                                                                                                                                                                                                                                                                                                  4160 DEF PROCtd_makemap
                                                                                                                                                                                                                                                                                                                                                                                                                 4160 DBF PROCtd_makemap
4170 LOCAL 15,1%, wk
4180 FOR 1%=0 TO 3
4190 PROCtd_map(1%*16,5,0)
4200 PROCtd_map(1%*16+3,3,1)
4210 PROCtd_map(1%*16+3,3,1)
4210 PROCtd_map(1%*1,7,3)
4230 PROCtd_map(12+1%,12,4)
4240 PROCtd_map(13+1%*1,5,5)
4250 NEXT
4260 PROCtd_map(2,1,6)
                                                                                                                                                                                                                                                                             3090 MOVNE base,#15
3100 MOVNE delta,#11
3110 BLNE countline
                                                                                                                                        1960
                                                                                                                                        1960 :
1970 .listonemove
                                                                                                                                       1970 .listonemove
1980 ORR link,link,#bbt
1990 STMFD (sp)!,(link)
2000 .listonemoveloop
2010 MOV vol.#0
2020 LDRB temp2,fbrd,base2]
2030 CMP temp2,#EFF
2040 BNE notpossible
2050 BL findmax
                                                                                                                                                                                                                                                                             3120 TST R2. #1 << 9
                                                                                                                                                                                                                                                                             3130 MOVNE base,#12
3140 MOVNE delta,#13
3150 BLNE countline
3160 LDMFD (sp)!,{delta,R1,R2,pc}
 1130 IF usep% THEN
1140 PROCtd_getxy(level%,row%,column%,x
0%,y0%)
1150 PROCtd_getxy(level%,row%+1,column%
                                                                                                                                                                                                                                                                             3170 :
                                                                                                                                                                                                                                                                                                                                                                                                                 4260 FROCED_map(0,21,6)

4270 FROCED_map(15,11,8)

4290 FROCED_map(12,13,9)

4300 FOR i%=0 TO 63

4310 W=0

4320 FOR i%=0 TO 9

4330 IF ((map%!(4*i%)) AND (1<<j%))>∅ w
                                                                                                                                                                                                                                                                             318Ø .countline
                                                                                                                                                                                                                                                                            3190 ADD base,base,brd
3200 MOV nval,#0
3210 MOV R1,#0
  +1,x1%,y1%)
1160 FILL (x0%+x1%)/2,(y0%+y1%)/2
                                                                                                                                       2050 BL findmax
2060 CMP temp2,#2
2070 ADDEQ val,val,#£20
2080 ADDEQ val,val,#£40
2090 TST level,#td_ffig
2100 BEQ notfro
2110 CMP temp2,#3
2120 CMPNE temp,#3
2130 BEQ notpossible
   1170 ELSE
 1180 FILL td_lm%+td_sq%*(column%+0.5),1
28+td_sq%*(row%+4*level%+0.5)+16*level%+
                                                                                                                                                                                                                                                                             3220 ]
3230 FOR it%=1 TO 4
3240 [OPT pass%
3250 LDRB temp4, [base],delta
   1190 ENDIF
1200 ENDPROC
1210 :
                                                                                                                                                                                                                                                                             3260 CMP temp4, who
3270 ADDEQ nval,nval,#1
3280 CMPNE temp4,#&FF
3290 ADDNE R1,R1,#1
                                                                                                                                                                                                                                                                                                                                                                                                                 4340 NEXT
                                                                                                                                                                                                                                                                                                                                                                                                                 4350 weight%?i%=1<<w%
4360 NEXT
4370 ENDPROC
                                                                                                                                        2130 BNE notpossible
   1220 DEF PROCGCO1(co1%,b%,i%)
1230 IF co1%<0 THEN
                                                                                                                                        2140 .notfrc
                                                                                                                                        2150 ADD temp,temp,#1
2160 CMP temp,#4
```

```
4390 DEF PROCtd_map(a%,s%,b%)
                                                                                                                                                                                                                                  4590 =winner%
                                                                                                                                                       4530 FOR A%=0 TO 63
                                                                           4460 :

4470 DEF FNtd_gameover(info%)

4480 LOCAL winner%, A%

4490 winner%=-2

4500 IF info%?61=2 THEN

4510 winner%=-1
                                                                                                                                                     4540 IF ?(linfo%+A%)<>&FF THEN
4550 IF USR(checksquare)=4 winner%=?(linfo%+A%)
4560 ENDIF
4400 LOCAL 1%
4410 FOR 1%=0 TO 3
4420 map%!(4*a%)=(map%!(4*a%)) OR (1<<b
                                                                                                                                                                                                                                  4610 DEF FNtd_initgetmove(info%)=0
                                                                                                                                                                                                                                      30 DEF FNtd_listmoves(info%)=0
                                                                                                                                                                                                                                  4650 DEF FNtd_unlistmoves(info%)=0
4440 NEXT
4450 ENDPROC
                                                                           4520 ELSE
```

# View Previewer

```
1670 PLA
1680 STA char,X
1690 INX
1700 DEY
                                                                                                                                                                                                                                                                                                                                                                                                                                                                               1110 .btable
                                                                                                                                                                                                                                                 540 BNE nochange
                                                                                                                                                                                                                                                                                                                                                                                                                                                                               1110 .btable
1120 EQUB Ø
1130 EQUB Ø
1140 EQUB setsub
Listing 1
                                                                                                                                                                                                                                                550 :

560 .toggleunder

570 LDA #under_bit

580 BNE toggle

590 .togglebold

600 LDA #bold_bit

610 BNE toggle
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 -(branch+2)
               10 REM >PVsrce (VPreview1)
20 REM By David Lawrence
30 REM For BBC B/B+/M/C/E/!65Tube
40 REM (c) BAU July 1991
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     1710 BNE putback
                                                                                                                                                                                                                                                                                                                                                                                                                                                                               1150 EOUB setsuper
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 -(branch+2)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                               1160 ROUB nochange
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   -(branch+2)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     1720 .nosquash
1730 :
                                                                                                                                                                                                                                                                                                                                                                                                                                                                               1170 EQUB nochange
1170 EQUB toggleitalic
1180 EQUB setfull
1190 EQUB togglebold
1200 EQUB reset
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               - (branch+2)
- (branch+2)
- (branch+2)
- (branch+2)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      1740 LDA style
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   1740 LDA style
1750 LSR A
1760 BCC notitalic
1770 LDX #3
1780 .doitalic
1790 LSR char,X
1800 ASL char+5,X
                                                                                                                                                                                                                                                620 .toggleitalic
630 LDA #italic bit
                 50 :
60 PROCinit
          60 PROCANIC
70 PROCOde
80 PROCChecksum
90 OSCLI"Save %.PreVIEW "+STR$"code+"
*STR$"0"4 400 400"
100 PRINT"Bytes free ",6500-P%
                                                                                                                                                                                                                                                630 LDA #italic_1
640 .toggle
650 EOR style
660 STA style
670 LDA char
680 BMI exit
690 BPL nochange
                                                                                                                                                                                                                                                                                                                                                                                                                                                                               1210 .tabend
                                                                                                                                                                                                                                                                                                                                                                                                                                                                               1220 :
                                                                                                                                                                                                                                                                                                                                                                                                                                                                              1220 :
1230 :reset
1240 JSR init
1250 .nochange
1260 CMP #13
1270 BME realchar
1280 DAD style
1290 AND #(under_bit OR super_bit OR su
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     1810 DEX
       100 PRINT"Bytes free "; £500-F
110 END
120:
130 DEF PROCINIT
140 DIM code 300
150 OSWORD = &FFFE
170 OSWORD = &FFF

                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     1820 BNE doitalic
1830 .notitalic
           110 END
                                                                                                                                                                                                                                             590 BPL nochange
700 :
710 .writec
720 STA char
730 PHA
740 TXA : PHA
750 TXA : PHA
750 TXA : PHA
760 LDA char
770 CMP #882
780 BEQ extend
790 CMP #880
800 BCC plain
810 BNE togglebold
820 LDX extended
830 EBC toggleunder
840 .extend
850 LSR A
870 LDA extended
880 ROL A
870 LDA extended
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     1840 :
1850 BIT style
                                                                                                                                                                                                                                                                                                                                                                                                                                                                        b_bit) EOR &FF
1300 STA style
1310 .print
1320 LDA char
1330 JSR osasci
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   1850 BIT style
1860 BVC notbold
1870 LDX #8
1880 .dobold
1890 LDA char,X
1900 LSR A
1910 ORA char,X
                                                                                                                                                                                                                                                                                                                                                                                                                                                                              1340 JSR 0888C.

1340 .exit

1350 PLA : TAY

1360 PLA : TAX

1370 PLA

1380 RTS

1390 :

1400 :
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     1920 STA char, X
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     1930 DEX
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     1940 BNE dobold
1950 .notbold
1960 :
1970 BIT style
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     1980 BPL notunder
1990 LDA #&FF
2000 STA char+8
                                                                                                                                                                                                                                                                                                                                                                                                                                                                               1410 .realchar
                                                                                                                                                                                                                                                                                                                                                                                                                                                                              1410 .realchar
1420 LDX #char MOD 256
1430 LDY #char DIV 256
1440 LDA #10
1450 JSR osword
1460 LDY #0
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     2010 .notunder
2020 :
2030 LDA #128
                                                                                                                                                                                                                                                890 ORA #&80
900 STA extended
910 BNE exit
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   2040 STA char
2050 LDA #23
2060 STA vdus
                                                                                                                                                                                                                                                                                                                                                                                                                                                                              1470 :
1480 LDA style
1480 AND #(super_bit OR sub_bit)
1500 BEQ nosquash
1510 LDX #8
1520 .squash
1530 LDA char, X
1540 ORA char-1, X
                                                                                                                                                                                                                                                910 BNE exit
920 :
930 .plain
940 LDX extended
950 BEQ nochange
960 LDA #0
970 STA extended
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  2060 STA vdus
2070 .defchar
2080 LDA vdus,Y
2090 JSR oswrch
2100 INY
2110 CPY #10
2120 BNE defchar
           380 .nostyle
390 STX style
          390 STX style
400 RTS
410 .init
420 LDX #0
430 STX extended
440 BEQ nostyle
450 :
                                                                                                                                                                                                                                            980 TXA
990 AND #£7F
1000 CMP #tabend-btable
1010 BCS illegal
                                                                                                                                                                                                                                                                                                                                                                                                                                                                              1540 ORA Char-1,X
1550 PHA
1560 STY Char,X
1570 STY Char-1,X
1580 DEX
1590 DEX
1600 BNE squash
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  2130 BRG GETCHAT
2130 BEQ print
2140 |NEXT
2150 ENDPROC
2160 :
2170 DEF PROCChecksum
                                                                                                                                                                                                                                            1020 TAY
                                                                                                                                                                                                                                           1030 LDA style
1040 AND #(super_bit OR sub_bit) EOR &F
          450 :

460 .setsub

470 ORA #sub_bit

480 BNE setfull

490 .setsuper

500 ORA #super_bit
                                                                                                                                                                                                                                                                                                                                                                                                                                                                            1600 EME squash
1610 LDA style
1620 AND #super_bit
1630 EOR #5
1640 TAX
1650 LDY #4
1660 .putback
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  2170 DBF PROCERECEUM
2180 total = 0
2190 FOR byte = code TO 0%-1
2200 total = total + ?byte
2210 NEXT
2220 IF total = 32479 ENDPROC
2230 PRINT"Checksum error"
                                                                                                                                                                                                                                           1050 LDX btable, Y
1060 STX branch+1
                                                                                                                                                                                                                                            1070 .branch
          510 .setfull
520 STA style
530 LDA char
                                                                                                                                                                                                                                            1080 BNE &400
                                                                                                                                                                                                                                           1090 .illegal
1100 BRK : BRK : EQUS "?" : \ EQUB 0
```

# Pieces of 8

```
330 ys%=ys%-(20+RND(n%))
340 k%=2-RND(3)
350 ck%=2-RND(2)
360 PROChills(ys%,2,3,k%,ck%)
                                                                                                                                                                                                                                                                                                                                                980 REM PROChills Plots a Wave or Line
Listing 1
                                                                                                                                                                                                                                  680 yt=yt/40
690 yb=-yh*1.4
700 zc%=RND(3)
                                                                                                                                                                                                                                                                                                                                                of Colour
990 REM Constructing the Back to Foreg
       10 REM Random Landscapes (Po81)
                                                                                                                   370 y%=ys%-RND(n%/4)
380 y%=ys%-RND(3)
400 ck%=2-RND(2)
410 PROChills(ys%,2,4,k%,ck%)
       20 REM Plot random landscapes
30 REM By Peter Batty
40 REM for all machines
50 REM (c) BAU July 91
                                                                                                                                                                                                                                  720 IF POINT(x1-xb,y1+yb)=3 THEN GOTO
                                                                                                                                                                                                                                                                                                                                             1010 DEP PROCHIlls(ys%,col%,j%,k%,ck%
1020 GCOL op%(j%),col%
1030 dt=BAD(10)
1040 th=RAD(RND(360))
1050 $=SIN(dt)
1060 C=COS(dt)
1070 $s=SIN(th)
1080 C=COS(dt)
1090 si=RND(100)
1100 yn%=ys%*ckk+(1-ck%)*(ys%+si*ss)
1110 MOVE 0,0
1120 MOVE 0,yn%
1130 yh%(0)=yn%
1130 yh%(0)=yn%
                                                                                                                                                                                                                                                                                                                                               1010 DEF PROChills (vs%, col%, i%, k%, ck%)
                                                                                                                                                                                                                                 730 IF POINT(x1+xb+yt,y1+yb-yt)=3 THEN
                                                                                                                                                                                                                                 730 1F FORM (X1+XD+yC, y1+yD-yC)=3 1HEN

30TO 560

740 1F x1-xh<5 OR x1+xh>1275 THEN zc%=
       60 :
70 MODE1
                                                                                                                    43Ø PROCroad(3,Ø)
       80 :
90 DIM yh%(64),op%(4),cf%(1)
                                                                                                                   450 REM This Segment Plots Various Siz
                                                                                                                                                                                                                                  750 IF y1-yh<5 THEN zc%=1
                                                                                                                                                                                                                                 750 IF Y1-YMS THEM ZC%=1
750 PROCTree(xh,yh,Ø,3)
770 x1=x1+yt
780 y1=y1-yt
790 t%=kz%*zc%
880 IF t%=2 THEN PROCtree(xh,yh,Ø,1)
810 IF t%=2 THEN PROCtshade(xh,yh)
820 NEXT ii%
830 .
    90 DIM yh%(64)
100 :
110 op%(1)=143
120 op%(2)=0
130 op%(3)=179
140 op%(4)=0
                                                                                                              es and
460 REM Shades of Tree from Back to Fo
                                                                                                              reground
470 :
480 n%=100
                                                                                                                   490 inc%=0
500 M=RND(150)
510 kz%=INT(RND(1)+0.5)
    150 :

150 VDU 19,0,6;0;19,1,4;0;

170 VDU 19,2,2;0;19,3,7;0;

180 :

190 VDU 5

200 CLG

210 :
                                                                                                                                                                                                                                                                                                                                               1140 :
1150 FOR i%=20 TO 1280 STEP 20
                                                                                                                                                                                                                                                                                                                                           1156 FOR i%=20 TO 1280 STEP 20
1160 snss*c*cc*S
1170 ccscc*C-ss*S
1180 ss=sn
1180 yn*=(yn*-k**RND(5))*ck*+(1-ck*)*(y
s**si*ss)
1200 yh%(i% DIV 20)=yn*
1210 PLOT 85,i%,0
1220 PLOT 85,i%,yn*
1230 NEXT i%
                                                                                                                   510 k2%=INT(RND(1)+0.5)
520 :
530 FOR ii%=1 TO M
540 inc%=inc%+RND(1000/M)
550 VDU 29,0;0;
560 x1=RND(1279)
570 iz%=x1/20
                                                                                                                                                                                                                                  840 REM This Segment Switches the Colo
                                                                                                                                                                                                                                  850 REM thus Simulating the Four Seaso
                                                                                                                                                                                                                             ns
860 :
870 REPEAT
     220 REM This Segment Plots the Distant
                                                                                                                                                                                                                                870 REPEAT
880 RESTORE
890 FOR 1%=1 TO 20
900 PROCEDITY, col1%, col2%, col3%, 910 READ col0%, col1%, col2%, col3%, 920 VDU 19,0, col0%,0,19,1, col3%,0,930 VDU 19,2, col2%,0,19,3, col3%,0,940 NEXT 1%, 950 UNTIL FALSE
960 END
                                                                                                             570 iz%xx1/20
580 yl=yhk(iz%)-inc%+1
590 yt=(((yh%(iz%)-yl)/yh%(iz%))*n%+RN
D(20))*3
600 yh=yt/(2.0+RND(1))
610 xh=yh/(1.0+RND(1))
620 IF xhd THEN GOTO 560
630 IF POINT(xl-xh,yl)=3 THEN GOTO 560
640 IF POINT(xl,yl)=3 THEN GOTO 560
650 IF POINT(xl,yl)=3 THEN GOTO 560
650 IF POINT(xl,yl)=3 THEN GOTO 560
650 IF xh/yhc=1 THEN xb=yh*0.05 ELSE x
b=xh*0.05
    230 REM Middle and Foreground, then the
 230 REM Middle and Foregrot
Road
240:
250 k*=2-RND(3)
260 n%=50
270 ys%=635+k%*RND(n%)
280 PROChills(ys%,1,1,0,0)
                                                                                                                                                                                                                                                                                                                                               1240 ENDPROC
                                                                                                                                                                                                                                                                                                                                               1250 :
1260 REM PROCroad Plots a Winding Road
                                                                                                                                                                                                                                                                                                                                            based
1270 REM on a Sine Wave
               vs%=vs%-(2Ø+RND(n%))
                                                                                                                                                                                                                                 960 END
970 :
                                                                                                                                                                                                                                                                                                                                               1280 :
                                                                                                                                                                                                                                                                                                                                               1290 DEF PROCroad(col%,j%)
     310 PROChills (ys%, 1, 2, 0, 1)
                                                                                                                                                                                                                                                                                                                                               1300 GCOL j%, col%
```

```
1310 ii=26+RND(10)
1320 inc=RND(2)
1330 yr%=yh%(ii)
1340 iz=ii*20
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         2060 PROCdrop(1,16,11,6)
2070 PROCdrop(15,23,38,6)
2080 PROCdrop(1,23,11,19)
2090 PROCdrop(1,30,38,26)
2100 ENDPROC
                                                                                                                                                                                           2360 :
2370 DATA 3,4,2,7,6,4,3,7,6,1,3,7,4,1,3
                                                                                                                                                                                                                                                                                                                                                                                 950 PROCshowall
950 Ck(new,0)=0:used=used-1
970 ENDPROC
980:
990 DEF PROCshowall
1000 VDU 28,15,23,38,6,12,26
1010 PROCbase(xm,ym,zm)
1020 FOR zq=0 TO zm-1
1030 FOR yq=0 TO ym-1
1040 FOR xq=0 TO xm-1
1050 FO Gk(xq,yq,zq) PROCcube(xq,yq,zq)
1060 NEXT
1070 NEXT
                                                                                                                                                                                                                                                                                                                                                                                       950 PROCshowall
                                                                                                                                                                                         77,6,4,1,5
2380 DATA 6,4,7,5,6,4,7,0,4,4,7,0,5,4,7
  1330 yr%=yn%(ii)
1340 iz=ii*20
1350 si=69rND(60)
1360 dt=RAD(20)
1370 th=RAD(0)
1360 S=SIN(dt)
1360 S=SIN(dt)
1390 C=COS(dt)
1400 ss=SIN(th)
1410 c=COS(th)
1420 ii=1x+si*ss
1430 MOVZ ii,yr%
1450 i
1460 POR ij%=yr%=20 TO -20 STEP -20
1470 inc=inc=RND(2)
1460 Ss=ss*C+cc*S
1490 C=CC*C+ss*S
1500 ss=ss
1500 pi=ii+inc
150 ii=ii+inc
1500 PLOT 85,ii,ij%
1550 NEXY ij%
1550 NEXY ij%
1550 NEXY ij%
1550 ENERCC*C+cs*S
1570 i
                                                                                                                                                                                         0,4,4,7,0
2390 DATA 5,4,7,0,6,4,7,0,6,5,7,0,6,5,2
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           2110
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          2110 :
2120 DEF PROCINIT
2130 DIM C%(11,5),A%(5)
2140 Xm=48:ym=24:rm=48:used=0:num=0
2150 Xmp=0:ym=0:rm=0:old=1
2160 rot5="XTXXyx":error=FALSE
2170 GCOL 0,2:*FX 4,1
2180 *FX 229,1
                                                                                                                                                                                           2400 DATA 6,4,2,7,6,4,2,3,6,4,2,7,3,4,2
                                                                                                                                                                                      Listing 2
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          2180 *PX 229,1
2190 FOR 1%=0 TO 11
2200 FOR 1%=1 TO 5
2210 READ V%
2220 C%(1%, J%)=V%*10+2
2230 C%(1%, J%)=V%*10+2
                                                                                                                                                                                                   10 REM 3D Pentominoes (Po82)
                                                                                                                                                                                                                                                                                                                                                                                   1080 NEXT
                                                                                                                                                                                                  20 REM by David Lawrence
30 REM from an idea by Don Scales
40 REM for all machines
50 REM (c) BAU July '91
                                                                                                                                                                                                                                                                                                                                                                                   1090 PROCoutline(xm, vm, zm, 3)
                                                                                                                                                                                                                                                                                                                                                                                   1100 PROCCUrs(xp,yp,zp)
1110 ENDPROC
                                                                                                                                                                                                  60:
70 MODE 1
80 PROCECTEEN
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      Ø)
224Ø NEXT
                                                                                                                                                                                                                                                                                                                                                                                 1130 DEF FROCMOVE(Xa, ya.
1140 PROCCUTS(XP, yP, zp)
1150 XP=(XP+Xa)MOD xm
1160 YP=(YP+Ya)MOD ym
1170 zp=(zp+za)MOD zm
1180 PROCCUTS(XP, yP, zp)
1190 ENDPROC
1200 IPR PROCCUTS(XP, ye.
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         2240 HEXT
2250 NEXT
2250 YDU 28,15,23,38,6
2270 FRINT'" Select grid size:"
2280 FRINT'" 1) 5 x 4 x 3"'" 2) 6 x 5
x 2"" 3) 10 x 3 x 2"
2290 FRINT'" - Which ? ";
                                                                                                                                                                                                  90 PROCinit
                                                                                                                                                                                              90 PROCINIT
100 PROCPIAY
110 IF more THEN RUN
120 MODE 7
130 *FX 229,0
140 END
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        2290 PRINT'" - Which ? ";
2100 REPERT
2100 NEPERT
2110 kS=GETS
2120 UNTIL k$>"0" AND k$<"4"
2130 IF k$="1" xm=5:ym=4:xm=3
2340 IF k$="1" xm=5:ym=5:zm=2
2350 IF k$="3" xm=10:ym=3:zm=2
2350 IF k$="3" xm=10:ym=3:zm=2
2360 DIM G%(xm,ym,zm)
2370 VDU 12, 26
2380 CubS=ENString
2390 out$=FNString
2400 FRCCbase(xm,ym,zm)
2410 FRCCbullne(xm,ym,zm)
2410 FRCCbullne(xm,ym,zm,3)
2420 FRCCcuts(0,0,0)
                                                                                                                                                                                                                                                                                                                                                                                   1200 :
1210 DEF PROCeurs (xc, yc, zc)
      1570 :
1580 REM PROCtree Plots a Solid Ellipso
                                                                                                                                                                                                                                                                                                                                                                                  1220 PROC3d(4,xc+1,yc+1,zc)
1230 GCOL 3,1:PRINT out;
1240 ENDPROC
                                                                                                                                                                                               150 :
160 DEF PROCDIAY
 id Tree
                                                                                                                                                                                                                                                                                                                                                                          1240 ENDPROC

1250 :

1260 DEF PROCDOX(pos,col)

1270 GCOL 0,col

1280 MOVE 63+pos*6*16,63

1290 FLOT 1,*84,0:PLOT 1,0,*84

1300 FLOT 1,*84,0:PLOT 1,0,*84

1310 ENDPROC

1320 :

1330 DEF PROCREDIAN

1340 IF C%(new,0)=1 PROCET("Shape Used"

):ENDPROC

1350 YDU 28,1,15,11,6,12,26

1350 NUMLEROW
     1590
                                                                                                                                                                                                170 REPEAT
                                                                                                                                                                                               180 COLOUR 3
190 PRINT TAB(1,20); "Pos:(";xp;",";yp;
     1600 DEF PROCtree(xx,yy,j%,col%)
     1610 GCOL j%,col%
1610 GCOL j%,col%
1620 VDU29,xl;yl;
1630 IF col%=1 AND RND(10)<=2 THEN GCOL
                                                                                                                                                                                               ";zp;")"
200 IF old<>new PROCbox(old,0):PROCbox
                                                                                                                                                                                      (new, 3)
210 *FX 15
                                                                                                                                                                                   (new,3)
210 *FX 15
220 K$=GET$:old=new
230 IF error PRINT TAB(1,22);SPC11:err
Ors=FALSE
240 IF K$="," new=(new+1)MOD 12
250 IF K$="." new=(new+1)MOD 12
260 IF K$="." PROCTedraw
270 IF INSTR(rot$,K$) FROCTot(K$)
280 IF K$=CHR$136 FROCMove((M,0))
300 IF K$=CHR$136 FROCMove((M,0))
310 IF K$=CHR$138 FROCMove((M,0),m-1,0)
310 IF K$="." PROCMove((M,0),m-1,0)
310 IF K$="." P
   1640 dt=2*PI/15
1650 A=xx/yy
1660 C=COS(dt)
1670 S=SIN(dt)
1680 8x=S/A
1690 8y=S*A
1790 xa=xx
1710 ya=0
1720 MOVE 0,0
1730 MOVE xa,0
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          2430 PROCcurs (0,0,0)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          244Ø ENDPROC
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          2450 :
2460 DEF FNstring
2470 st$=""
2480 REPEAT
                                                                                                                                                                                                                                                                                                                                                                                 1360 num=new
1370 PROCdraw(num,-5,6,1)
1380 ENDPROC
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       2490 REPEAT
2490 READ v%,v1%,v2%
2500 IF v%=18 THEN PROCGCO1
2510 IF v%=0 OR v%=1 OR v%=81 PROCCOL
2520 UNTIL v%=-1
2530 est$
2540:
2550 DEF PROCGCO1
2550 st%=st%+CHR$18+CHR$v1%+CHR$v2%
2570 ENDPROC
2580 .
   1740 :
1750 FOR i%=1 TO 15
1760 T=xa*C-ya*sy
1770 ya=ya*C+xa*sx
1780 xa=T
                                                                                                                                                                                                                                                                                                                                                                                  1400 DEF PROCrot(dir$)
                                                                                                                                                                                                                                                                                                                                                                                 1410 IF num=-1 PROCer("No Shape"):ENDPR
                                                                                                                                                                                                                                                                                                                                                                            1410 IF num=-1 PROCET("No Shape OC 1420 VDU 28,1,16,11,6,12,26 1430 dir$-cur$(ASC(dir$)ANDEDF) 1440 IF INKEY-1 dir$-dir$-"a" 1450 FOR b%=1 TO 5 1460 PROCextract(C%(num,b%))
    1780 xa=T
1790 PLOT 85,xa,ya
1800 MOVE 0,0
1810 NEXT 1%
    1820 :
1830 FOR 1%=-xb TO xb STEP 4
                                                                                                                                                                                                                                                                                                                                                                                1460 PROCextract(C%(num,b%))
1470 C%(num,b%)=EVAL("FNrot"+dir$)
1480 NEXT
1490 PROCdraw(num,-5,6,1)
1500 ENDROC
1510 :
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          2580
   1840 MOVE i%,0
1850 DRAW i%,yb
1860 NEXT i%
1870 ENDPROC
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          2590 DEF PROCPLOT
2600 st$=st$+CHR$25+CHR$v%+FNc(v1%)+FNc
                                                                                                                                                                                               390 *FX 15
400 more=((GET AND &DF)=ASC"Y")
                                                                                                                                                                                               41Ø ENDPROC
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      (v2%)
261Ø ENDPROC
                                                                                                                                                                                                                                                                                                                                                                                1510:

1520 DEF FNrotX=(2+y)*100+(2-z)*10+2+x

1530 DEF FNrotY=(2-x)*100+(2+y)*10+2+z

1540 DEF FNrotZ=(2+z)*100+(2+x)*10+2+x

1550 DEF FNrotX=(2-y)*100+(2+z)*10+2+x

1560 DEF FNrotX=(2+x)*100+(2+y)*10+2+z

1570 DEF FNrotZ=(2+x)*100+(2-x)*10+2+y
                                                                                                                                                                                             420 :
430 DEF PROCPIace
440 IF num=-1 PROCer("No shape"):ENDPR
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         2620 :
     1890 REM PROCtshade and PROCline Shades
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          2630 DEF FNc (q%)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         2640 q%=q%+65536
2650 =CHR$(q% MOD 256)+CHR$(q% DIV 256)
2660 :
2670 DEF PROCshape(n,c)
    the Tree
                                                                                                                                                                                             450 err=PNfit
450 IF err=1 PROCer("Outside box")
470 IF err=2 PROCer("Overlaps")
480 IF err=0 PROCputit
490 ENDPROC
    1900 :
   1900 :
1910 DEF PROCTShade(xx,yy)
1920 col1%=INT(RND(1)+0.5)
1930 IF col1%=0 THEN col2%=1 ELSE col2%
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         2680 GCOL Ø,c
2690 RESTORE
                                                                                                                                                                                                                                                                                                                                                                                 1580 :
1590 DEF PROChase(xo,yo,zo)
  0
1940 cf%(0)=col1%
                                                                                                                                                                                                                                                                                                                                                                                1590 DEF PROCDABE(XO, Y)
1600 GCOL 0,3
1610 PROC3d(4, xo,0,0)
1620 PROC3d(21,0,0,0)
1630 PROC3d(21,0,yo,0)
1640 PROC3d(4,0,0,0)
1650 PROC3d(21,0,0,zo)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         2700 IF n<>0 FOR i=1 TO n*5:READ q:NEXT
2710 FOR i=1 TO 5
2720 READ V%
2730 PROCdot(n*6+V%MODI0, (V%/10)MODI0)
                                                                                                                                                                                               500
                                                                                                                                                                                              500 :
510 DEF FNfit
   1950 cf%(1)=col2%
1960 VDU 29,x1;y1;
1970 PROCline(0,yy,0,1)
                                                                                                                                                                                             510 DFF FNIT

520 F%=TME TO 5

540 FROCextract(C%(num,b%))

550 IF xp+x<0 OR xp+x>=xm F%=FALSE

550 IF yp+y<0 OR yp+y>=ym F%=FALSE

570 IF zp+z<0 OR xp+z>=zm F%=FALSE

580 NEXT
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          2740 NEXT
  1980 :
1990 FOR I=4 TO xx STEP 4
2000 J=yy*SIN(ACS(I/xx))
2010 k%=0
2020 kk%=1
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         275Ø ENDPROC
                                                                                                                                                                                                                                                                                                                                                                                 1660 ENDPROC
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         2760 :
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        2770 DEP PROCdot(xd,yd)
2770 DEP PROCdot(xd,yd)
2780 MOVE 64+xd*16,64+yd*16:PLOT 1,15,0
2790 PLOT 81,-15,15:PLOT 81,15,0
2800 ENDPROC
                                                                                                                                                                                                                                                                                                                                                                               1670 :
1680 DEP PROCoutline(xo,yo,zo,col)
1690 GCOL 0,col
1700 RESTORE 3200
1710 FOR z%=1 TO 11
1720 READ p%,xa,ya,za
1730 PROC3d(p%,xo*xa,yo*ya,zo*za)
                                                                                                                                                                                            580 NEXT
590 IF NOT F% THEN =1
600 F%=TRUE
610 FOR D%=1 TO 5
620 FROCENTROT (C%(num,b%))
630 IF G%(xp+x,yp+y,zp+z) F%=PALSE
  2030 IF POINT(I-1,-J)=cf%(0) THEN k%=1:
  2040 PROCline(I,J,k%,kk%)
2050 PROCline(-I,J,k%,kk%)
2050 NEXT I
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         2810
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         2820 DEF PROCextract(zvx)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        2830 x=zyx MOD 10-2
2840 y=(zyx/10) MOD 10-2
2850 z=(zyx/100) MOD 10-2
2850 ENDPROC
                                                                                                                                                                                             640 NEXT
                                                                                                                                                                                                                                                                                                                                                                                 1740 NEXT
                                                                                                                                                                                           640 NEXT
650 IF NOT F% THEN =2
660 =0
670 :
680 DEF PROCPUTIT
690 VDU 28,1,16,11,6,12,26
                                                                                                                                                                                                                                                                                                                                                                                1740 NEXT
1750 ENDPROC
1760:
1770 DEF PROCdraw(n,xx,yy,zz)
1780 FOR I%=1 TO 5
1790 A%(I%)=C%(n,I%)
   2080 GCOL0.1
 2009 GCOLD,1
2099 FOR i%=-xb TO xb STEP 4
2100 MOVE i%,-yy
2110 DRAW i%,yb
2120 NEXT i%
2130 ENDPROC
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        2880 DEF PROCdrop(1,d,r,u)
2890 l=1*32:d=991-d*32:r=(r+1)*32
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       2890 1=1-32:ds991-d*32:r=(r+1)*32
2900 1=1023-u*32
2910 VDU18,0,131,24,1;d-12;r+12;u;16
2920 VDU18,0,128,24,1+4;d-8;r+8;u-4;16
2930 VDU18,0,131,24,1-8;d-4;r+4;u+8;16
2940 VDU18,0,128,24,1-4;d;r;u+4;16,26
2950 ENDPROC
                                                                                                                                                                                                                                                                                                                                                                               1800 NEXT
1810 FOR I%=1 TO 5:L%=I%
1820 FOR J%=I% TO 5
1830 IF A%(J%)<A%(L%) L%=J%
1840 NEXT
1850 B%=A%(L%):A%(L%)=A%(I%):A%(I%)=B%
1860 PROCextract(B%)
1870 PROCcube(x+xx,y+yy,z+zz)
1880 NEXT
                                                                                                                                                                                             700 PROCshape (num, 1)
                                                                                                                                                                                                                                                                                                                                                                                 1800 NEXT
                                                                                                                                                                                             710 FOR b%=1 TO 5
720 PROCextract(C%(num,b%))
   2150 DEF PROCline(X,Y,k%,kk%)
 2150 BCF PROCIING(X, 2150 BCCLD, cfk(k%))
2170 MOVE X, -Y
2180 PLOT 21, X, Y
2190 GCOL Ø, cfk(kk%)
2200 MOVE X, -Y+4
2210 PLOT 21, X, Y
2220 ENDPROC
2230 .
                                                                                                                                                                                           720 PROCextract(C%(num,b%))
730 G%(xp+x,yp+y,zp+z)=num+1
740 NEXT
750 PROCshowall
760 C%(num,0)=1
770 num=-1:used=used+1
780 EMDPROC
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        2960 :
2970 DATA 02,12,22,32,42
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    1880 NEXT
                                                                                                                                                                                             790 :
                                                                                                                                                                                                                                                                                                                                                                                1890 ENDPROC
                                                                                                                                                                                                                                                                                                                                                                                1870 EMPFROC.
1910 DEF PROCcube(xc,yc,zc)
1920 PROC3d(4,xc,yc,zc)
1930 PRINT cube;
   2230 :
                                                                                                                                                                                             800 DEF PROCET(t$)
2230 :
2240 DEP PROCGelay(time%)
2250 LOCAL out%, now%
2460 out%=FALSE
2270 now%=TIME
2280 REPERT
2280 REPERT
2290 IF TIME*now%stime% THEN out%=TRUE
2300 UF TIME*now%stime% THEN out%=TRUE
2310 UNTIL out%=TRUE
2320 ENDPROC
                                                                                                                                                                                            810 COLOUR 1:PRINT TAB(1,22);t$
820 SOUND 1,-10,201,1:error=TRUE
830 ENDPROC
                                                                                                                                                                                                                                                                                                                                                                                 1940 GCOL 0,0
1950 IF ABSx+ABSy+ABSz<>0 PRINT out$;
                                                                                                                                                                                            850 DEF PROCdelete
860 IF C%(new,0)=0 PROCer("Not used"):
                                                                                                                                                                                                                                                                                                                                                                                 1960 ENDPROC
                                                                                                                                                                                    ENDPROC
                                                                                                                                                                                           870 FOR xx=0 TO xx-1
880 FOR yy=0 TO yx-1
890 FOR zz=0 TO zx-1
900 IF G%(xx,yy,zz)=new+1 G%(xx,yy,zz)
                                                                                                                                                                                                                                                                                                                                                                                1980 DEF PROC3d(o%,x,y,z)
1990 PLOT o%,736+(x-y)*xs,640-(x+y)*ys+
                                                                                                                                                                                                                                                                                                                                                                          1950 PLOT 0%,/30+(A-y) 20,000 PLOT 0%,/30+(A-y
   2340 REM This Data Holds Sets of Colour
   Numbers
2350 REM Defining Autumn, Winter, Spring
                                                                                                                                                                                     =0
910 NEXT
                                                                                                                                                                                             920 NEXT
                                                                                                                                                                                             930 NEXT
                                                                                                                                                                                             940 PROCshape (new. 2)
```

```
3170 DATA 1,xs,-ys, 1,0,2*ys, 1,xs,ys
3180 DATA 0,-xs,-ys, 1,-xs,ys, -1,0,0
                                                                                                                                                                                                                                                                   240 FOR char=1 TO len
250 FOR line=0 TO 8
                                                                                                                                                                               20 REM Change from one string to anot
                                                                                         130 :
140 DEF PROCECTOIL(S$,x,y)
                                                                                                                                                                         her
                                                                                        150 VDU31,x,y
160 A%=10:X%=£70:Y%=0
170 FOR char=1 TO LEN(S$)
180 X%70=ASC(MID$(S$, char,1)):CALL&FFF
                                                                                                                                                                                                                                                                   259 FOR line=0 TO 8
250 %%=01dblock% MOD 256
270 Y%=01dblock% DIV 256
280 oldblock%*DIV 256
290 CALL &FFF1
300 X%=newblock% MOD 256
                                                                                                                                                                               30 REM By Murray MacKenzie
  3190 :
3200 DATA 4,1,1,0, 5,1,0,0
3210 DATA 5,1,0,1, 5,0,0,1
3220 DATA 5,0,1,1, 5,0,1,0
3230 DATA 5,1,1,0, 5,1,1,1
                                                                                                                                                                               40 REM For all machin
50 REM (c) BAU Jul 91
                                                                                        190 FOR line=1 TO 8
  3240 DATA 5,1,0,1, 4,1,1,1
3250 DATA 5,0,1,1
                                                                                                                                                                               80 VDU 23,1,0;0;0;0;0;
                                                                                                                                                                                                                                                                   310 Y%=newblock% DIV 256
                                                                                        200 VDU 23,224
210 FOR lev=0-line TO 8
220 VDU X%?lev
230 NEXT lev
                                                                                                                                                                             90 PRINT TAB(10,10) "Demonstration"
100 PRINT TAB(12,20); "Hit Space"
110 REPEAT UNTIL GET=32
120 PRINT TAB(12,20); " "
                                                                                                                                                                                                                                                                   320 newblock%70=ASC(MID$(new$,char,1))
330 CALL &FFF1
340 VDU 23,224
350 IF line=0 THEN 400
Listing 3
                                                                                         240 FOR space=1 TO 8-line
250 VDU 0
                                                                                                                                                                              130 PROCchange ("Demonstration", "Of Cha
                                                                                                                                                                                                                                                                   360 FOR newlev=9-line TO 8
    10 REM String Scroller (Po83)
20 REM Scroll down, not along
30 REM By Murray MacKenzie
40 REM For all machines
50 REM (c) BAU July 91
                                                                                                                                                                         nging",10,10)
140 PROCchange("Of Changing", "Strings.
                                                                                                                                                                                                                                                                   370 VDU newblock%?newlev
                                                                                        250 VDU 0
260 NEXT space
270 VDU 31, (x+char-1),y
280 VDU 224
290 NEXT line
300 NEXT char
                                                                                                                                                                                                                                                                   380 NEXT newley
                                                                                                                                                                                                                                                                   380 NEXT newlev
390 IF line=8 THEN 450
400 VDU 0
410 IF line=7 THEN 450
420 FOR oldlev=1 TO 7-line
430 VDU oldblock%7oldlev
                                                                                                                                                                              150 PRINT
150 PRINT
170 :
180 DEF PROCchange(old$, new$, x, y)
     80 VDU 23;8202;0;0;0;
                                                                                                                                                                              190 A%=10:oldloc%=&70:newloc%=&900
                                                                                        320 ENDPROC
                                                                                                                                                                                                                                                                    440 NEXT oldlev
                                                                                                                                                                              200 oldblock%=&60
                                                                                                                                                                                                                                                                    450 VDU 31,x+char-1,v,224
                                                                                                                                                                             210 newblock%=870
220 old=LEN(old$):new=LEN(new$)
230 IF old>new THEN len=old ELSE len=n
                                                                                                                                                                                                                                                                   460 NEXT line
470 NEXT char
480 ENDPROC
                                                                                    Listing 4
    110 PROCECTOIL ("Demonstration...", 10,1
   120 UNTIL FALSE
                                                                                           10 REM Scrolling Message (Po84)
                                                                                                                                                                                                                                                                                                           Comms
```

# Listing 1

```
40 REM for all machines with serial p
  50 REM (c) BAU July 91
50 RER (C)

60:

70 ON ERROR GOTO 530

80 *FX4,2

90 *FX2,2

100 *FX5,2

110 *FX6
```

```
130 *FX8,7
140 *FX15,0
180 COLOUR2: PRINT"Incoming messages"
190 COLOUR3: VDU19, 0, 4;0;
200
210 RX%=0:RY%=0:TX%=0:TY%=0
240 VDU28,0,31,39,18,31,RX%,RY%
250 PROCreceive
26Ø RX%=POS:RY%=VPOS
270 VDU28.0.14.39.2.31.TX%.TY%
```

```
28Ø PROCtransmit
290 TX%=POS:TY%=VPOS
300 UNTIL FALSE
32Ø DEF PROCreceive
33Ø *FX2,1
34Ø G%=INKEY(Ø)
350 PROCoutchar (G%)
360 *FX2,2
37Ø ENDPROC
390 DEF PROCtransmit
400 *FX2,2
410 *FX3,10
420 G%=INKEY(0)
43Ø IF NOT G% VDU G%
```

```
440 *FX3,0
 450 PROCoutchar(G%)
460 ENDPROC
480 DEF PROCoutchar(G%)
490 IF G%>31 AND G%<128 VDU G%
500 IF G%=13 PRINT
510 ENDPROC
 530 REM An error has occured 1
530 REM AN error
540 ON ERROR OFF
550 MODE 7
560 *FX3,0
570 *FX2,0
580 *FX4,0
590 REPORT: PRINT" at line ":ERL
```

# Fill this space.

BBC Acorn User is always looking for good quality programs for publication.

If you've written a program that you think other readers would be interested, why not send it in?

We will accept programs for any of the Acom machines, on any subject, from counting the number of flowers on your wallpaper to designing spare parts for the Space Shuttle. Size is not important, it can be anything from one line to a full blown application.

Programs must be submitted on disc together with some explanatory text. We won't need a whole article at this stage but an outline would be a good idea. Neither do we need a bulky printout of the program.

Ensure your program works. It may sound obvious but we do receive a few that don't, and it's not very encouraging to boot up a disc only to recieve a 'Syntax Error message'.

Even if you haven't written a program but have an idea for a program that you think would be popular then jot the idea down on a piece of paper and send it in. Our regular contributors are always looking for ideas to put programs to.

Send your programs to: Submissions, BBC Acom User, 20 - 26 Brunswick Place, London, N1 6DJ.



# Dabhand Computing Ltd

TERMS: UK residents add 17.5% VAT to all prices, except books. Delivery FREE on all postal items in the UK. Foreign orders, no VAT, carriage at cost. (quotations available). Access/Visa cards accepted. Dabhand Computing Ltd. is a Qualified Acorn dealer. Official orders accepted from public sector/education/ PLCs, otherwise cash with order. Tender invitations welcome. Callers welcome. We are 800 yds north of J17, M62. Fax: 061-766 8425. Prices subject to change without notification. Goods offered subject to being unsold.

Dabhand Computing Ltd, 5 Victoria Lane, Whitefield, Manchester M25 6AL. This advert was produced using Impression from Computer Concepts.

	A 410/1	£1099.00
0	A 420/1 LC **	£1299.00
	A 440/1	£1699.00
	A 540	£2995.00























4	

# **Archimedes Computers**

A 3000 2Mb Ram ...... £599.00

A 3000 LC 2Mb Ram \* .... £699.00

We can match or improve on prices advertised or quoted in or from this magazine please phone for the best deals.

We operate the Acorn Schools, Academics & Finance schemes.

Pack includes PC Emulator, 1st Word

Oak SCSI Devices

20 Mb Internal Hard Disc ......£299 45 Mb Internal Hard Disc ......£399 80 Mb Internal Hard Disc ......£599

100 Mb Internal Hard Disc ......£795 200 Mb Internal Hard Disc ......£1195 20 Mb External Hard Disc ......£349

45 Mb External Hard Disc ...... £449 80 Mb External Hard Disc ......£649

100 Mb External Hard Disc ...... £845 200 Mb External Hard Disc ......£1245

40 Mb Internal Hard Disc ......£495

80 Mb Internal Hard Disc ......£675

100 Mb Internal Hard Disc ......£995

200 Mb Internal Hard Disc ......£1545

45 Mb External Hard Disc ...... £685

80 Mb External Hard Disc ......£865 100 Mb External Hard Disc ......£1185 200 Mb External Hard Disc ...... £1735 60 Mb Tape Streamer ...... £795

Archimedes A400 5.25" Ext. floppy disc interface ...... £30

A 540 4Mb Ram Upgrade ......£449

Additional 3.5" Floppy Disc ......£119

ARM 3 Upgrade (30 MHZ) ......£449 ArVis S-VHS Video Cont. Board ....... £295

ArVis S-VHS Encoder Board ...... £145 ArVis Video Graphics Board ...... £877 Atomwide 8 Mb Memory Upgrade ..... £850 Chroma 345 Overlay Board ......£389

Dongle Dangle (Impression/Oak)......£6 Econet Module ...... £46 Ethernet Expansion Card ......£249 Floating Point Expansion Card ...... £449

Hawk V9 Video Digitiser ......£339 I/O Expansion Card ...... £79 Keyboard Extender ...... £8 Midi Upgrade to I/O Exp. Card ......£27 Midi Expansion Card ...... £65 Midi Upgrade Rom ...... £14 Mouse (New Style) ......£40 Scanlight Junior Scanner A6 (CC) ...... £179 Scanlight Senior Scanner A4 (CC) ..... £389 Sheet Feeder for above A4 (CC) ...... £95 SCSI Expansion Card (Acorn) ...... £229 TCP/IP Ethernet ...... £199 VIDC Enhancer ......£29

Plus, Genesis. \*\* + Acorn DTP.

Worra Winnie

High Speed Range

# Dabhand 410/1 to 420/1

Acorn A410/1 upgraded to A420/1 specification using only the highest quality Samsung Ram and a 20 Mb Seagate ST-125-1 28ms drive or Acorn drive formatted and tested for guaranteed trouble free use.

A410/2 20 Mb	£1099
Colour System	£1289
Eizo 9060 SZ System	£1499

# Dabhand 410/1 to 440/1

Acorn A410/1 upgraded to A440/1 specification using a Branded 40 Mb 28ms drive formatted and tested as above.

A440/1 specification	£1299
Colour System	£1488
Eizo 9060 SZ System	£1699

# Dabhand ST506 Hard Disc Drives

Archimedes A410 Internal Hard Disc Drives for use with 'on-board' ST506 winchester controller. Comes complete with mounting chassis, screws, connecting cables and easy to follow fitting instructions.

20 Mb	28ms	 £129
40 Mb	28ms	 £245

# A3000 SCSI Devices

Please refer to Oak External SCSI prices in the opposite column as prices for A3000 external units are the same.

# A3000 Ram Upgrade

Atomwide Ram Upgrades
1 Mb Ram Upgrade£79
4Mb upgrade to above board £130
4 Mb Ram Upgrade £175

# A3000 Upgrades

MANAGEMENT OF THE PARTY OF THE	
5.25" External floppy disc cable	£15
5.25" External f/disc buffer (Pres)	£46
5.25" External f/disc buffer (Beebug)	£39
Dust cover (Keyboard + Monitor)	£12
User & Analogue Podule	£46
Monitor Stand (Acorn)	
Monitor Stand (Pres)	
Mouse Extender (No more fiddling)	83
Serial Upgrade	£19
Serial Link Kit (BBC-Arc)	£14
User & Midi Podule	
VIDC Enhancer	£29

# A400 Series Ram Upgrades

Fast Samsung Ram complete with step by step fitting instructions.

1 Mb Ram	£50
2 Mb Ram	£95
3 Mb Ram	£140

# **Standard Monitors**

Acorn Colour	£199
Microvitec Cub 3000	£199
Philips CM8833 II	
Philips Mono (Green)	
All manitors come with free lead	State

All monitors come with free lead. State type of computer when ordering.

# **Multiscan Monitors**

£399
£599
£425
£495
£799

comes with free VIDC enhancer.

# Master 128

Master	128	 £36
Master	120	 200

# Floppy Disc Drives

5.25" Single 40/80 no psu	£95
5.25" Single 40/80 with psu	£109
5.25" Dual 40/80 no psu	£185
5.25" Dual 40/80 with psu	
3.5" Single with psu	
3.5" + 5.25" 40/80 no psu	
3.5" + 5.25" 40/80 with psu	

# **Printers**

	The same of the same of
Citizen 120D+ (Serial add £20)	£129
Citizen Swift 9	£179
Star LC10	£139
STAR LC200 COLOUR (9 pin)	£199
CANON Bubblejet BJ-10e	£289
Canon Bubblejet BJ-130e	£449
Sheetfeeder for BJ-10e	£59
Citizen Swift 24	£249
Colour Kit for above (also Swift 9) .	£39
STAR LC24 - 200	£239
STAR LC24 - 200 COLOUR	£289
Sheetfeeder for LC24 - 200	£69
Integrex Colourjet 132	£519
HP Paintjet	£795
LASER DIRECT (Qume)	
LASER DIRECT (LPB8 Hi Res.)	







































<sup>\*\*</sup> monitor has 0.26 dot pitch and Sony Trinitron tube.

# 4 4 4 4 4 4 4 4 4

# Midnight Graphics Products

# **Midnight Tracer**

!Paint to !Draw conversion, turn your sprite files into fully editable object orientated draw files which can be scaled, rotated and manipulated without any loss of detail.

Ideal for users of all Desktop Publishing and Scanning packages. Accepts any sprite file and offers many image processing facilities. Translation can be colour or monochrome, includes a unique automatic tracing feature, variable trace options and curve fitting facilities.

The manual includes a user friendly tutorial with hints and tips on how to obtain the best results from your sprite

!Tracer is an ARM coded Risc OS multitasking application and will easily run on a 1Mb machine.

Midnight Tracer ......£52.13

# Clip Art - Draw Files

Give your DTP documents the right balance with Midnight Graphics Clip Art.

Over 480 Draw file images, presented in a library of five discs













# **Books (No Vat)**

C: A Dabhand Guide	£14.95
Archimedes Assembly Language	£14.95
Archimedes Operating System	£14.95
The above books have accompanying di	scs add
£5 for 5.25", £7 for 3.5"	
A3000 Technical Guide	£29.95
A540 Technical Guide	£65.00
Acorn DTP Advanced U.G	£14.95
Archimedes First Steps	£9.95

BASIC V: A Dabhand Guide	£9.95
BBC Basic Guide (Acorn)	£19.95
DTP Seeds (4Mation)	£8.45
128 Ref. Man.Pts 1&2 (e	
New Advanced User Guide	£19.95
RISCOS PRM's	£79.00
Additional Arc Software Manuals (A	cornsoft)
First Word Plus, DTP, Assembler	. (ea.) £10
ANSI C Version 3	

# **Printer Drivers**

Midnight Graphics	
Citizen Swift 9 Sprite Dump	£26.04
Citizen Swift 24 Sprite Dump	
Epson 24 Sprite Dump	
HP Paintjet Sprite Dump	
Integrex 132 Sprite Dump	
Integrex Colourcel Sprite Dump	.£26.04
Juki 5520 Sprite Dump	. £26.04
Star LC10 Sprite Dump	£26.04

Star XB24 Sprite Dump	£26.04
Star LC200 Sprite Dump	£26.04
Star LC24-200 Sprite Dump	£26.04
Ace Computing	
Printer JX	£13.00
Printer PJ	£13.00
Printer CA	£13.00
Electronic Font Foundry	
BubbleJet - BJ10e/130e	£10.00

# **Full Range of Educational Software**

# Available

4Mation, Chalksoft, Longman Resource, Sherston, Widgit And many more...



4

4

4

4

4

4

4

4

4

4

4

4

4

4

4

ı	ANSI C V.3 Compiler + free C Guide £	
١	Apocolypse (3D Space Game)	
ı	Arc DFS (DFS Filing System)	£24.95
ı	Arcade Soccer	£14.95
ı	ArcTerm (Serial Port) Armadeus & Sampler Board (Sound Sampler) £ Artisan 2 (16 Colours) Atelier (Minerva 256 Colours)	£59.00
١	Armadeus & Sampler Board (Sound Sampler) £	199.00
١	Artisan 2 (16 Colours)	£49.95
ı	Atelier (Minerva 256 Colours)	£79.95
ı	CHESS 3D	£14.95
١	CHOCKS AWAY 2 (Flight Simulator)	£14.95
	CHOCKS AWAY EXTRA MISSIONS	£14.95
J	CHOCKS AWAY 2 + EXTRA MISSIONS	£29.00
ı	Desktop Office (Minerva Integrated Package)	£99.00
ı	DROP SHIP (Superb Graphics)	£12.95
١	Euclid 2 (3D Drawing)	£57.95
ı	E-Type (Driving Simulation) / Designer each	£12.95
ı	Equazor (Equasion generating package)	£39.00
ı	Family Favorites (Minerva Compilation)	£14.95
١	First Word Plus V2 (Acorn)	£79.95
١	FONT FX (Font Effects for Draw/Impression)	£8.65
ı	Flexifile Relational Database (Minerva)£	
ı	GRAPHBOX with Hotlink to PDream 3	669.95
١	Holed Out, Extra Courses, Designer each	
ı	HOSTAGES (Superior)	614 95
١	HOSTAGES (Superior)	139 00
١	IMPRESSION JUNIOR (Easy DTP)	675.00
	Inertia (4th Dimension)	£12.05
	INTERDICTOR 2 (Flight Simulator)	C27 05
ı	Investigator (The Best Disc Copier)	624.05
	IRON LORD	£14.95
ı	MINI HYPERPACKS (3 games p p) No's 1 to 5	219.95
ı	Hyperpack (12 Games)	179.95
ı	Maddingly Hall (Minerva Adv.)	£12.95
ı	MAD PROFESSOR MARIARTY (Platform game)	£17.35
ı	Magnetic Scrolls (Adventures)	£22.95
ı	Manchester United	£22.95
١	Microstudio (Emr - Learn Music)	£79.00
١	MIG 29 (Flight Simulator)	£29.00
١	MULTIFS (Arxe Systems - Atari, PC, DFS)	£27.95
	Multistore Database (Minerva)	199.00
	NEVRYON (Unbelievable Graphics & Gameplay)	£14.95
	NO EXCUSES (Arcade)	£14.95
	PC Emulator + free PCE Shareware 1&2	£99.00
	Pipedream 3 (WP)£	129.00
ı	Pipe Mania (Addiction beyond belief)	£17.35
ł	POSTER (Superb effects)	£79.00
ı	POWERBAND (3D Formula 1 Racing - 4th Dim.)	£17.95
1	ProArtisan (256 Colours)	£79.95
١	REAL MCCOY 2 (4 Game Compendium)	£24.95
ı	REDSHIFT (Minerva scrolling arcade)	
	Render Bender (Clares)	£59.95
ı	RHAPSODY (Clares Music package)SCHEMA (Multitasking Spread Sheet)	£34.95
	SCHEMA (Multitasking Spread Sheet)	£99.00
	Superior GolfSTUDIO 24 PLUS (EMR New Risc Os Version) £	£14.95
١	STUDIO 24 PLUS (EMR New Risc Os Version) £	149.00
	TEENAGE MUTANT TURTLES (Colouring Book)	£14.95
	The Wimp Game (Desktop Adventure 4th Dim.)	£14.95
	Thundermonk (Arcade Adventure)	£14.95
	Thundermonk (Arcade Adventure)	£39.95
	Twin World	£14.95
	Worra Battle (Oak Tank Battle) FREE Headphones	
	WorraCad (Oak 2D Draughting Package)	£75.00
	Worra Plot (Draw/HPGL Plotter Driver)	£24.95
	How to find up	
	How to find us	



Hours of Opening Monday - Friday 9.00 a.m. - 5.00 p.m. Saturday 10.00 a.m. - 5.00 p.m.

# NO Carriage Charges in Mainland UK

Acorn Qualified Dealer Specialists in Education



TEL: 061 766 8423
















# 42M Archimedes Removable Drives – £499+VAT

If you are looking for a hard drive for your Archimedes or A3000, why not consider using a MicroNet MR45 removable SCSI hard drive?...

- Fast The average access time is 20 milliseconds, so these are FAST devices. When used with an Oak SCSI card, the file transfer rate is the same as a conventional fixed hard disc.
- **Reliable** The technology of these drives has been proven by use in huge quantities with Apple Macintosh computers.
- Robust The discs, when not in the drive, are extremely robust. We (deliberately!) threw one half-way across the office, it hit a desk and knocked a phone on the floor! We then verified the disc and found that it did not have a single error on it!
- Flexible The medium is removable, so you can use different discs for different uses.
- Secure The medium is removable, so you can take out the disc and lock it up in a safe place.
- Cheap The price of the drive, including a single 42M disc, is just £499 (£590 including VAT and carriage). Extra 42M discs are £75 each. SCSI podules are available from £170.

N.B. These are special prices for Archive Magazine subscribers only (ring for details) but it's worth paying £17 to join Archive just to buy one of these drives!

Norwich Computer Services 96a Vauxhall Street, Norwich NR2 2SD. (0603-766592 / Fax 764011)

# COLOURJET 132 COLOUR INK JET PRINTER



EMULATES OTHER COLOUR PRINTERS EG. IBM 3852, Canon PJ1080A, Quadjet PRINTS OVERHEAD TRANSPARENCIES



**EDUCATIONAL DISCOUNTS AVALIABLE** 

INTEGREX LTD., CHURCH GRESLEY, SWADLINCOTE DERBYS DE11 9PT
Tel (0283) 551551
Fax (0283) 550325
T/x 341727 INTEGX

# NINF.

# **MALCOLM BROWN** compares some low cost nine-pin printers currently available

o matter how attractive a laser printer, or even good quality 24-pin dot-matrix printer, if your budget only runs to £250, a nine-pin dotmatrix model is for you.

These printers remain ever popular because they provide workhorse printing. For a hard copy of program listings, file copies of accounts or draft copies of documents, a more expensive printer is not really what you need.

In such cases the quality of either the draft or near letter quality (NLQ) print is not so important. So long as the text is legible and comfortable to read, its finer aesthetic points are unimportant. It is speed that matters. All the models looked at here have been tested by printing a set piece of text and the equivalent speed in characters per second (cps) calculated.

Our cps performance figures are more realistic than those claimed by the manufacturers and can be compared with those quoted in previous BAU printer tests.

The commands to control effects, such as bold, enlarged, condensed, italic print, and so on, follow a number of different standards. The basic facilities are provided by the Epson FX and IBM Graphics Printer standards. Epson LQ and IBM Proprinter standards offer more versatility and are worth looking out for.

The seven printers reviewed here all cost less than £260. In addition, there is a comparison table which allows you to compare these printers with eight slightly more expensive models. From this table you will be able to decide which printer will be the best for you.

# AMSTRAD DMP3160

This £175 printer is aimed particularly at users of Amstrad's CPC range of home computers. It is not strongly made nor elegantly styled, mainly because of the somewhat peculiar feeding paper mechanism.

Paper enters the printer from the front, not the back or base like most printers. For cut sheet paper this means it is loaded face up - unusual and tricky to get used to at first, but actually quite sensible. Since the paper meets the printhead almost as soon as it enters the printer, there's no need for automatic loading.

Fanfold paper also enters from the front and the DMP3160 has a pair of folddown feet to raise the printer a few inches off the desk so a (small) wad of fanfold paper can sit beneath it.

The print from this model is not of a very good quality. In draft mode text is faint and unattractive, although in NLQ mode it is better, but not up to the standard expected.

It is also exceptionally slow - in draft mode it barely manages a snail-like 67cps, which is around 45sec per page.

In NLQ mode the DMP3160 sinks to a derisory 18cps, which is the speed of a cheap daisywheel printer - although the quality of NLQ print from the DMP3160 is not as good.

The DMP3160 is, however, IBM Proprinter compatible and can also emulate the Epson LQ series. DMP3160 is certainly cheap. Few other printers come near this price, although those that do, more than justify the extra.

# EPSON LX-400

At £199, the LX-400 is not only extremely cheap, but it beats the pants off machines costing twice as much.

The paper handling system features that bugbear, the removable tractor feed, which must be removed to use single sheet paper - time consuming and wearing on the fittings.

It is also a pull-feed unit, and so wasteful on fanfold paper as well. For cut sheet paper the automatic loading is fast and efficient, but there is no paper parking.

The print quality from this machine is excellent. NLQ text is dark, crisp and well formed with dark areas of graphics and graphics characters dark and even. Draft print is naturally less appealing, but it is still easily readable.

The LX-400 is relatively fast – in draft mode it manages a healthy 101cps, and 23cps in NLQ, which is just under 2min per page.

Unfortunately, there is no IBM standard at all, although the LX-400 is Epson-compatible with a standard roughly equivalent to the FX standard, but with the full IBM character set provided.

Overall, the LX-400 is a well made, flexible printer which performs well beyond its selling price.

# MT81

At £187, the Mannesmann Tally MT81 is one of the cheapest printers available, but is also capable of high quality.

A push-feed tractor unit is built-in, but no paper parking is provided. Cut sheets are not loaded automatically and the only way to straighten a sheet after it is loaded is to briefly switch to tractor feed to release the hold on the paper.

However, this machine is not really intended for frequent use with cut sheet paper - it is strictly a fanfold printer.

The print from the MT81 is well above average. Draft print is dark and relatively dot-free better than many models' attempts at NLQ. In NLQ mode the MT81 produces dark, even, crisp and rounded characters. The only drawback is that only one NLQ font is provided and that print is a touch heavy.

The speed of the MT81 is decidedly average. Draft print is produced at about 77cps and NLQ characters are printed at a rate of 21cps - over 2min per page. However, the MT81 is both Epson FX and IBM Proprinter compatible and most functions can be controlled



from the front panel, albeit mostly with complicated and sometimes hard-to-remember button combinations.

There is not a great deal to set the MT81 apart except its price, and plenty of discounts bring superior models down to this level.

### OLIVETTI DM109

This is a push feed type and it sits recessed into the top of the printer. A tear-off function advances the paper to tear off the sheet and then retracts it back again to print the next one.

Cut sheet paper is loaded automatically at the press of a button - the same button will also attempt to 'park' fanfold paper even when no fanfold paper is in the printer and it is set to friction feed. So, pressing the wrong button promptly ejects, backwards, the sheet of paper just loaded.

Draft print is relatively poor and, although readable, a long document can be quite a strain. NLQ print is better but not even up the standard of the Amstrad DMP3160.

There are two NLQ fonts available - a typewriter lookalike and a plain sans serif font. NLQ print is produced at the reasonable rate of 25cps, but draft print is tardy at just 80cps. To compensate, a high speed draft mode produces characters at a good rate of 119cps, but the print quality suffers enormously.

High speed print cannot be selected from the front panel or with a software code - only in the complex initial set up, involving long chains of printed menus. Character pitch and draft/NLQ can be selected from the front panel and other functions are controlled with either IBM Proprinter



Epson FX commands.

Olivetti's tradition of quality is seriously let down by the DM109 - a slow, poor quality machine which cannot justify even this low price.

# PANASONIC KX-P1081

As something of a forerunner to the KX-P1180, the £257 KX-P1081 is a bit of a classic. This is an old design, owing much to the original Epson FX-80 'look' of around eight years ago. It is rather noisy in use, producing a loud buzzing sound as it prints.

Both tractor and friction feed units are provided but there are no luxuries, such as paper parking. The paper handling is let down by the automatic paper feed, which operates as soon as a sheet is placed into the printer.

But, as there are no proper guides, it almost invariably feeds crooked - no automatic loading at all would be a lot easier to use.

The print quality from this machine is crisp, dark and eminently readable. The KX-P1081 has just one NLO font available - the usual typewriter lookalike.

In speed, the KX-P1081 will manage 77cps - about 30sec for a typical page of text and a bit slow for this price. In NLQ mode the speed is down to 20cps, again at the lower end of the scale.

Only the basic Epson FX and IBM Graphics Printer emulations are provided and print quality can be selected from a switch on the front panel, although switching to NLQ makes it impossible to switch back to draft print with a software command.

The KX-P1081 is a simple machine with little in the way



PANASONIC KX-P1080

of extra frills but it is robust and capable of quite reasonable print.

However, the opposition provided by Panasonic (see table) is faster, easier to use and offers a choice of NLQ fonts. Few (least of all Panasonic) would deny that if the extra £50 can be found, the KX-P1180 provides a much better solution.

# SEIKOSHA SP-2000

Unlike other Seikosha printers, the SP-2000 model looks more expensive than its £234 price tag. It is mostly a very clever styling job but this machine appears capable of far rougher treatment than it probably is (although as a whole, I would say it is fairly robust).

Paper feed is straightforward. Both fanfold and cut sheet paper enter and exit the printer on the top. Cut sheet paper is loaded automatically, triggered by the bail bar, and fanfold paper is handled with a push-only tractor.

The print from the SP-2000 is exceptionally dark, especially in NLO mode. In draft mode, the characters are clear and easily legible, much like the Swift 9 in both style and quality.

In NLQ mode the text, pixelated although rather around the edges, is extremely

clear and crisp, with even large areas of black in graphics printed a deep, even black.

There are two NLQ fonts available - a serif typewriter lookalike and a sans serif style, which is a small but powerful combination that will satisfy most needs.

For its relatively low price, the SP-2000 is faster than average. In draft mode it manages a slightly disappointing



SEIKOSHA SP-2000

97cps. NLQ text, however, is produced at 25cps - a very reasonable speed for this price.

The SP-2000 can emulate both an IBM Proprinter and Epson FX printer, and some control is also possible from the front panel. The quality of print - NLQ or draft - can be selected from here, as can the NLO font used.

The Seikosha SP-2000 is quite a bargain. Although it is not overtly fast, it is well made and produces good NLQ print in a choice of two fonts.

### STAR LC-10 II

The Star LC-10 was (and still is) an excellent machine and the £257 LC-10 II continues the tradition. It is not the cheapest machine available, but it packs in many features.

Both friction and tractor feed are provided with the push-feed tractor feed hidden away under a back panel when not in use. The LC-10 II also features automatic paper loading and paper parking.

But most important is the print quality from this printer. Draft print is extremely readable, if a little faint. The NLQ quality is simply excellent far better than other machines of this price. The letters are well styled and crisp and dark.

The LC-10 II can print in four NLQ character styles. As

# Arcounts Manager

# The Professional Solution

### **FEATURES**

- Sales, Purchase, **Nominal Ledgers**
- **Budget Reports**
- Sales/Purchase Analysis
- Debt Chasing and other
- **Aged Debt Analysis**
- Statements (User Definable)
- **Re-Occurring Transactions**
- Receipt/Payment/Refund
- & Contra Processing Invoice Search Facility
- RISCOS multi tasking
- Text Editor
- Trial Balance Quick Ratio
- VAT Return
- Profit/Loss & Balance Sheet
- Self re-building data files
- Hold transaction or Account
- Miscellaneous Accounts
- Upgradeable
- Full Support included
- Mouse or Keyboard Driven

# **KENDAL COMPUTER CENTRE**

68 Stramongate, Kendal, CUMBRIA LA9 4BD Tel: 0539 722559

Arcounts Manager is the ultimate Archimedes Accounting system on the market today. It is not written to run under an emulator and is not ported from another machine, it simply takes full advantage of the raw power of the Archimedes and A3000 computers to ensure that the computerisation of your accounts is as simple as oossible)

Aredunts Manager is very simple to learn and use, data entry is clear and logical, reports are concise and to the point.

Because Arcounts Manager puts you in control of your finances, it can greatly improve your cash flow, as well as perform the traditional functions such as VAT returns and Profit/Loss reports.

Priced at only £299.00 +VAT, there is really only one choice if you are serious about computerising your accounts. Contact your dealer for a demonstration TODAY.

# !INSPIRATION

# The most comprehensive music sequencing package available for the Archimedes.

Come and visit our demonstration area, or phone for a demo disc. Fully Risc OS compatible. Purchase with Archimedes (special price), or simply add it to your existing system. All you need is a MIDI interface.

!Inspiration offers a control panel featuring: Replace and Overdub record modes • Cue Start and End • System Status Display • Multiple Save capabilities, and many other

# CLARES

Armadeus Sound Sampler Rhapsody Score Editing

# ARMADILLO 16 BIT SOUND SAMPLER £400.00 Ex Demo £350.00

Full stereo editing, 8 voice polyphony, looping, sustain, 127 samples per MIDI channel, fully multi-timbral, on screen MIDI keyboards and built in MIDI interfaces, etc...

# Archimedes Computer Systems

		Ram Upgrades	
A3000	550.00	A3000 upgrade to 2Mb	60.00
A3000LC	650.00	A3000 upgrade to 4Mb	170.00
410/1	1,050.00	A410/1 upgrade to 2Mb	59.00
420/1		A410/1 upgrade to 4Mb	112.00
440/1	1,600.00		
540	2,900.00	SECOND HAND GOODS	
Above computer con		Citizen Overture 106 laser printer	500.00
or printer depending	on computer size	Canon B1132 (ex demo)	400.00

280.00 Taxan 770 monitor All come with Desk top Office from Minerva (WP, spreadsheet, Database,

For other products please ring for prices

ampsound

chart, comms)

153a Victoria Street, St Albans, Herts AL1 3TA Telephone 0727 50075 Facsimile 0727 58977 Please add VAT to all above prices

# LOOK BEFORE YOU LEAP!

CHOOSE THE RISC-OS DESKTOP COMPATIBLE HAWK V9 TO DIGITISE YOUR IMAGE



- THE HAWK V9 CAPTURES SINGLE FRAMES IN FULL COLOUR FROM MOVING VIDEO IMAGES FROM CAMERA OR VCR
- THE SOFTWARE IS EASY TO USE AND IS PROVIDED WITH POWERFUL ROUTINES TO ENHANCE IMAGE PRESENTATION
- THE CAPTURED IMAGES MAY BE STORED AS SPRITES OR EXPORTED TO OTHER **PACKAGES**
- THE HAWK V9 IS AVAILABLE FOR BOTH THE ARCHIMEDES AND THE A3000 **COMPUTERS**



WILD VISION 15 WITNEY WAY BOLDON BUSINESS PARK BOLDON COLLIERY TYNE & WEAR NE35 9PE TEL: 091 519 1455 FAX: 091 519 1929

				NINE-	PIN PR	INTE	R COI	<b>VIPARIS</b>	ON TAE	1415			
Make & Model	Price (exVAT)	Claimed Draft	i speed NLQ	Average s Draft	peed NLQ	Interfac Centr	RS232	Tractor Feed	Sheet Feeder	Paper Parking	Compatibility Epson	IBM	NLQ styles
Amstrad DMP3160	£149	160	40	67	18	•	•	Push			LQ	Pro	1
Brother M-1309	£239	180	45	111	28	•	-	Push/pull		•	FX	Pro	4
Citizen Swift9	£269	160	40	108	29	•	£30	Push/pull	£84	•	FX	Pro	3
Epson FX-850	£459	290	45	175	44	•	£36	Push	£165	•	FX	Pro	2
Epson LX-400	£169	150	25	101	23	•	£36	Push	£79		LQ	Pro	2
IBM ProprinterII	£477 I	270	65	174	45	•	£48	Push	£155	•		Pro	2
Mannesmar TallyMT81	in	£159	130	24	77	21	•	£40	Push	£82		FX	Pro I
Olivetti DM105S	£249	150	30	86	20	•		Pull	£99		FX	Pro	2
Olivetti DM109	£219	200	30	80	25	•		Push		•	FX	Pro	1
Olympia NP30	£248	130	26	84	21	•	£25	Push	£138	+ PG	FX	Pro	I
Panasonic KX-P1081	£219	120	24	77	20	•	£41	Push			FX	Gra	1
Panasonic KX-P1180	£269	160	32	103	25	•	£69	Push/pull	£99	•	FX	Pro	4
Seikosha SP-2000	£199	160	40	97	25	•	•	Push		•	FX	Pro	2
Star LC-10II	£219	150	38	101	39	•	£55	Push	£65	•	FX	Pro	4
Star	£259	160	45	100	30	•	£55	Push/pull	£65	•	FX	Pro	4

well as the usual typewriter lookalike, this machine can produce san serif and (two) Orator fonts.

LC-200

A big attraction of the LC-10 II is its speed. In draft mode it can manage 101cps, while in NLQ its speed is an impressive 29cps. The LC-10 II is both Epson FX and IBM Proprinter compatible so there are numerous printing effects to be used with most software.

The style and size of the print can be controlled from the front panel and other printing effects can also be switched on from here but only with complicated button combinations.

The old Star LC-10 was a successful design but Star has improved it still further. The speed has been increased to an impressive level and the print quality is of the same excellent standard.

# CONCLUSION

Now let's sort out the sheep from the lambs. Although it is the cheapest, the Amstrad DMP3160 performs so badly, it is hardly worth considering with any seriousness.

Next up the scale is the Mannesmann Tally MT81. This was considered excellent when it was launched, but has now been somewhat overtaken by newer models from other manufacturers, not least the LX-400 from Epson.

The LX-400 is truly amazing value for money. It produces good quality print at a reasonable speed. At this price there is nothing to beat it.

Around the £220 mark the Panasonic KX-P1081 suffers from its old age. Things have moved on since this printer was conceived. Likewise the Olivetti DM105S is looking rather long in the tooth. However, the Seikosha SP-2000 shows what a newer model can do.

Walking off with the crown of the cheaper dot-matrix printers, however, must be the Star LC-10 II. With excellent quality NLQ print and good speed in both NLQ and draft, a choice of four fonts and many convenience features, this printer gives many costing far more a run for their money.

# The Electronic Font Foundry

EFF are the only DTP specialists in the Archimedes field. As well as our vast range of professional PostScript\* compatible typefaces we sell a range of hardware suitable for both professional or amateur DTP. Take a look at some of our prices to see what value you get from us.

We are expanding our range of fonts into other languages; we already have Greek (Modern and Classical), Cyrillic, Hebrew and Punjubi as well as all European languages, with keyboard modules available if you need them to simplify their use. We will soon have fonts for some more Indic languages available for sale; Bengali, Devangari, Farsi, Gujarati and Tamil.

HARDWARE		Acorn 14" colour	£199
A3000	£545	EIZO 9060S 14" monitor	£445
A3000 Learning Curve	£645	19" paper white monochrome	£699
A410/1	£995		
A420/1	£1195	SOFTWARE	
A440/1	£1495	Impression II	£145
A540/1	£2595	Impression II network version	
BJ-10e Portable printer	£295	for up to 20 computers	£660
BJ-300 A4 Paper,		Impression Junior	£75
built in tractor feed	£450	FontFX	£10
Canon LBP4, 4 ppm	£895	Snippet	£29
Interface to drive above		Ovation	£95
printer at 600dpi	£325	Ovation Demo Disc	£5
Laser Direct LBP8, 8 ppm,		Midnight Graphics Clip Art	229.50
complete with 600dpi podule	£1395	Equasor	£45
Removable external drive	£460	Poster	£79
45Mb disc for above	£75	Acorn DTP	£119
SCSI Podule	£175	RISC OS Printer Driver For I	Bubble
Complete package	£660	Jet printers BJ 130, 130e and 10et	
		Multi FS	£35
All price:	s exclude	e VAT and carriage	

For Font Catalogue and comprehensive price list write to: The Electronic Font Foundry
 18, Brockenhurst Road · Ascot · SL5 9DL · Tel 0344 872923 ·

# Are you looking for a good source for Archimedes public domain software?

Lings Software Services Ltd have an extensive selection to choose from including games, utilities, soundtrackers, graphics files, outline & system fonts.

Our standard discs only cost £1.25 each or if you prefer you can create your own by choosing up to 10 files per disc for £2.50 and avoid buying files you already own. Send £1.00 for our demo disc/catalogue or an SAE for our catalogue.

We can also supply

Our Archimedes Starter Kit

Good quality mouse mat (not cheap foam), 10 x formatted discs, 10 x public domain discs and a lead to connect your Archimedes to your monitor for better & adjustable sound. £19.95.

€ 2.50

P.O.A.

10 x formatted (or blank) 3.5" discs in library case Good quality mouse mats as above

Any other hardware or software you may require for your Archimedes.



Lings House, 26 Caxton Rd, Wimbledon, London, SW19 8SJ 081-643 3833

# ACORN ARCHIMEDES COMPUTERS **EXPANSION OPTIONS** FOR

# INDUSTRIAL & SCIENTIFIC APPLICATIONS

HARDWARE - IEEE488 Interface, 16 Bit Parallel I/O, Dual RS423 Serial Interface, 12 Bit ADC, STE Bus Interface and complete range of STE Bus Boards, SCSI Devices - Hard Discs, Magneto-Optical Drives, Tape Streamers, Removable Hard Discs, Monitors, Printers, Plotters, Plus all Acorn Products etc......

SOFTWARE - GINO-F 3D, GINOGRAF, GINOSURF, HERSHEY +, VIEWGRAF, VIEWSURF, Termulator etc......



# ADVICE - SUPPLY - SUPPORT INTELLIGENT INTERFACES LTD

Established 1981

Atherstone Hill Farm, Atherstone-on-Stour, Stratford-upon-Avon. Warwickshire CV37 8NF TEL 0789 450925 FAX 0789 450926

he Archimedes has always been strong on graphics. The VIDC chip provides a wide range of resolutions and colour selections from a large palette. Nonetheless, the machine was designed over five years ago, and standards in all areas of computing continue advance apace.

Several graphics cards for machines like the Apple Macintosh and the IBM PC can now offer graphic modes which include a full 24-bit collection and delivery service.

Once the enhancer has been fitted, you have a number of new graphics modes directly available to you.

For a start, all the Computer Concepts and Atomwide graphics modes are pre-programmed into the Rom, as are the extra modes from the Acorn 540 and 14 new modes defined by PCATS itself. Most of these are desktop compatible, so any well written program will run as normal, but at the

and 124 were difficult to read. On the Multisync, resolution could go as high as  $640 \times 512$ with a full 256 colours on screen at once. Mode 126 at 640 × 480 is of particular interest, since it mimics the resolution and colours of one of the Super VGA modes on the IBM PC.

Support of the desktop in new graphics modes is only part of the story. The enhancer also provides two further outputs which are not desktop

file format, which can handle high-resolution images with or without an appended palette. A full description of the file format is included in the documentation.

The documentation provided with the enhancer was in a prerelease form.

It gave ample description of the commands available and the modes provided, but it was a bit thin on the use of the software. This material will actually form the basis of an

# GOOD LOOKING


The graphics performance of the Archimedes is already exceptional. Even the best can be improved, though, as SIMON WILLIAMS has been finding out

palette, or 16,777,216 colours.

The PCATS graphics enhancer for the Archimedes/ A3000 machines offers the same state-of-the-art colour palette, and a number of new, high resolution graphics modes for under £200. The enhancer brings a lot of extra graphics power to the Archimedes with minimum disturbance to its existing operation.

The hardware consists of a half-width podule which connects to the Arc's main board via the genlock connector, and to the standard analogue output of the machine via a short loop cable. Monitor output is then taken from an identical analogue socket on the enhancer back panel. The board itself is well made and tightly packed with the Hitachi graphics processor chip, crystal oscillators and sockets for extra ones, and logic chips as well as miniature relays. The rear panel has two analogue video sockets mounted on it, for input of the Arc's standard video signal and output from the enhancer.

Although installation is not complex, it does involve soldering a new header to the genlock output, which in turn means removing the main board from the Archimedes' case. For this reason, the unit has to be fitted by The Serial Port, which offers a courier



ALL THE COLOURS CAN BE DISPLAYED ON SCREEN AT ONCE

higher resolution, or with the larger palette.

New modes can be brought up using the entry field on the desktop's Mode menu. Several of the new modes are available on medium-resolution monitors as well as multiscans.

The unit was tested using NEC Multisync and Philips CM8533 medium resolution monitors. The standard modes worked fine with the enhancer card, as you might expect. The connection through enhancer is effectively straight through. All the other new modes from PCATS, designed for group 0 monitors also worked correctly, although some of the high resolution screens, such as modes 123 compatible, but are available from Basic and other languages. These provide 12 and 16 bitplane, direct DAC modes, which in simple terms means 4096 and 65536 colours on screen at once, at resolutions up to  $554 \times 328$  and  $416 \times$ 328, respectively.

Software support within the enhancer Rom consists of a number of star commands and SWIS. These provide facilities, among other things, to load and save an extended palette, to automatically set a palette equivalent to the default desktop colours and to load and save Clear files.

A Clear file, for those of you who do not know, is a straightforward uncompressed

optional programmer's reference manual. A separate user guide will be provided with the podule, and this will include a tutorial and some programming examples.

Other software suppliers are showing interest in the card and names such as Clares, Longman Logotron and Lindis are looking into programming versions of their graphics software to work directly with the enhancer.

Overall the PCATS graphics enhancer provides a worthwhile upgrade to the graphics capabilities of the Archimedes, at a reasonable price.

The extra resolution and the addition of a much larger palette from which to select up to 256 colours is a major improvement over the machine's existing graphics capabilities.

The firmware commands have been well thought out, and the addition of a generalpurpose graphics file format like Clear will allow a direct exchange of images between

# PRODUCT DETAILS

The PCATS graphics enhancer for the Archimedes costs £179.95, and £189.95 for the A and is available from The Serial Port, Burcott Manor, Wells, Somerset BA5 1NH.

FasiWriter is the Arc's newest, and biggest, wordprocessor, GRAHAM **BELL** tried it out

SCSI::Graham.\$

he Arc has attracted a lot of innovative software Squirrel and Impression are two good examples. But it has not so far persuaded companies to port software from non-Acorn machines. Icon Technology's EasiWriter is an exception: it's based on the respected Apple Macintosh

application MacAuthor.

EasiWriter is a wysiwyg wordprocessor which makes

full use of outline fonts and the other features of Risc OS. Unlike its major competitor First Word Plus, it uses proportionally spaced fonts and the Risc OS printer drivers, and can incorporate multiple columns of text and both Draw files and sprites into its documents. This places it firmly in DTP territory, but unlike Impression it's not able to hold more than one 'story' in a document. Colton Software's Pipedream is perhaps the only directly comparable application, though that has other strengths as a spreadsheet too.

!Fonts System colour Mono CSI::Graham.\$.Personal.RoornUser.EasyWriter.Revue \* †††: ▲ 120% ▲ 🏔 🗐 🗉 🗊 🗏 Text Selection Paragraph Style TPapps scOSapps 800k of memory at start up, more as EasiWriter Review soon as you edit text or run a spelling check. Even in a 2Mb machine, it's a by Graham Bell for Acorn User, July 1991 EasiWriter you want to run it alongside prizeable application like Paint contacts Mike Glover @ Icon Technology Misc part including any sprites in on 0533 546225 Introduction Structure of the top plus a blank A4 sheet The Archimedes has attracted a lot of in-Format Start typing right away. Alnovative software - Squirrel and Impression are two good examples - but it menu structure is daunting a hasn't so far attracted companies to port Search of is fully wysiwyg, and it's Spelling View :0 RAM Graham MSDOS::0 Econet F8 ¢ Undo

EasiWriter allows multiple columns on one page

Installing EasiWriter is as simple as copying the lot onto a blank floppy or a hard disc, and starting up the software is easy enough: it installs an icon reminiscent of Edit's fountain pen. The most important drawback of EasiWriter becomes immediately apparent here it's the first mainstream application that won't run in a 1Mb machine. It claims 800k of memory at start up, more as soon as you edit text or run a spelling check. Even a 2Mb machine is a tight fit if you want to run it alongside any other sizeable application like Paint and you start including sprites in your documents.

The blank window contains a tool pane at the top plus a blank A4 sheet - you can start typing right away. Although the menu structure is daunting at first sight, EasiWriter is fully wysiwyg and it's simple enough to do a letter without a look at the manual. The tools allow you to select justified or ragged text, and insertion, deletion, search and replace work as you would expect.

# **PLUS POINTS**

But there are some extremely neat touches at this simplest level. One is intelligent cut and paste: if you select a word and cut it out (using a double click of the mouse and CTRL-X as usual) the space around the word is adjusted intelligently, taking account of punctuation and so on. Pasting in a word elsewhere inserts spaces as necessary. Strangely the intelligence only works with CTRL-X - use DELETE and it can leave a double space behind.

Another plus point is that by editing a text file, items can be removed from EasiWriter's menu structure, so simplifying it down to bare essentials for young users is possible.

Icon is a software company that doesn't have wide experience of the Acorn world, and occasionally it shows. There's no 'change case' key, to alter from lower to upper case. Similarly, 'delete forwards' and pointer hiding as you type were very late additions to the software after comments made during this review (the use of the COPY key to delete forwards is an Acorn quirk). More seriously, the treatment of a non-breaking space (ALT-SPACE) is wrong - EasiWriter can put a hyphen after a space this way.

Aside from these omissions, EasiWriter adheres admirably to the Risc OS guidelines. The document window exactly as advertised, though some cursor movements can be unpredictable (particularly UP from the end of a paragraph). Various standard CTRL key shortcuts work as you would expect: CTRL-C copies, CTRL-V pastes, F3 saves, F4 finds and so on. There are four layers of function key shortcuts, which you'll gradually learn because they are marked on the menus too.

There is an 'undo' function for that injudicious key press. But it can even undo gross changes to the formatting of the entire document. There's also a spelling checker with the easiest way of creating your own dictionary I've seen: a 'learn' button. The whileyou-type spelling beeps when you make a mistake, and you can let several mistakes pass before pressing F9 to correct them all. But don't go back to correct the last one - it forgets them all as soon as you move the caret with an arrow key. This needs to be fixed.

Sadly, you can't set up separate user dictionaries for, say, names and technical terms, nor can you add a thesaurus. Foreign dictionaries are available from Icon though, and you can highlight a word and define it as French. EasiWriter will then look it up in the French dictionary, or ignore it if no French dictionary is installed.

# STRUCTURED TEXT

But this isn't EasiWriter's only forté. It has a strong line on structure: as you type, you can divide your document into chapters, sections, sub-sections, bullet lists and so on using the menu or function keys. Each level of the hierarchy has a heading and body, each set up with different text styles. So section headings are initially 14 point Trinity bold, whereas the main section text is 12 point Trinity medium.

You can override these styles easily: you use the mouse to select an area of text and a menu allows you to choose the typeface, size (in whole points only), colour and so on, in the usual way. These local changes are termed 'emphases', but the system is exactly the same as the styles and effects in Impression. You can also change the default styles this way: set up a single paragraph with all the emphasis changes you want, then use the menu option to save the changes as a style. Saving using the original name (like 'Paragraph Style' or 'Section Heading') changes all the document. Saving the

altered style using a new name allows you to set up two separate styles for section heads, for example. The first three new styles you create automatically get allocated a function key, so you can set up those styles quickly. You can also set up your own named emphasis styles.

There are two problems with this approach. In common with Impression, it's difficult to set italic or bold emphases. Because these are separate typefaces under Risc OS, if you set a whole paragraph in Homerton, EasiWriter won't automatically set any italics within that paragraph to Homerton oblique - they get left in Trinity italic. Second, and more avoidably, the style names are case sensitive, so you can have 'Paragraph Style' and 'Paragraph style'.

# LOADING AND SAVING

EasiWriter uses its own file format, which isn't compatible with any other Arc software (nor with MacAuthor). But it can import and export plain text, from Edit for example (though you'll often have to get rid of the 'hard' new line characters) or to Impression. And it can import First Word Plus files directly, a smart move as this is likely to be a common upgrade path. It can't auto-import View files though: here you'll have to do a little work to set the file type to Text, and adjust the formatting as the line endings of the View file are kept intact.

EasiWriter's own files store things like the current position of the caret and the selected region as well as the text itself, so when you re-load a document, it opens exactly at the position you last saved it. They also include any drawings and sprites placed in the document - so unlike Pipedream there's no problem with separate illustration files.

You can also save 'stationery' files. These are exactly what you'd expect: blank templates which can contain preset styles, a logo, perhaps even some standard text. In an office, you'd typically develop stationery pads for letters, memos, forms and so on.

One of the special strengths of EasiWriter is the easy way of including graphics in your

document. Big pictures, either drawings or sprites, can be included in two ways, as 'pictures' or 'figures'. The difference is figures have captions, which can be placed left or right, above or below the picture itself. You can control the scale and crop of each picture through the menus. You can also include 'in-line' pictures, which flow just like a word in the text. One example use would be to include formulae in the text, which you could design using Draw. The drawing can be put in the text at the cursor position, and moved up or down easily to align with the text. Impression has a similar facility (embedded frames) but EasiWriter works better in this respect.

### TABLE CREATION

The other job that EasiWriter excels at is table creation. You can insert a table just like inserting a new sub-section or list, and typing items separated by Tab automatically creates as many columns as you need. This is one of the most impressive features of the whole application. As you type, the column widths 'magically' adjust themselves to fit your text. You can add rules within and borders around a table. In fact borders can be added to any text structure, so a section can be boxed off, for example.


Another impressive aspect of EasiWriter is its multicolumn layout ability. You can set any document to have two or more columns, with or without vertical lines between them. A clever option allows the two columns on the last page to be balanced in length. However, options to change the position of headings to make them span both columns and to vertically justify the columns did not work in the

pre-release copy reviewed: the bugs should be ironed out of the final version.

To make the layout more controllable, you can force text to the top of a page or to the top of a column, and insert flexible 'white spaces'. These are rather good - they can be set to any depth, and could allow you space to paste in a picture by hand on a printed copy, for example.

In all, EasiWriter is very capable. It offers almost everything most users want from a wordprocessor, and should prove popular in the home and in secondary education despite its expense and the need for a 2Mb Arc. It's a little slow at most things (not unduly so) but is a far better choice that First Word Plus and is more useable than Pipedream for simple wordprocessing. Choosing it over a like Impression package Junior is much more difficult: it's considerably less capable in page layout terms, but for those who don't like fiddling with frames and rulers it could be a good choice.

But there are some important omissions: mail-merging, a thesaurus, footnoting, special treatment for quote marks (" and ') and easy sub- and superscript for example. Mailmerging is the most vital of these, and EasiWriter's appeal to the business market will be limited until this is remedied. Icon says it's discussing mailmerge utilities with both Minerva (MultiStore and Flexi-File) and Digital Services (Squirrel), so the ability to link a database of names and addresses to a standard letter will emerge later. Icon also plans to release TechWriter, an upgraded version including built-in equation editing later in the year.



### PRODUCT DETAILS

Illustrations flow with the text

EasiWriter costs £176 from Icon Technology, 9 Jarron Street, Leicester, LE2 7DH; Tel. 0533 546225. Site and educational licences are also available. Foreign dictionaries cost £35.

# FREE



with every computer we sell...



# ...our expertise!

If you are buying a new Archimedes or Master Series computer, you don't expect to know all about it from day one. That's where we come in. We don't leave our customers high and dry with their problems — they know they can rely on us to get them out of trouble.

Whether it's hardware or software, we're the people who know.

# THE DATA STORE

6 Chatterton Road, Bromley, Kent Tel: 081-460 8991 Fax: 081-313 0400

### FREE demo disc

# **ARCHWAY 2**

Available NOW

"ARCHWAY is one of the most impressive and best value for money products that I have yet seen for the Archimedes. Anyone who wishes to write RISC applications in BASIC would have to be quite insane NOT to enlist the aid of this remarkable package."

A & B. Computing February 1990

"You get an excellent piece of software which will make the mountain of programming needed to operate the WIMP environment into a molehill...you can create a complex WIMP environment very quickly...I have had no end of use out of this easy-to-use package."

Archive, July 1989

"I am sure ARCHWAY will cut out a lot of the work of writing simple applications for many people...I think this could be a very good place to start."

BBC Acorn User, April 1991

"I'm'extremely impressed with ARCHWAY 2. It's a very ambitious product and one that now provides the many budding Archimedes developers with a facility that will enable them to get their ideas off the drawing board before they evaporate."

RISC User, April 1991

 $\label{eq:archway2} \textbf{ ARCHWAY 2} \textbf{ lets YOU unleash the huge program power of RISC OS and the ARM easily and quickly.} \\ \textbf{ Build powerful multi-tasking, multi-window applications with pop-up menus, icons, mouse control, etc. of professional quality. Programs are RISC OS compliant.} \\$ 

If you are a little familiar with BBC BASIC then you can create applications using **ARCHWAY 2**. We have optimised the facilities to let you achieve powerful results with a minimum of programming.

ARCHWAY 2 provides a total environment for creating RISC OS applications in BASIC. It includes tools, shell programs with extensive run-time code, comprehensive examples and tutorials.

There are **tools** to make menus, windows, icons, mouse pointers, present a wide range of graphics and text in frames, create a simple database and much more. The tools are themselves ARCHWARL applications so they share the intuitive RISC OS user interface. They have been designed to work closely together and with Edit, Paint and the Basic Editor. All are fully multi-tasking.

ARCHWAY shells are ready to run RISC OS applications in line with Acorn's guidelines. Shells include run-time code to handle automatically windows, menus, icons, file handling, graphics, etc. so that you don't need detailed knowledge of these complex areas. You create a complete application by extending and fine-tuning a shell. You add menus and windows using the tools, and write functions & procedures to carry out the tasks of your program.

The price is £86.91 exc VAT but with p/p (£102.12 inc VAT at 17.5%). VISA & ACCESs are welcome. Please add £5.00 for postage in Europe or world-wide surface mail & £20.00 for world airmail. For schools a site licence is included in the price. Two FREE upgrade vouchers when purchasing direct from Simtron.

Detailed leaflet and demo disc FREE on request.

# SIMTRON Programs to help you

4 Clarence Drive, East Grinstead, West Sussex RH19 4RZ Telephone (0342) 328188

# !!!EVERYTHING'S A BARGAIN!!! T.M.J. Computer Software

39 Farmstead Road, Corby, Northants, NN18 OLE. Telephone: 0536 69011
On Line BBS DARKHAVEN 0604 413716 (Back On Line)
\*\*\* All prices are inclusive of VAT and POSTAGE\*\*\*

, iii prioce	die mierasi
Product	Price
Power Band	219.99
Iron Lord	£16.99
Apocalypse	£25.99
Nevryon	£16.99
The Olympics	£16.99
Master Break	£16.99
E-Type	£16.99
Chocs Away	£19.99
Ball Arena	
Crisis	£16.99
Twin World	
Mig 29 Fulcrum	
Holed Out 1 & 2	
Interdictor 2	£29.95
	Product Power Band Iron Lord Apocalypse Nevryon The Olympics Master Break E-Type Chocs Away Chocs Away Extra Missions Ball Arena Crisis Twin World Mig 29 Fulcrum Holed Out 1 & 2

Product	Price
Arc Pinball	£21.99
Boogie Buggie	£19.99
Fun School 2 (All age groups)	
Impression 2	£160.00
Tactic	£16.99
Arc-term 7	£69.95
Man. U. Football The Real McCoy 2	£20.99
Real McCoy + Real McCoy 2	£49.00
The Real McCoy	£25.99
Pres A3000 Monitor Stand	£31.99

MON – FRI 9am-noon, 1.30-6.30pm SATURDAY 9.30-12.30



EUROPEAN ORDERS WELCOME. Tel. Orders Welcome Please send S.A.E. for full price list. Visa or Access welcome





# A3000

Free Interdictor Program
Free 1 Mbyte Upgrade
Free TV Modulator
Free Delivery

£599.00 + VAT

while stocks last only

Part exchange of Masters still available

# Broomfield Computers

Broomfield Hall Church Green Broomfield Essex CM1 5BD \times tel 0245 442844 or 0860 229465 \times fax 0245 441312

#### B & S COMPUTING (Nottm) Ltd.



258 Derby Road, Bramcote, Nottingham NG9 3JN Telephone: (0602 491202 Fax: (0602) 491322



\*\*\*ACORN APPROVED AND PREMIER LEAGUE DEALERS \*\*\* STAR REGISTERED BUSINESS DEALERS\*\*\*

ARCHIMEDES	COMPUTERS
(Carriage free)	

,			MULTI
	BASE	COLOUR	SYNC
A3000	£599	£799	£999
410/1	£1099	£1299	£1499
420/1	£1299	£1499	£1699
440/1	£1699	£1899	£2099
* The multi	Sync Monito	r is the Taxa	in 775

#### ARCHIMEDES EXPANSION

(Carriage £1.50)	
1Mb RAM Upgrade (A3000)	£95
1Mb RAM Upgrade (400/1 series)	£75
A3000 Serial Port Upgrade	£19
A3000 User/Midi Port Upgrade	£49
A3000 Monitor Plinth	£29

	ARCHIMEDES SOFTWARE	
	(Carriage £1.50)	
	1st Word Plus	£69
	System Delta Plus	£59
	SigmaSheet, Gamma Plot	each £55
	Render Bender	£59
	Artisan 11	£50
	Atelier	£85
	Auto Sketch	£69
	ISO Pascal, Fortran 77	each £90
	Logistix	£90
	Pro-Artisan	£85
ı	PC Emulator	£85
	(Carriage £2.50)	
	Acorn Desk Top Publisher	£125
	Ansi C (Release 3)	£125
l	Lisp, Assembler, Prolog X	each £150
	Pipe Dream (Version 3)	£130
	Impression 2	£150
ı	Impression Junior	£80
ı		
ı	ARCHIMEDES GAMES	
ı	(carriage £1.50)	
ı	Orion, Missile Control	each £12
ı	Freddys Folly, Alerion	each £12

#### HARD DISC UPGRADES

Arcade Soccer, Olympics

Jet Fighter, Hover Bod

Caverns, Thunder Monk

Word Up -Word Down

Pacmania, Terramex

E-Type, Holed Out

U.I.M, Apocalypse

Zarch, Repion 3

Ibix The Viking

(Carriage £8.00)	
20Mb Hard Disc	£185
40Mb Hard Disc	£295
50Mb Hard Disc	£495
Hard disc podule (for 310)	£175

each £12

each £12

each £15

each £15

each £17

each £17

each £26

£15

£15

XB24-10

XB24-15

#### A3000 LEARNING CURVE

MACHINE ONLY £699

MACHINE AND COLOUR MONITOR £899

Acorns special offer pack of the A3000 with Acorns RISC-OS Applications (Paint, Draw, Edit, Magnifier, Calculator, Alarm Clock, Maestro and Configure), Acorns First Word Plus - a full feature Word Processor with a spelling checker and on screen graphics and Acorns PC Emulator which enables the machine to run industry standard software. Also included is Genesis, a suite of applications which includes: GEN DTP, Address book, Phone book, Scrap book, Green Issues, Recipes, Composers, Story Writer, Planets and a Personal Organiser. The Learning Curve pack also includes a tutorial video and a parents guide to the National Curriculum.

#### \*\*\* SPECIAL OFFER

When you purchase an Archimedes Micro from us, we will denote 10% of the Archimedes Hardware cost towards other goods. For example, for purchasing an A3000 Learning curve colour system, you could choose to have a 1Mb RAM upgrade fitted, giving you a powerful 2Mb machine. Please phone for further details.

£400

£535

PRINTERS Free printer lead ar printers purchased machine)	
Citizen	
120D+	£120
Swift 24	£260
The Star 'Busines	s Series'
LC20 Colour	£180
LC10 - 1	£155
LC15	£275
LC24/200	£215
LC24/200 Colour	£250

#### The Star 'Professional Series' FR10 £320 FR15 £400

FR/XB Colour Upgrade	£39
The Star 'Laser Series'	
Laser 8 II	£1250
Laser 8 II DB	£1695
Laser 8 II Star Script	£1775
Laser 8 II Duplex	£1975

The STAR Professional Series and the STAR Laser Series come complete with one years on site maintenance

#### (Carriage £8.00) MASTER 128 Master 128 £375

DISC DRIVES (Carriage	(00.83
Single 40/80T switchable double	
side disc drive	£85
As above with power supply	£100
Dual 40/80T switchable double	
sided disc drive	£175
As above with power supply	£195

Phillips CM8833 Colour Monitor £2	ONITORS (	Carriage	£8.00)
Acorn Colour Monitor £2 Why not take advantage of our syste prices which enable you to obtain a complete Master System at a reduce	nillips BM7502 Mono M	Monitor	£75
Why not take advantage of our syste prices which enable you to obtain a complete Master System at a reduce	nillips CM8833 Colour	Monitor	£225
prices which enable you to obtain a complete Master System at a reduce	corn Colour Monitor		£200
price, ricase pricite as for full details	rices which enable you omplete Master System	ı to obtair n at a red	n a luced

BOOKS	NO VAI
(Carriage £2.50)	
Basis V User Guide	£19.95
A3000 Technical Manual	£29.00
Programmers Ref Manual	£79.000
(Carriage £1.50)	
Master Ref Manual Pt 1&2	each £14.00
View 3, View Sheet	each £14.00

#### UK CUSTOMERS: Please add 17.5% VAT to all prices (Including carriage)

Government department and educational establishments official orders welcomed

All Prices are correct at time of going to press and are subject to change without prior notification. all goods are subject to availability. Finance is subject to status. B&S Computing (Nottm) Ltd, are licenced credit brokers. Full written details are available on

# 


This new program encourages users to create a world of imaginative screens. DAVE FUTCHER goes exploring

Ithough it might sound like an ecological simulation, My World is, in fact, a framework which allows activities to be constructed for children of all abilities, right across the curriculum.

The software is a collaborative project undertaken by Regional East Midlands Information Technology (REMIT), a consortium of six local educational authorities. It was written initially to enable pupils with limited reading or writing skills to keep a diary of day-to-day events, using Rebus symbols. The aim was to fill in and print a diary to record the various activities, as well as produce a series of clock faces as a timescale.

My Diary, as it was called, developed into My World, and it now offers children far more than just a diary. An openended framework program has been created using the imagination of a group of seven advisory and support teachers and the creativity of a programmer and graphic designer. The resulting program is a powerful tool that can be used to tackle a wide range of classroom activities.

When the My World icon has been loaded onto the Arc or A3000 icon bar and clicked on, the title screen appears,



along with a picture of the mouse, with the middle button highlighted and the message press menu'. The main My World menu appears on the screen and the See Screens option opens a new directory viewer which shows all the special screens. Moving the pointer to a screen and doubleclicking loads that screen into the program.

These different screens offer environments which can be explored and interacted with tasks can be undertaken and the screen then saved and printed out. To focus the screen's use, there can be text messages giving information, or a prompt sheet can be written. One essential icon enables the child to enter text, while a second is a bin for the removal of graphics and text.

This allows children to move and copy graphic objects, and add appropriate text. By pointing at the graphic and clicking on Select, a copy of the object becomes attached to the pointer. It can then be dragged around the screen, leaving the original in place. When the copy of the object is where it is required, you press Select

again and the copy is dropped. Once a copy has been placed, it becomes a movable object and, by clicking and dragging, children can refine their work more easily. Objects copied by accident can be removed by dragging them into the bin.

Text is added by pointing at the paper and pencil icon and a large text caret appears. Words, figures and punctuation can now be typed in initially, this will be in the style of the screen heading if it has one, but by accessing the Text menu you can control how the text appears.

You can choose the type style (font), its size and its colour, decide whether or not it should be in a box and what the background colour of that box should be. Press RETURN and the text can then be dragged to the desired position.

The set of screens available on the distribution disc shows the package's versatility and flexibility. 'Frog' is a much loved screen featuring Mr A M Phibian, a frog of many parts, all of which are movable. The task is to pick them up and rearrange them, placing the labels in the correct positions.

The potential for working on a foreign language is shown by a screen called 'Le visage', in which a face is shown along with a series of French words - l'oeil, le cou, le nez, la bouche, les cheveuz, les dents, l'oreille - the task being to move the labels onto the arrows pointing to the corresponding features.

'Dress', developed at Manchester Semerc in the early days of the BBC micro and the Concept Keyboard, is still used by many teachers, and 'Teddy' offers similar facilities with greater control by the mouse, as well as having the better graphics of the Arc.

Pattern making is an important part of the algebra attainment targets, in the early stages of mathematics in the National Curriculum. The 'Beads' screen, with the question 'What comes next?' and its three strings of beads to be completed, certainly provides plenty of pattern making experience. 'Triangles' also has possibilities for pattern work as well as being useful for making hexagons, fulfilling both shape and space attainment targets.

An excellent screen for communicating via symbols is the 'Weather Map'. This was developed as part of a language activity for primary children where they were presented with a written weather forecast and asked to create a simple weather map.

There are also three screens that deal with sentences:

- 'Sentences 1' requires children to create a sequence for making a cup of tea from a set of provided phrases
- 'Sentences 2' provides reading activities about types of shops, where children have to select a sentence to complete the opening phrase
- 'Sentences 3' is a language exercise where a sensible sentence has to be constructed from a jumble of words

'HTU' features Deines units, rods and flats used in many primary classrooms for hundreds, tens and units work. While this could be done better with real apparatus, you

head left arm right arm right leg left leg THE FROG SCREEN IN MY WORLD left arm right leg Mr A M Phibian is a frog of many parts Can you put him back together? Put this in the bin when you have read it head body right arm left leg MR A M PHIBIAN - ALL CORRECT AND PRESENT

can combine pictorial representations of Deines apparatus with written numbers and language and print out the results, thereby taking a far more sophisticated approach to number work.

The BBC micro had a number of good packages that allowed shapes to be manipulated on screen to form simple pictures. 'Hexagon' provides a comprehensive kit of coloured, copiable shapes that allows children to explore pattern making. Within a totally difclassroom context, ferent 'Hexagon' could be a vehicle for some really challenging spatial work in mathematics.

In all, 21 screens are provided by My World and Northwest Semerc confirms that more will be available soon. However, as in all content-free programs, it is the ability to create your own screens that determines the quality of the program.

Screens are created within Draw, with a bit of help from Paint. Anyone familiar with the use of these two applications should have no problems. But to assist those who have not grasped these applications, the manual offers excellent tutorial help.

The section called Developing Screens will lead you through the creation of a screen, from adding objects to the backgrounds, to saving and testing the end product.

The distribution disc contains a screen called 'Basis' which can be used for all new screen development. It has a large area defined by a cream coloured rectangle, called the background. Another background area, called the print background, is displayed as a white rectangle, but this is only visible if the whole screen area is off.

Both the plain background and the print background can be group objects, so they contain a number of graphic elements which will be completely inactive. A screen may contain ready-made movable objects, but these must be separate and not grouped together, although individual objects can be grouped. The movable objects have to be in front of the print background. The icon group can contain just copiable objects, which can be any of the object types recognised by the software.

My World joins the elite group of truly content-free framework programs. It is a versatile program, providing a framework into which a teacher can put whatever content is needed. The program stores these contents on disc as screens ready to be recalled. It also allows age-appropriate topics to be covered at almost any ability level.

The provision of the wide range of example screens shows the potential uses of My World, but the scope of the package is only limited by the user's own imagination.

#### PRODUCT DETAILS

My World costs £15 and is distributed by Northwest Semerc, Fitton Hill, CDC, Rosary Road, Oldham OL8 2QE.

Weather Satellite Systems Now available for the Acorn Archimedes A310 and A3000. This Meteosat systems comes complete including everything from the Antenna to the software. Animation is standard allowing the dynamic progress of weather fronts to be monitored and tracked. High resolution images of 800 pixels by 800 lines can be stored and manipulated in colour or grey scales on any standard colour monitor. Acorn Change FSI registered and compatible. Capable of receiving up to 400 images every day this remarkable system costs just £799.00

Other Timestep products include a fully featured LANDSAT Image Processor with 20 field study images and three full colour manuals. Acorn Change FSI registered and compatible at only

PC Globe and PC USA are full colour graphical databases of the world with an amazing amount of retrievable data. The special Timestep education price is only £59.95 Send for our full catalogue

#### **Timestep Weather Systems**

Wickhambrook Newmarket, CB8 8QA England. Tel: 0440 820040 Fax: 0440 820281

#### FREE support with all our systems

\*Expert advice! on system purchase

\*Expert help! on using your system

\*Expert backup! software support and hardware servicing

Consult the experts!

#### **CSS Computer Centre**

Unit 3A Townfoot Ind. Est. BRAMPTON Cumbria CA8 1SW **2** 06977 3779



Acorn Qualified dealers and Unix centre

Authorised SJ Networks, installer \*Education specialists Government plc and education orders welcome



# ARCLASER

The best value in direct drive page printers at iust £969\*



- Compatible with all Archimedes applications, including FirstWord+
- High speed data interface an A4 page is transferred in 6 seconds
- Prints outline font text at any size and half-tone graphics at full 300dpi resolution
- Feature packed printer driver and Epson emulation
- Can be used as an Econet printer server, with BBCs, Masters or Archimedes
- Compact, quiet and reliable
- Ultra fast 5 to 15 times faster than conventional laser printers!



ARCLASER represents a breakthrough in price/ performance - Printer (including drum and toner kit), cable, interface and software for £969 + carriage and VAT. \*Educational Users qualify for discounts.

Find out more about this amazingly versatile printer: write or phone for your ARCLASER information pack... Calligraph Limited 53 Panton Street CAMBRIDGE CB2 IHL Tel (0223) 461143 Fax (0223) 316144

### EXPAN **YOUR A3000**



Now it's possible to connect your mfa Computer Module; Unilab Microcomputer Interface; Control Boxes and Analogue Sensing Interfaces to the Acorn A3000, with the I/O BOX 3000.

This new unit offers the user 100% BBC compatible input/output ports. Its rugged construction houses internal software which supports all ACORN protocols.

- User Ports: 3 individually addressable bi-directional user ports, one of which has the same configuration as the BBC Printer Port.
- Analogue Port: Offering considerable improvements in resolution, noise and drift over the BBC analogue port. The circuitry incorporates a precision voltage reference.
- 1 MHz Bus: Functions in exactly the same way as the BBC version.

For more information about the I/O BOX 3000 contact . .



UNILAB LIMITED The Science Park, Hutton Street, Blackburn, BB1 3BT Tel: (0254) 681222 Fax: (0254) 681777





# SOUND JUDGEMENT

old a chicken in the air, stick a deck chair up your nose, buy a jumbo jet, and then bury all your clothes... Well, don't really, but imagine these words, from the number one hit single The Chicken Song, being sung by your Archimedes or A3000. This isn't actually as painful as you might imagine, as I discovered when I used the song released by Spitting Image a few years ago - to give Superior Software's new Speech! program the once over.

Speech! is an entirely hardware-independent speech synthesizer. The synthesizer module can be loaded on its own, but is automatically installed when the main Speech! application is run. The computer can be coaxed into talking in a number of ways from the command line, from the desktop application or Basic. The most noticeable feature of the Speech! module is its ability to verbalise English words in a direct text-to-speech translation. You can drag any text file onto the Speech! icon and listen to it speak the contents.

Although the standard textto-speech feature is pretty good, Speech! tends to slip up on about one word in 10, causing the computer to make utterances that sound as though you've stepped on its foot. One way of curing this is to spell the word differently. For example, the word 'bury'

#### SAM GREENHILL speaks well of the Superior Arc version of Speech!

is pronounced 'buwry' by Speech!, but spelling it 'berry' solves the problem.

Another solution is to use phonemes to build up words. A phoneme is 'a unit of significant sound', to quote the dictionary, and there is a phoneme for every type of sound. The 'a' in 'after' is one phoneme, the 'a' in 'acorn' is another. A catalogue of all the available phonemes is provided with Speech!, and by tediously referring to this, any word in most languages can be constructed. There is even a phoneme for the French rolling 'r' sound.

There are several parameters affecting the way in which a word is pronounced. Adjusting the 'tongue' and 'mouth' variables changes the second and lower formant centre frequency of the word. The only effect that my ears can pick up is that altering these parameters produces speech that sounds as though you are squeezing the computer's nose - or should I say 'node'!

On a more serious note, the pitch can be changed to enable the computer to sing. Each phoneme can be pronouced at any pitch over a four octave range. Incidentally, for those of you who already have Speech!, this is done by plac-

ing a number from the supplied musical-pitches-conversion table after each phoneme, and not, as the instructions seem to imply, by using the PITCH command. I think Speech! would have benefitted from a separate instruction booklet. As it stands, the directions are supplied on the inlay card and do not adequately explain the software. The Help file on the disc is more use.

I used The Chicken Song to test Speech! simply because I once synthesised that song using the Computer Concepts' speech chip in the BBC micro many years ago. In comparison, the quality of Speech! is better, but only just. However, I seem to remember that it was easier to sing a long note using the CC chip because you merely specified the duration for which the note was to be sustained. With Speech! you have to keep repeating the phoneme until enough time has lapsed and this causes problems with some sounds, such as 'OW' used in 'snow' and 'clothes': the result is 'cl ow - ow - ow - ow - ths'!

Perhaps the best feature of Speech! is the separate dictionary application. With this you can build up a dictionary for words which the text-tospeech utility has difficulty

with. Referring back to the 'bury' example, you could create an entry which tells Speech! how to pronounce the word correctly. Using wildcards and similar gadgetry, advanced rules can be defined for the pronunciation of certain words. You can even change whole words. Apparently, a computer columnist in the Times Educational Supplement uses the dictionary to make Speech! say 'Poll Tax' when it is asked to say 'Community Charge', and teachers use it to censor swear words!

Apart from the appalling arrogance of Speech! to assume that all users are ADFS-based in an increasingly SCSI-format world, I would say that this is by far the best software I have seen this year, largely because you can actually understand what the machine is saying. To prove it: I placed two volunteers where they could hear the computer but could not see the screen and managed to successfully converse with them by typing my answers into Speech!. It has even attracted commerical interest from a company specialising in car navigation systems.

#### PRODUCT DETAILS

Speech! for the Archimedes costs £19.95 and is available from Superior Software, Dept M1, PO Box 6, Brigg, South Humberside DN20 9NH.

#### Hard Drive Options From The Serial Port

We produce a range of hard drive upgrade options for the Archimedes range of computers. The controller card can be based either on the SCSI or IDE interface standards and drives come in many capacities for internal (300/400 series) or external connection. The hard drives used are high quality Seagate devices which are all fully guaranteed for one year.

SCSI is becoming the Archimedes 'standard' choice due to the range and number of devices you can connect to the interface - such as tape streamers, scanners printers, CD-ROM drives etc as well as hard drives. Our SCSI package uses our fast 8-bit interface podule - also available as an internal A3000 card at no extra cost - and Acorn SCSI compatible software.

IDE is now the fastest selling drive standard in the world. It has two main advantages in that it is fast and is excellent value. We produce a **full 16-bit IDE interface** podule complete with all necessary software that allows it to be used in exactly the same way as all other filing systems such as SCSI, ADFS, RAMFS etc. For the A3000 we supply an external boxed version including the podule which has the advantage of leaving your internal slot free for other upgrades.

Example prices (including interface) - for other drive capacities (up to 1352Mb) please contact us:

SCSI	45Mb 28ms Internal	£299	80Mb 24ms Internal £399
	External	£369	External £469
IDE	40Mb 28ms Internal	£269	89Mb 19ms Internal £379
	External	£349	External £449

#### The Graphics Enhancer

Special Price: £179 - including installation

The Graphics Enhancer adds a new dimension to the graphics capabilities of the Archimedes. Now you can use any 256 colours from a full 24-bit colour palette (16.7 million colours) in the desktop at resolutions up to 768 x 288 on a standard monitor and 832 x 328 on a multi-sync, as well as other modes such 512 x 512 and 640 x 480 thus allowing, for instance, a true 256 grey scale to be obtained. Outside the desktop modes are available using up to 65536 colours. Multiple VIDC clock rates are software selectable and the interface can be controlled by a range of SWI calls and \* commands.

For a full specification sheet please contact us.

"Frankly, I think the addition of such a board should be a very high priority. An upgrade equal to adding an ARM 3 board, and cheaper...The Serial Port promises us that the board will be something very special and I am inclined to agree. I think that the Graphics Enhancer will appeal to a massive Archimedes market." Computer Shopper April 1991

"Considering what is provided, the price of the Graphics Enhancer is very reasonable."
"Professional graphics quality at a home-user price is very rare these day, and in my opinion this board provides good value for money." RISC User June 1991

The Serial Port, Burcott Manor, Wells, Somerset BA5 1NH Tel: 0243 531194 Fax: 0243 531196

All prices above exclude VAT. SCSI and IDE systems can be installed by us for an extra £25 - otherwise delivery is £10.

# MAKING

**ROB MILLER** tracks down the most recent music application for the Archimedes

software for the Archimedes has been, and still is, thin on the ground. It Is a relief then, to see that a popular music package is being ported over from another machine.

Tracker, now up to version 1.00+++, has been around for almost a year, but is only just becoming popular, due to the increasing number of public domain libraries and bulletin boards offering libraries of ready made Tracker tunes.

Booting up Tracker in the usual desktop manner results in it being installed on the menu bar. At this point, files can be loaded by dragging them onto the Tracker icon. Clicking on this icon causes the desktop environment to disappear and the Tracker control screen to take its place.


Because of the processor time required Tracker has been written as a single-tasking program, taking over the whole machine while it is being used. Any desktop applications are frozen at this point, yet it is possible to return to the desktop environment at any time by using the Quit option. Any programs that were running before switching over remain unaffected on the desktop.

Tracker originally appeared on the Commodore Amiga as SoundTracker, a four-track music sequencing program. As it was used extensively to write tunes for games and demonstrations there is a large library of music available.

It has been written to look and work like its 16-bit relative. Therefore SoundTracker music and sample files can be loaded directly into Tracker, provided that they are in the correct disc format.

#### HOW DOES IT WORK?

Any music created in Tracker consists of a number of patterns. These patterns can be arranged in any order, and repeated anywhere within a piece of music. Accordingly a typical tune may consist of Pattern 1, followed by Pattern 2, then Pattern 3 repeated three times, then Pattern 2 again, followed by Pattern 4. The patterns are



best thought of in simple terms as choruses and verses.

A pattern can consist of up to 64 events, stored in a sequential block. Each event consists of three parts: a note eg, A#, an instrument number and a command. The notes cover three octaves, ranging from C to top C.

Up to 32 instruments, or samples, can be loaded into Tracker at any one time, and over 100 samples are supplied for your own compositions. If you have access to an audio sampler such as Armadeus or the Armadillo podule, samples can be captured and loaded directly into the software.

The final part of an event consists of a command, plus data if relevant. The default command is '0' which actually has no effect, meaning 'just play the note'.

There are four commands that actually change a note. Arpeggio allows the pitch to be increased and decreased rapidly as it is playing. Portamento raises or lowers the pitch of a note, giving it a sort of slurred effect. Crescendo/ Decrescendo has a similar effect as Portemento, but changes the volume. The volume can also be set to a constant level.

One effect that is really impressive is Set Stereo Position, which can be used to change the stereo position of any note while it is playing. A siren, for example, can be made to rotate from left to right to give it a big sound.

The tempo of any tune can also be altered while it is playing. This is useful if you wish to produce a piece of music requiring a mixture of simple and complicated patterns. Simple patterns can be kept short, taking up the same amount of time as complicated patterns played at a faster tempo.

Two final commands act rather like GOTO statements, and allow you to move about in a pattern.

There are a number of ways of putting music into Tracker. For those with MIDI keyboards (and podules), tunes can be played directly in real time. Users without MIDI can play tunes into Tracker using the computer keyboard. The less dextrous can type the notes in one at a time.

Tracker effectively acts as an eight-track recorder, each track occupying one channel. Resultingly you can have up to eight samples playing at once. However there is no option for playing more than one note at a time while inputting music. If you want a chord, you have to use three (or more) channels and play each note on top of the other.

Once a pattern has been set up notes can be edited and any effects added. Editing within a pattern is simplistic to say the least. The only option you have is to overwrite what is already there. There is no way of inserting a note between two others, or cutting a block of notes and moving or pasting them elsewhere in the pattern.

The overall tune editing also suffers from a lack of insert or cut and paste. There is no way of viewing the order of patterns in a tune other than stepping through a position counter in which only one pattern is shown at a time. Even a listing of a tune would have been sufficient.

Needless to say, editing can be the hardest part of constructing a tune. The way in which Tracker is structured and the way it is implemented lends itself to the creation of synthesiser music. The organised approach of some classical music also works well.

Tracker has a number of restrictions. These could quite easily be removed and the overall ease of use of the program enhanced with a bit of re-design. Due to the amount of computer time such a program would require, a desktop application is out of the question, though something a little more Arc rather than Amigalike would be preferable.

At the moment Tracker is the only program of its type for the music novice and comes with four discs and a good manual.

For those who need convincing aurally, several tunes are included on this month's 3.5in disc. To load them, double-click on the JukeBox application and then doubleclick on the required tune.

#### PRODUCT DETAILS

from The Serial Port at Burcott Manor, Wells, Somerset BBA5 1NH

### MORLEY E.L.E.C.T.R.O.N.I.C.S. L.T.D



A3000 £599 410/1 £1099 420/1 £1299 440/1 £1699 The Learning Curve £699 Arc. Learning Curve £1299 Jet Set Pack £649

#### SPECIAL OFFER

We will match or better any advertised offer.

#### **TELETEXT**

BBC/Master	£104
Compact	£120
RML Nimbus	£104
Archimedes	£125
Optional PSU	£9.50

#### MASTER ROM EXPANSION BOARD



Allows an additional 8x16k and 4x32k ROMS to be installed in the Master and still leaves the cartridge slots free.

£40

### A3000 ANALOGUE & USER PORT PODULE

Full specification BBC B analogue and user port. The analogue port is accessible using ADVAL from BASIC5 with all BBC OSbyte calls supported.



£69

Podule software written by Acorn for maximum compatibility with the BBC.

As well as manufacturing quality peripherals for over six years, Morley is an Acorn Dealer & Service Centre. This advertisement only covers a small range of the products we offer. If there is anything you want that you do not see advertised please phone for a competitive quote.

Prices exclude V.A.T. and carriage.

#### A3000 3.5" SECOND DRIVE



- Easy to install simply plug in and run.
- High quality japanese drive.
- -Includes full fitting kit and instructions

£125

# h the BBC.

#### MASTER SMART CARTRIDGE

**MEMORY** 

**EXPANSION** 

A3000 1MB Expandable

A3000 1MB Non-Exp.

A3000 3MB Upgrade

A3000 1MB to 3MB

305 1/2 MB

400 Series 1MB

Built-in features include:

- -Freeze program at any point.
- -Screen dump (any mode).
- -Allows most protected software to be backed up including disc to tape and tape to disc.

£30

£65

£179

£140

£69

£50

#### MASTER CARTRIDGES

 Dual 2 x 16k
 £10

 Quad 4 x 16k
 £14

 Dual 2 x 32k
 £12

32K NON VOLATILE RAM
Cartridge (ideal for
Spellmaster Dictionary) £33

- Kit includes: -5.25" 40/80 track drive
- Case
- -Switch mode power supply

A3000 5.25"

SECOND DRIVE

- Interface and leads

£169

#### ARCHIMEDES & A3000 HARD DISK DRIVES

#### SCSI HARD DISK DRIVES

**INTERFACES** 

A3000 SCSI Podule £149 400 SCSI Podule £149

SCSI DISK DRIVES

Including SCSI podule, drive, cable & leads. A3000 drives also include drive case and switch mode power supply.

£399
£459
£559
£349
£409
£509
POA



Morley's SCSI and ST506 drives are among the fastest available. The podules are 16 bit and we only use fast, quality disk mechanisms. Phone for full details.

#### ST506 HARD DISK DRIVES

**INTERFACES** 

A3000 ST506 Pod. Kit **£169** 305/310 ST506 Podule **£149** 

ST506 DISK DRIVES

Including ST506 podule, drive, cable & leads. A3000 drives also include drive case and switch mode power supply.

A3000 20MB	£379
A3000 40MB	£459
A3000 55MB	£559
305/310 20MB	£299
305/310 40MB	£389
305/310 55MB	£474

### BBC / MASTER SCSI DRIVES



Completely compatible with BBC Bs, B+s and Masters fitted with ADFS. Free utility disc including Format, Verify, Archive and Park.

Interface only	£99
20MB incl. interface	£399
30MB incl. interface	£449
40MB incl. interface	£499

#### KATE FARMER

tells why upgrading your A3000 is so important if you want to fully utilise the power of the machine

# RAISING STANDARDS


or those of you following the A3000 First Steps series you must have noticed Ram upgrades mentioned at one point or another.

When you consider the A3000 has one megabyte of Ram, then you probably think you've more than enough compared to eight-bit machines. However, it is becoming increasingly important to upgrade. Many software houses are now writing more complicated packages, and although most applications will run on a 1Mb machine, the more complex a package is, the more features you will want to use. For instance, Impression needs only 416K to run, but add to that your text, a few sprites and drawings, a printer driver, font cache, and you begin to see what I mean.

It's amazing the difference simply doubling your memory can make. Paint, Edit and Draw will run simultaneously and memory hungry applications such as ADP, Poster and Schema will become much more useful. Adding a further 3Mb means that your memory is a virtually bottomless pool, and you will be hard taxed to get a memory full error.

An 8Mb A3000 is still a pipedream, although its big brother can accommodate this huge amount. It also goes to say that memory at the moment is very cheap. Two years ago you would have expected to pay £180 for an extra megabyte – now you can buy it for around £70!

Eight-bit BBC machines have a memory map. All the memory is stacked up, 32K of Ram and 32K of Rom. This means you know what you would expect to find at certain



addresses. Adding to an eight-bit memory machine means either obtaining shadow Ram, which moves the memory taken up by the screen mode elsewhere, or adding another processor to control another chunk of memory. The A3000 is very different. Memory is shared out by the Memc chip. It may seem easy to you, sliding the Ram disc up and down on the task display, but the A3000 has to do some very complex memory management.

The concept of the A3000 memory system is that memory is a central resource. Imagine three children playing with building bricks. When a child wants to build a house he takes out the right amount of bricks from the box. Another child wants to build a bigger house, and he takes a few

more bricks from the box and builds it. Now if a third child wants to build a house and finds that there aren't enough bricks to do so, it's your job, as the babysitter to make the first child take down his house and put the bricks back into the box. If you find this happens too often then the obvious solution is to buy more bricks. That is exactly what you do when you expand the memory of your A3000. But that's enough of analogies, what's the hardware like.


The A3000 was designed with a 1Mb upgrade in mind, and on the main PCB is a row of pins. A memory upgrade (which is about 15 × 2cm) simply slots onto these pins, and then when you turn your machine on you have more memory to play with. However, improved production

methods have allowed more memory to be squeezed onto a single chip so 4Mb upgrades are now possible.

Some boards cannot be upgraded by the user - the Ram chips are soldered on. Others can be and upgrading from an extra 1Mb board to an extra 3Mb board is as easy as buying new Ram devices from an electronics shop, removing the old chips and plugging the new ones in. This operation doesn't mean removing the board. Upgradeable boards are about £20 more expensive but that will be absorbed when you buy the extra 4Mb. Atomwide even sells bare boards so you can find your own supply of Ram. Prices are changing all the time and the best thing to do when you consider upgrading is look through the advertising pages of BAU.

## **Chocks Away Extra Missions**











#### **CHOCKS AWAY**

This new updated Mark II Chocks Away with supersmooth animation really is flight simulation the way you've always wanted it. It has everything for the beginner and the expert:

- Beautiful 256 colour graphics and 'nerve shattering' digitised sound effects Easy to fly, yet highly manoeuvrable bi-plane ideal for all ages/skill levels
- Revolutionary 2 Player Option using split screen display. This allows 2 players to each fly their own planes simultaneously in practice, dogfights, or missions
- Full joystick, dual joysticks, mouse and keyboard control options
   Amazing "Black Box Flight Recorder" included so that you can record your
- own flights and then save & replay them. 90 minutes of totally absorbing pre-recorded training flights are included with the game
- Internal/External views of your plane can be selected from front/rear/left/right
   Powerful 30mm canon capable of very rapid fire and long range destruction
- ●Easy to read instrument panel and simple controls

  ■3 very varied immense maps to explore approximately 18000km² in total
- •20 fascinating and varied missions of increasing complexity are included with a promotion system from Cadet right through to Marshal of the RAF

Superb range of targets/enemies including bombers, triplanes, fighters, tanks, control towers, anti-aircraft guns, head quarters and patrol boats

Chocks Away Mark I Version was awarded GAME OF THE YEAR 1990 by Acorn User, A&B Computing (now Archimedes World), RISC User & Micronc "Graphics in the game are superb, smooth and with plenty of ground detail... this is a really enthralling flight simulator with plenty of variation and features

this is a really enthralling flight simulator with plenty of variation and features to ensure longevity." RISC User, Dec '90
"Chocks Away is a delightful game." Archive, Jan '91
"Chocks Away is a brilliant game." BBC Acorn User Dec '90
"... It's a really great game, Playability 10. Value 10." The Micro User, Jan '91
"(Chocks Away Mark II Version)... The increased speed obviously makes the game more responsive and fun to play, well and truly overtaking Interdicter II as the best Archimedes plane game." New Computer Express, Feb '91

#### CHOCKS AWAY EXTRA MISSIONS

This consists of a new manual and a disc containing an additional 26 missions (6 of which are reconnaissance missions). It is loosely based on the original Chocks Away and features an extensive range of extra features and improvements. To run it, you will require the MkII version of the original Chocks Away. Extra features include:

- ●16 new & detailed maps based over land and
- ●20 enemy planes and 20 enemy targets are included in each mission. Over 1000 extra targets
- and planes have been carefully defined.

  Considerably improved action on all missions with plenty of targets to shoot at and plenty shooting at you.
- shooting at you.

  You can view the action from any of the enemy planes or targets and your own control tower at any time even while still controlling your own plane or watching a saved flight. There is a selection of tracking cameras (with adjustable zoom lenses!) around the playing arena. In addition a phantom plane can also be selected to follow the action on or your black box flight recordings.

mproved enemy pilots capable of performing loops, rolls, stall turns etc. All enemy planes are carefully modelled using the same equations controlling your own plane. This ensures both an accurate and fair simulation.

● More enemy planes and targets to shoot including: Three Engine Fighters, Enormous Cargo Planes, Airships, Barrage Balloons, Gun Boats, Oil Tankers, Trains etc.

● Six reconnaissance missions where you are

required to take photos of various installations with your new on board camera.

our new on board camera.

Improved graphics over the 16 maps including Complex Cities, Houses, Railways, Roads, Rivers, Bridges, Lampposts, Railway Stations, Oil rigs, Piers, Beaches, etc. to mention but a few. In total

Piers, Beaches, etc. to mention but a few. In total over 100 different graphics have been defined.

Serial Port Link Up option so that you can link up 2 BBC A3000 or Archimedes computers and 2 pilots can fly simultaneously in full screen mode.


Extensive enemy flak guns and improved enemy plane guns help make the new missions both more interesting and englineous to see the

- both more interesting and challenging to say the
- Improved digitised sound effects plus, of course, all the extensive options which are available with the original Chocks Away.

#### WIN a superb.... "Radio-Controlled Biplane"

Successful completion of all 6 Reconnaissance missions will allow you to enter this competition

TALLY HO GINGER!









#### **ARCHIMEDES** & BBC A3000

All versions are compatible with the BBC A3000 and 310 & 400 Series

CHOCKS AWAY (Mark II Version with 1 or {split screen} 2 player options)

CHOCKS AWAY EXTRA MISSIONS (With 2 player Serial link option)

CHOCKS AWAY COMPENDIUM (Chocks Away & the Extra Missions)

CHOCKS AWAY NETWORK (Econet and Eclipse Midi Podule - Ring for availability & Price)

#### **DEALERS**

#### SUPERFAST 1st Class FREE Delivery

Most of our games are available from most good dealers. If they don't stock them, then please give them a copy of this advert & tell them they can easily buy them dir-ectly from us.

#### 

#### LETTER

Simply send us a quick letter telling us the game(s) you require, your name and address, and payment via cheque, postal order or ACCESS or VISA card details.

The Fourth Dimension, 1 Percy Street, Sheffield, S3 8AU, England.

All orders are despatched immediately by 1st class post. Carriage is paid by us in the U.K.

(Overseas orders add £3 per product)

FULL DETAILS OF ALL OUR GAMES ARE AVAILABLE ON REQUEST & ARE SENT WITH ALL ORDERS



TELEPHONE ORDERS WELCOME

(0742) 700661 / 769950 ACCESS & VISA Accepted 24 Hour Service 7 Days a Week

#### THE **FOURTH** DIMENSION

£24.95

£19.95

£39.95

1 Percy Street Sheffield **S3 8AU** England

Tel: (0742) 700661 or 769950

here have been many attempts to provide the eight-bit BBC micro with more than the 32K of Ram it was originally designed with.

First came the idea of shadow Ram developed by Aries which provided 20K of additional memory which was an attempt to provide additional screen memory to support graphics. Some people also exploited this memory for, data storage with the \*FX111 that Acorn allocated for switching between the two Ram areas.


Another solution was the addition of a 6502 second processor which pushed the BBC's available memory to 44K for Basic programs and 61K for machine code. Then Solidisk came along with sideways Ram, which was originally used for running Ram images of sideways Roms, but eventually became used for storing programs and data too.

Many people who bought the 80186 co-processor for access to the world of IBM PC compatible computing often wondered if they could access the half a megabyte of Ram sitting unused on their co-processor board to rescue them while they struggled with their limited BBC Ram memory.

Access to this 512K is now possible, thanks to an innovative product called the Co-Processor Filing System (CPFS) from Essential Software. This is a new filing system which allows the memory of a Master 512 coprocessor to be used as a Ram disc by the BBC micro when operating in the native mode. The filing system also needs one page of private workspace to operate, which means that in a model B it will raise the value of PAGE by & 100.

CPFS is contained in a 16K Eprom which must be plugged into a vacant Rom socket in the BBC micro. It cannot be run in sideways Ram.

With CPFS installed you harness the 512K for all sorts of work with your eight-bit BBC. Complete commercial applications can be loaded into the Ram and their files can be loaded and saved. Datahandling using CPFS is tremendous, with virtually everything searches, sorts, extracts and merges being accomplished at



# FILING A SUIT

**DAVE FUTCHER** discovers a package that helps you make use of the hidden memory in your eight-bit computer

great speed. It's ideal too for desktop publishing tasks using packages like Watford Electronics' Wapping Editor as screen scrolling operates as fast as in normal wordprocessing. Amazingly too, this is achieved in complete silence with no more noisy disc access as parts of the page are loaded. Wordprocessing also benefits; the multi-file mode in Interword improves considerably using CPFS.

All the filing system commands recognised by the Mos (ie, the common commands) are available in CPFS. You can therefore use \*LOAD, \*CAT, \*SPOOL etc, just as you have always done and you can \*RENAME files and use \*ACCESS to lock and unlock files.

Users of CPFS do have to remember that all the data stored in the Ram disc is lost as soon as either machine is turned off. Also, when the second processor is used for its original purpose, the same memory as CPFS uses for files is used, so any data stored in the Ram will be corrupted if the Tube is turned on.

The \*TRANSFER command is available for transferring files from one filing system to another. This is similar to the Master's \*MOVE command, but is faster and considerably more flexible. It can be used to copy a file or a number of files from a directory in one filing system to a given directory on another. It can also be used to copy all the files in the CPFS memory disc onto a physical ADFS or DFS disc. \*TRANSFER requires five parameters, but because it would be easy to make mistakes if you entered them all in a single command line, you are prompted for each parameter as it's needed.

The Ram disc can hold up to 127 files. Filenames can be up to 10 characters long and can be grouped into directories, but as in DFS, directory names are single characters which appear as part of the filename.

It is worth noting that a CPFS directory can contain more files than in other filing systems. A DFS disc (onesided) normally contains only

31 files. An ADFS directory has a maximum size of 47 files. There are applications like Interword, for example which sometimes display the contents of a directory. These programs can't handle more than 47 files at once. If you are using an application like this with CPFS then it is up to you to make sure that there are no more than 47 files in any single CPFS directory.

CPFS is an essential product for anyone who has a 80186 co-processor sitting inside their Master 128 or alongside their BBC model B. Just type \*CPFS and the 512K laying dormant is unleashed, ready for you to exploit. It is easy to use, unlike some memory enhancing hardware products. The 25-page documentation is supplied as a text file and covers everything you need to know.

#### PRODUCT DETAILS

CPFS for the BBC model B, B Plus and Master 128 costs £25 from Essential Software, P.O.Box 5, Groby, Leicester LE6.

#### **Gnome Computers Limited**

25A Huntingdon Street, St. Neots, Cambs, PE19 1BG Tel./Fax: 0480 406164 E-Mail: support@gnome.uucp

#### NEW! X Window System R11.4

This new software package, developed in association with Acorn Computers, converts a RISC OS based Archimedes into an X Terminal. The software will allow communication with X clients over Ethernet or Econet.

#### Principle features

TCP/IP support over Ethernet and Econet

Graphic support up to 800 x 600 with 16 colours

640 x 480 with 256 colours

1152 x 900 monochrome

Support for up to eight independent X screens

Execution from desktop or command line

Hot-key between X terminal and desktop applications

FTP font support

Remote host login via xdm query and broadcast

Domain name server support

DES encrypted authentication for network security

Single floppy configuration available

Runs on all RISC OS based Archimedes computers

Requires a minimum of 2 megabytes of memory

Compatible with Acorns TCP/IP protocol suite

#### PRICE £199 + VAT

#### X TERMINALS

A3000, 2MBytes Memory, 14" Multisync	£1450.00
A3000, 4MBytes Memory, 14" Multisync	£1550.00
A400, 2MBytes Memory, 14" Multisync	£1650.00
A400, 4MBytes Memory, 14" Multisync	£1750.00
A400, 8MBytes Memory, 14" Multisync	£2400.00
A400, 2MBytes Memory, 19" Mono	£1650.00
A400, 4MBytes Memory, 19" Mono	£1750.00
A400, 8MBytes Memory, 19" Mono	£2400.00

#### TRANSPUTER SYSTEMS

Gnome Computers offers a complete range of transputer boards to fit into either RISC OS or RISC iX based Archimedes machines. Prices start at £1385 for a single 10 MIP, 2 MFLOP transputer system including a parallel FORTRAN-77, C, Pascal, Modula-2 or Occam compiler. Please call us for a full technical discussion on your system requirements.

#### **UNIX Specialists**



#### The Arcaynia Demo 5 Disc & Catalogue Booklet

The disc contains some of the latest PD software available for the Archimedes from each section of the PD range, and is absolutely 100% full. Our extensive catalogue, features over 280 discs of high quality software for all users. Send a £1 coin now to recieve our PD catalogue booklet and accompanying disc.

#### Discount on Public Domain Software The Arcaynia Collectors Selection

You can order from this advert only, any 3 of the discs listed below for only £5, or 7 for £10, bundled with the Arcaynia 5 pack as detailed above. This works out at only £1.25 each instead of our usual high value price of £1.50 per disc. All orders are normally processed the same day, but please allow 5 days for delivery. Of course if you wish to order further discs please add £1.50 for each extra disc ordered.

A52 The Simpsons Photo Album

C16 Demo/Games - Games with power sound and a scrolltext D16

Clipart - Military font, Maps, Musical font and loads more
Translator 6.32, Display, Speaker, PCRamDisc, ArcFS & more

E28 F62 ARMageddon Super Power Demos 2

F63 MTV Advanced Ray traced animation (requires 2 Mb)


F64 Dancing Coca Cola Can, and Leapin Fish Demo

F68 Robot Boogie from Dr Who, and Creature Comforts

G42 Stereo Tracks - Never Ending Story, Beast II, Mahoney, Nice Wet and Mean, Pestilence, Tengu H04

Outline Fonts - ParkAvenue, Bodoni, Cinema, Chancery, Symbol, Cambridge Outline Fonts - Brushscript, Revue, Algerian, Barcode, Switzerland, Buckingham

PO Box 1927 : Sutton Coldfield : B74 3QZ



for your Archimedes and Concept Keyboard

Make the overlay by pulling areas to size with the mouse Type in the message or function key task (e.g. PRINT) Drop a picture over the message or set type size and style Print your overlay in colour or black & white (A4 or A3) Use overlay with any program working in the desktop Conform is fully RiscOs compliant and multi-tasking

£17.25 (inc. VAT) from NORTHWEST SEMERC, Fitton Hill CDC, Rosary Road, Oldham OL8-2QE

# **THOROUGH** INVESTIGATION

rom the depths of Somerset comes the latest version of this powerful disc editing and backup utility. There have been several improvements on the first release of Investigator, and the package is now more versatile and efficient.

The main utility installs on the icon bar, but does not run in Risc OS, instead it fades elegantly into its own work screen when clicked upon. It contains several facilities, the most useful of which is to be able to make reliable copies of 99 percent of your discs either byte for byte, or through the use of DiscDump files, which is a useful and ingenious way to keep backups of all your important software and data.

It reads in all the data from your source disc, and also the information concerning how it was originally stored, and compresses it all considerably. This effectively means that you can safeguard yourself from losing your software without incurring the loss of storage space normally associated with keeping comprehensive backups.

The straight copier doesn't manipulate the data at all, it simply duplicates it by brute force! Both it and the Disc-Dump methods can cope with a wide variety of disc formats: Archimedes, PC (MS-Dos), in fact anything that can be read by the actual hardware in your Arc's disc drive. The reason for this is that the program deals with the physical format of the disc, not the logical format. The physical format is the way information is stored on the actual surfaces of the disc as magnetic codes, while the logical format is the layout of files and directories, something which is different for all makes of computer.

This therefore enables people who own more than one computer system (including an

Archimedes) to use their Arc, by running Investigator, to make compact backups and store them as DiscDumps on a hard disc, giving a complete, self-contained repository of data. Also included in the package are various utilities to decompact text or datafiles from your DiscDump files. This opens up a whole new sphere of information from other systems, which can be transferred using the program, and appreciated by the ever growing army of Arc users.

When the data has been read in from the floppy disc it can be held in memory, and edited by hand. Future versions would do well to include a facility to search for strings on the disc, especially as this would greatly enhance the usefulness of the editing routine. Another useful feature is the ability to examine (but not alter) the format and ID information concerning the layout of data on your discs. This has the power to detect (and sidestep) corrupted or fishy areas. A clear, lucid visual display keeps you up to date with the progress made through reading or writing the disc, and a useful help facility enables you to simply point at any of the utility icons on screen to be presented with a description (or diagram) of what it does.

In the course of examining this package I once again had to personally confront the legal and moral issues connected with the copying of software.

The very real dilemma of software duplication has by no means been resolved yet. Additionally no adequate legislation exists to clarify this area, and nor would it be rigidly enforceable even

Along with access to personal data stored on computers and computer viruses, comes the intriguing and thorny There is a new package that allows you to copy software. But, asks MAT TIZARD, is that such a good idea?



debate of precisely when a user has the right to make a copy of a piece of software. Obviously, unless the software is public domain (itself another much maligned umbrella term) or is otherwise exempt from the norm, it must be the property of the person making the copy. That much is common sense, and is legally defined. Things are less clear however when one contemplates what right the purchase of information gives a buyer to make a backup copy for his own personal use.

In an age where the exchange of information as a commodity is becoming increasingly valuable and relevant to every one of us, I think these questions must be more thoroughly addressed if we are to avoid unwittingly breaking the law in the future or even being tempted to do so through insufficient restrictions.

Meanwhile, anyone with a conscience should not need telling that the act of software piracy, which is not as glamorous at its name suggests, merely deprives software publishers of the funds to provide a better service to us all, and ultimately pushes up prices to compensate for individuals' irresponsibility.

Having said that, I am confident that the vast majority of people would not consider abusing the privilege of being able to safeguard themselves from losing their software. If software piracy does become a serious problem, no doubt steps will be taken to withdraw that privilege, and nobody wants the atmosphere of mistrust that will result. Investigator is an excellent utility, and serves its purpose well.

#### PRODUCT DETAILS

Investigator costs £27.95 and is available from The Serial Port, **Burcott Manor, Wells, Somerset** BA5 1NH.



# GAIVIE SHOW







I've got to be quite brief this month. There's so much to say, and I get so little space to say it in...

I've managed to obtain an early copy of the Chocks Away Extra Missions disc from The Fourth Dimension.

It's got some pretty remarkable new features, including convincing snow, thunder-storms and, best of all, a network of 'cameras' scattered around the map from which you can view your own plane. You can even fly in 'The Phantom Plane' when replaying a saved flight, which is essentially like buzzing around inside a flying video camera to keep up with the action!

Also (and at my suggestion) 4D has implemented a fastforward feature in the normal flying mode so that time simply 'flies' over long distances! Watch out for a full review when the new game is fully finished.

I've also completed a few laps with Saloon Cars, the latest driving simulator from 4D. Though not finished, it's very good to date.

It certainly puts Powerband to shame, especially with regard to some of those little 'extra' touches, such as the whole screen bouncing as the car goes over a bump.

The Silverstone and Brand's Hatch tracks have been meticulously recreated in the simulation, except for a slight hiccup regarding Silverstone. Anyone who knows anything about racing will know that this world famous track spent its Christmas holidays covered in bulldozers. The track is now more than slightly different and 4D is back at the drawing board, having quickly decided that the original Silverstone course in Saloon Cars will have to become the 'nostalgic practice track'!

4D is also working on a game called Enter the Realm which has been loosely compared to Shadow of the Beast. It is reputed to have a plot involving knights in a strange land or something like that - I don't think 4D itself really knows what it is yet!

One of the next releases from 4D will be the snooker and pool game Break 147 and Superpool. Author Gorden Key (E-Type, Apocalypse, Powerband) is recognised as generally a very good games programmer in the Acorn games circle, but is also renowned for his rather 'odd' taste in colours - just look at Apocalypse to see what I mean. Critics are therefore intrigued to see how the balls turn out in Break 147 and Superpool, due out this month.

But enough of 4D. Isn't anyone else doing anything? Well, as a matter of fact ....

I guarantee that if you like to keep in tune with the Acorn games world then Krisalis Software is a name that will soon be firmly etched in your mind. Nothing's definite (is it ever?) but feast your eyes on the following list of possible Archimedes games for the coming year:

Manchester United Football Club 2: The sequel to this popular game will include a

rather less complicated management aspect for those of you (and me!) who were somewhat daunted by the original. The computer footballers will also show a marked improvement vis-a-vis tactics, and the goalie will be usercontrollable (oh dear, I was quite happy to let the computer handle that bit!). This will all be complemented by smoother animation.

Mad Professor Moriarti 2: In this sequel, the professor must break out of a place he recalls well from the original the loony bin! The plot takes place in the hospital and the first puzzle is solved by sticking a hypodermic syringe in the professor's cell guard....

Jahangir Khan's World Championship Squash (why can't Krisalis think of names less than 10 syllables?).

This will be squash's answer to Manchester United FC, combining ball bashing (brawn) with managerial skills (brain), but with only two players and confined to a small room resembling half a tennis court. The Amiga version of this game has been acclaimed in recent reviews. Archie owners might see it before the year is out.

French company Eterna is making serious inroads into the Archimedes games world, releasing Blaston, Fine Racer, Bubble Fair and Rockfall any minute now.

Bubble Fair looks interesting, the object seeming to be to burst bubbles and... er... that's it! Good fun so far though. Watch out for further news and reviews on these in coming months.

Well that's it for this month, but just remember: Christmas 1991 is going to be the Christmas that wipes the smile off the Amiga buff's face.

Sam Greenhill

### ARCADE GAMES CREATOR

Alpine Software. Tel: (0762) 342510.

Archimedes £38.95.

New from Alpine Software comes the Arcade Games Creator. This allows those with little or no 'programming knowledge to create games which can then be run independently of the creator itself. The system is flexible and, with a little patience, it is possible to design a respectable arcade adventure, shoot-em-up or whatever takes your fancy entirely from scratch.

The program is supplied on two discs and runs from the desktop, giving an impressive ease of use. Even so, quite detailed planning of your game is necessary before you start to design it on the computer. Objects (such as invaders, or breakout bricks) can be placed on any one of a total of eight levels of parallax which, in conjunction with the built-in starfield feature, allows for convincing motion in a large depth of field. The sprites for these objects may each contain up to 12 frames of animation, and can be made to follow any path through the level on which you are working.

The key to the whole system is the event-handler, which is where some degree of forethought is advisable as the details of exactly what happens to each object when it

collides with any other, or when a key is pressed have to be entered in.

By building up the components, and adding different levels with background sprites, sound effects and music, you can create something very worthwhile.

A lot of thought has gone into making the system as versatile as possible. Features such as gravity, automatic screen-syncing and stereo positioning of sound effects have all been included. To find out more about the package, a demonstration disc is available. Simply send an A5, 27p SAE to Alpine to receive this.

Mat Tizard

Computer Eyes. Tel: (0622) 751096.

Archimedes £19.95.

Just when you thought the Tetris theme had been squeezed dry, along comes another block-fitting game, with the simplicity and addictiveness of its predecessor.

Square Route is based on a grid, onto which you must place a certain number of different shaped pieces, within a certain amount of time. Some squares on the grid affect things like the time limit. Other squares allow shapes to be placed upon them, but increase rather than reduce the number of shapes left.

Level one is quite simple as there is a lot of space to fill and not that many pieces to use up. On later levels, grids become smaller, making them harder to complete.

Further into the game,

'bugs' make life harder by eating the shapes you've already placed. Occasionally they regurgitate shapes onto the grid (this is not as nasty as it sounds) thus helping you. Bombs destroy areas of the grid, but these can be diffused if you are quick.



The game makes use of mode 13, 256 colour graphics, for a colourful display. A nice touch is that shapes are translucent, rather like green glass, so the background shows.

Although 256 colours are

used, the rest of the graphics have a distinctly, dare I say it, Atari ST feel. On the other hand, there is a limit to what you can do to the graphics in this kind of game while keeping things clear and simple.

Sound is a mixture of the 'compulsory' Sound-Tracker tune and, a collection of whizz, pop and bang sound effects. The music is a bit disappointing as it only plays during the high score display. Perhaps something a little more lively to get the adrenalin going would have been more appropriate.

Square Route falls into the 'simple to play but difficult to master' category. Addiction is virtually guaranteed, with a massive 250 levels to complete and that essential 'one more go' element keeps you coming back for more.

**Rob Miller** 



# FLYING HIGH

**DAVE FUTCHER** looks at the latest version of Magpie and discovers a number of first class improvements

ince its initial release a few months ago, Magpie from Longman Logotron (see review in BAU March 1991) has provided BBC A3000 and Archimedes users an easy to use and sophisticated means of storing and presenting material. This has been achieved through the concept of pages stored in binders, rather like the way the Apple Macintosh hypertext program, Hypercard, uses stacks.

The author has continued to improve Magpie, and a new version has just been released. There have been three major changes. Magpie now offers carousel facilities that are ideal for presentations. Then there are skeleton pages, which allow the user to allocate resources to a number of pages, therefore easing the building of Magpie binders. Finally there is greater control over the type of windows created within binders.

An essential for any application that stores text and graphics is the ability to display pages in a rolling sequence. The original Magpie did not, but a carousel feature has now been added so you can repeatedly present a series of pages. One page, a sequence of pages or a whole binder can be made to auto-



#### STYLISH PRESENTATIONS

matically turn to the next after a specified delay. It works rather like an automatic slide show - ideal for a presentation at a school Open Day.

Normally when a page is turned to, its entire contents are redrawn, after first drawing a blank piece of paper in the required colour. An option is also available to overlay pages. This means that the new page is a transparency laid on top of the previous page. This is excellent for building up a diagram piece by piece.

#### SKELETON PAGES

Master pages are already a common element within desktop publishing, where a defined page layout is used as the basis for all subsequent pages in the chapter. Now Magpie offers a similar concept - skeleton pages. Just like master pages, skeleton pages are used when you need several pages in a binder to

have a similar appearance. You can also use them where you have large items like a picture or a sound used in several pages.

Using this concept certainly makes the construction of Magpie binders even easier, as you can replicate page layouts or use a pre-defined layout across several pages.

Magpie's skeleton pages are more powerful than DTP master pages because it is possible to create a sequence of skeleton pages that actually look quite different. This is because all the items on a skeleton page can be moved, resized and their behaviour changed for the page they are used on, yet each page uses the items from the skeleton page and no copy of them is placed on the actual page. Such moving or alteration affects the skeleton items on that page only.

Magpie runs very effectively within the Risc OS window environment and at times the scroll bars and other window furniture can be most useful if you want to hide parts of the page from the user and allow them to scroll down to them. At other times, the vertical and horizontal scroll bars are not needed, so there's a new option within the Page Preferences dialogue that allows you to specify the style of window to be used to display the page.

There's also the possibility for keyboard presses to be used to turn binder pages. Instead of using the mouse to click a page, the PAGE DOWN and PAGE UP keys can be used. Hide and reveal actions can also be keyboard linked and this has great significance for the interfacing of a Concept Keyboard to Magpie binders.

Magpie's original 75-page documentation is supplied with the new version, but to cover the improvements a second, 12-page manual is supplied. The program disc contains the new 1A.00 version of Magpie and MagpiRead. Introducing Magpie has been extended by adding new binders.

The real power of the changes are shown in two binders. In a 39-page binder called The Word, the carousel feature is used to create the animated build-up of a single word, while Bounce shows the power of the new Magpie for combining pictures, words, music and animation into a multi-media presentation.

MagpieZine is the first edition of a freely copiable magazine containing ideas and curriculum resources.

Magpie was already a winner! It is a powerful information organiser. It now has even more versatility, whether you are storing pictures and text in a binder, building up a project folder, creating a simple demonstration sequence or a full blown presentation.

The new version is free to existing users - will other software publishers follow suit?

#### PRODUCT DETAILS

Magpie 1A is available from Longman Logotron, Dales, Brewery, Gwydir Street, Cambridge CB1 2LJ. It costs £54 (free to existing registered users).

f you haven't seen Longman Logotron's 1991 catalogue, chances are you aren't making the most of your school's software budget. Consider these brand new programs for the Acorn Archimedes:


- Pendown, a word processor designed specifically for education, with a range of new features offering control as well as freedom
- Revelation, a powerful image processing program which enhances classroom creativity across the curriculum.
- Magpie, a multi-media publishing program which enables children to draw on a wide range of sources to create flexible and exciting projects.

Individually or in combination, these programs are accessible to 6 year olds, yet will challenge 16 year olds and open an expanding universe of learning in support of the National Curriculum.



# SHARE OUR VISION

If you want to know more, fill in the coupon below, and we'll send you our new 1991 catalogue plus free vouchers for up to £50 worth of Longman Logotron software.



LONGMAN LOGOTRON

Longman Logotron

Dales Brewery Gwydir Street Cambridge CBI 2LJ Tel: (0223) 323656

Fax: (0223) 460208

Please send me my free copy of the 1991
Longman Logotron catalogue, and vouchers
worth up to £50.

My interest is in
Primary Schools Secondary Schools

Name

POSSIBILITIES

SEE THE

Address\_\_\_\_\_

Post Code\_\_\_\_\_Tel

2. AW 5-91

### The Fourth Dimension

#### 1st Class U.K. FREE Delivery

#### **HOW TO ORDER**



(0742) 700661 / 769950 ACCESS & VISA Accepted 24 Hour Service 7 Days a Week



#### LETTER

Simply send us a quick letter telling us the game(s) you require, your name and address, and payment via cheque, postal order or ACCESS or VISA card details.

TO: The Fourth Dimension, 1 Percy Street, Sheffield, S3 8AU, England.

#### **NO Quibble GUARANTEE**

If any of our discs ever become faulty (for whatever reason) we will replace them free of charge immediately

Simply return them to us with your name and address


#### SAME DAY DESPATCH

All orders are despatched immediately by 1st Class post. Carriage is paid by us in the U.K. (Overseas orders add £3 per product). FULL DETAILS OF ALL OUR GAMES ARE AVAILABLE ON REQUEST & ARE SENT WITH ALL ORDERS

#### SPECIAL OFFER

If you buy 3 or more products directly from us you may deduct £10 from the total cost











#### **BBC A3000 & ARCHIMEDES**

ALL the following Archimedes games are compatible with the BBC A3000 and 310 & 400 Series

	The Santacastille
Saloon Cars (See COMING SOON)	24.95
Break 147 & Superpool (See COMING SOON)	24.95
ARCticulate (A comprehensive speech package)	24.95*
Boogie Buggy (Arcade Graphics & Gameplay)	24.95*
Gumshoes (Detective Graphic Adventure)	24.95*
The Real McCoy 2 (4 Game Compilation)	29.95
(Apocalypse, Holed Out, The Olympics & Inertia)	
Chocks Away (Biplane Sim. 1 or 2 players)	24.95
Chocks Away Extra Missions	19.95
(26 extra missions plus some superb enhancements)	
Chocks Away Compendium	39.95
(Chocks Away + Chocks Away Extra Missions)	
The Wimp Game (Unique Graphic Adventure)	19.95
Powerband (Superfast Formula 1 Grand Prix)	24.95
The Real McCoy (4 Game Compilation)	29.95
(U.I.M., Arcade Soccer, White Magic & Quazer)	
E-Type (3D Classic Car Racing)	19.95
E-Type Designer	16.95
E-Type Extra 100 Miles	16.95
Holed Out (3D Golf for 1 to 6 players)	19.95
Holed Out Extra Courses Vol.1	16.95
Holed Out Extra Courses Vol.2	16.95
Holed Out Designer	19.95

Drop Ship (Superfast Arcade Action)	19.95
Nevryon (Unbelievable Graphics & Gameplay)	19.95
Inertia (Isometric Arcade Action)	19.95
Apocalypse (3D Mega Game - 9 Planets)	29.95
The Olympics (6 Varied Events)	19.95
Pysanki (Futuristic Arcade Adventure)	19.95
Man-At-Arms (Medieval Arcade Adventure)	19.95
U.I.M. (Massive 3D Action Adventure)	29.95
Arcade Soccer (World Cup 1-24 Players)	19.95
White Magic (Arcade Adventure)	19.95
White Magic 2 + Designer	19.95
Quazer (Furious Arcade Action)	11.95

#### **COMING SOON**

\*Gumshoes, Arcticulate & Boogie Buggy

The above 3 titles should all now be released

Saloon Cars Hopefully June '91

The Ultimate Driving "Game-ulation"!

Break 147 & Superpool Hopefully June '91

'Real' snooker & pool simulator par excellence

Enter The Realm Hopefully September '91

An epic arcade adventure from the author of Nevryon







# THE FOURTH DIMENSION 1 Percy Street Sheffield S3 8AU Tel. (0742) 700661 or 769950

# SOFTWARE SHOWGASE

#### **EDUCATION**

#### SSERC GRAPHICS LIBRARIES

For Science & Technology Education For Arc users of Draw, DTP, Magpie, Revelation etc.

Latest:- now with Alpha boards, First Sense, new dataloggers, pneumatics (ISO 1219), bevelled gears and more ......

Dear Teacher/Curriculum Develoeper/Examiner,
Are you involved in preparation of curicular material? Do you,
find it difficult to draw realistic apparatus or circuit diagrams? If
my with backers that look like huckers! If you can drag an iron on
a Draw window you can now produce professional looking diagrawith the help of the SSERC Graphics Libraries, (Y.S. JIB. & CKS)

[2 Discs. £27.50] Site licence 2 discs. £80 Upgrade £17.50

Authority licences available by negotiation

SSERC, 24 Bernard Terrace, Edinburgh EH8 9NX Tel. 031 668 4421 for more information or send stamped A4 self-addressed envelope.

Make the most of your Archimedes/A3000 with a brand new package for primary schools

"Picture It!"

"Picture It!"
a unique software package specially designed as an aid to the
National Curriculum.

"Picture It!" allows children to build up scenes using sets of
simple pictures, linked to specific topics currently including
History, Geograpy, Maths, Science, R.E and Design and
Technology.

It is exceptionally easy to use, making it an invaluable
classroom resource, ideal for younger pupils or those with
special needs.

For further information please contact:

For further information please contact: Appian Way Software Ltd., Old Co-operative Buildings,

Durham, DH7 9XE. Tel: 091-373 1389

#### ABC the spreadsheet for the RISC-OS Archimedes

of one element or kind: not complicated or showy'

ideal for education



send an SAE for details, to: CIRCULAR TRIANGLES 13 Woodhall Terrace Edinburgh \

EH14-58B 031-453 4925

#### **STATISTICS**

#### STATISTICS

The ESTABLISHED system

for the Acorn Archimedes is

FIRST

Write or telephone for details to

SERIOUS STATISTICAL SOFTWARE

Lynwood, Benty Heath Lane, Willaston

South Wirral L64 1SD

Tel: 051-327 4268

Now includes an On-Line Manual

#### **EDUCATION**



The LIST Project Department of Design and Technology Loughborough University of Technology Leicestershire LE11 3TU

Tel: 0509 222661 FAX: 0509 610813

#### The Technology Database

As reviewed in BBC Acorn User March 1991

A database package of the National Curriculum Orders for Technology\*, covering AT's 1-5, Levels 1-10. Designed for ease of use, by any teacher, as an aid in constructing schemes of work

BBC 'B'/Master £12.00+VAT. Archimedes £13.00+VAT

\*Crown copyright data are reproduced by permission of HMSO

specifically developed to meet the Rudlian needs of the National Curriculum. specifically developed to meet the

DataSheet comes from the same author as **DataSweet**. It is much enhanced over the original DataCalc. New features include

- Greatly extended in both directions Dragable column wiaths Data grouping for graphs Hotlink to graphing programs • Host of block operations Prints sheet as ASCII text much taster.
- DataSheet is available from: Hampshire Microtechnology Centre Connaught Lane, Portsmouth, PO6 45J Tel: (0705): 378266

#### SPECIAL NEEDS

#### C.J. COMPUTING SPECIAL NEEDS

SALES . REPAIRS . SPECIAL NEEDS

Please contact us for all your Acorn computers (Hardware & Peripherals) We specialise in tailoring computer systems for special needs

Tel: (0454) 615905 Stoke Lodge, Bristol

#### **!!VARIOUS!!**

#### !Slideshow

Fully multitasking, runs in Risc-OS Desktop Create interesting and attractive presentations of sprites. Presentations can be shown without main program Accepts sprites from most major art packages

\*performs to a high standard and is delightfully simple to use\* (Risc User, Oct 1990) excellent user interface\* (Archive, Sept 1990)

"The program is excellent and well worth the asking price" (The Micro User, Sept 1990)

Only £14.95 Fully inclusive Please make cheques payable to 628 Software. 628 Software, 24 Mulgrave Rd, Whitby, N. Yorks, YO21 3JS Tel (0947)602756

#### **ROOM 7 SOFTWARE**

POCKET ENGINEER £35.25

MATRIX

INVESTMENT ANALYSER £19.98

**CENTRAL HEATING CALCULATOR £23.50 ELECTRICAL CABLE SELECTOR £17.62** 

Our catalogue contains full details of these and other programs for Acorn computers.

Prices include postage and V. A.T. a. 11.5%

Most of our programs are available for the Electron BOB, 198-Master, COMPACT and
ARCHIMEDES range on 5.25° and 3.5° discs.

-UTER SERVICES, st floor, H.S.L. Building, 437 Warrington Road, Rainh'll e L35 4LL. Tel: 051-426 7400. Fax. 051-493 1425



#### **EDUCATION**

#### The convenient SINGLE SOURCE

for Educational Software

- м рышнат educational programs available at publishers prices or below in Mitrorsoft, 4 Mation, Sherston, Resource, E.S.M. Chairsoft, Macmillan, Bou over 50 other publishers
- Wide range of formats: Not only BBC: Archimedes, Nimbus, but also a tion of programs for Spectrum +2/+3, Amstrad, Nimbus, Commodore Afail ST, IBM-PC and others!
- Vast stocks: 30.000 programs always available for immediate delivery
- Unconditional guarantee: problems rectified by expert staff telephone helpline also available

THE EDUCATIONAL SOFTWARE DIRECTORY THE EDUCATIONAL SOFTWARE DIRECTORY
describes and prices fundreds of program
write or phone for a free copy:
RICKITI EDUCATIONAL MEDIA
FREEPOSI - Ilton - liminater - Somerset TAI 9 9HS
Telephone 0460 57152 - Fax 0460 53176

Please state the ages of your children and make of your computers

#### NORTHERN MICROMEDIA

Northern Micromedia is the publishing arm of NORICC, a regional IT Teachers Centre. We produce a wide range of stimulating educational software for children aged 5-16 and many titles are accompanied by useful support material

Please write or telephone for a free catalogue to:

NMM, Resource Centre, Coach Lane Campus, Coach Lane, Newcastle-upon-Tyne NE7 7XA

Tel: 091 270 0424

#### **DISABLED?**

#### ENCODER

Keyboard Emulator on disc



Speedwriter

speeds up your typing

Le Computer 0245 362225

#### ENGINEERING

£150+vat

The most advanced structural analysis program available for the Acorn Archimedes.

CASA is a fast, efficient, powerful, but very easy to use program for the analysis of 2D structural frames.

Full on-screen graphics, RISC OS compliant, Universal Section library, Second Order analysis, Thermal Effects, Lack of fit, Internal hinges, Point-and-click' data entry option, etc.

VISION SIX Ltd. 13 Paddock Wood, Prudhoe Northumberland, NE42 5BJ

#### VISUAL IMAGES

#### Nova Visual Services

You've just spent hours producing your latest masterpiece. So naturally you want the end product to look as good as possible. For the best quality print-outs using the latest laser technology (600x600 d.p.i.) from *IDraw, IImpression*, IPoster etc, contact me and I will print them for you.

Rates: 60p per A4 side

5p per side:

No minimum order!


Just send a 3.5' disc containing your document, instructions and a cheque to:

M.Wiggin, 50 Forton Road, Newport, Shropshire. TF10 7JR


For further details, Tel. 0952 814624

# FTWARE SHOWGASE

#### PUBLIC DOMAIN



#### PUBLIC DOMAIN



Over 200 cram-packed discs of the BEST Archimedes Public Domain Software.

Unlike other libraries you can pick 'n mix the programs you want. And we don't charge the Earth £1.10 per disc for our own compiled discs or £1.50 for the very popular pick 'n mix service. We also have very special offers which allow you to buy PD at less than 90p per disc!

Sections include: Animation, CAD/Design, Comms, Databases, Demos, Disc Utils, Fonts/DTP, Games, Graphics, Home Management, IBM/PC Utils, Languages, Music, Pictures, Printing, Programming, Sampling, Toys/Sillies, Word Processing.

Also available is a range of data files for many popular databases - ideal for education and home use.

For those without a laser printer - a printing service at a competitive price is also available. Details on request.

Send a blank formatted disc or 75p for our catalogue/demo disc to: Arch Angel PD, 9 Chancel Court, Pinhoe, Exeter, Devon, EX4 8QE. Cheques or PO's payable to S.Creech.

THE BEST VALUE AT 90 PENCE A DISC

Telstar PDSL can now offer discs at only 90 pence a disc. Nearly 300 discs and expanding all for only 90 pence a disc. See the vast range now and get our Demo disc for £1

**FREE COMPETITION** By ordering our demo disc you will automatically be entered into our free draw to win 20 PD discs.

**ALPS AND CREATOR GAMES** 

We are looking for games created with these two brilliant programmes from Alpine. If you have made any games with

TELSTAR PDSL 48 Alderbrook Close, Rolleston, Staffs DE13 9AX

these why not send them in and let other people enjoy

now. Cheques to Telstar PD.

#### GAMES

#### CREATOR ARCADE GAMES DESIGNER £38.95

Produce your own arcade-style games with Creator. No BASIC or ARM code programming knowledge needed. ALPS (ADVENTURE SYSTEM) £34.95

ALPS allows you to create commercial-quality text adventures with graphics. Full RISC OS application.

COPS £19.95 A humorous adventure with text and graphics - spend a day as a cop on Hall Street and find the kidnapped Chief.

PLAGUE PLANET £14.95 A tough sci-fi text adventure with over 250 locations.

All programs for Archimedes/A3000. P+P free on all orders.

ALPINE SOFTWARE, Dept (BAU2) Tel: 0762 342510 PO BOX 25, Portadown, CRAIGAVON, BT63 5UT

> Guardians Of The Labyrinth

#### A new game from Soft Rock Software

21 Great George Street, Bristol, BS1 5QT

£3.49 including postage (Archimedes/A3000 only)

Also available: Escape from Exeria etc for the Arc/A3000 at £3.49 inc

#### DTP



Learn BASIC on disk! The most comprehensive, compact step-by-step course sold worldwidel

Disks have 16 full lessons packed with information including:

Errors, Printer Control, Databases, Word processing, etc ... A 34-program Library Disk supports Disk 1. 1. Lessons 1-16, 1a. Library, 2.

Lessons 17-32, 3. Lessons 33-48, 4. Lessons 49-64

Disks 1 or 2 £20.95. 3 or 4 £22.95. Library £10.95. 8 Lessons £10.95. Starter Kit: 1 + 1a £28.95. Elementary Kit: 1, 1a + 2, £44.95. Inter Kit: 1, 1a, 2 + 3 £64.95. Full Kit: £84.95. Disks 1 + 2 £36.95

For BBC B/Master/Compact/Electron/ Arch + 6502 Emulator.

UNIVERSAL COMPUTER SUPPORT Dept. AU, 168 Hough Road, Walsall, West Midlands WS2 9BQ. Tel: (0922) 30038

Just £1 for the DOUBLE Skyfall demo disc.

The New Skyfall Summer Catalogue is now out, it contains full details of our large 340 range of discs. New this season are Super Compiled Application Discs, which only have the best applications on them, plus some New Outline fonts. Also we still have the largest DTP resource and Sound 'n' Graphics collections.

Regular customers can purchase our discs at £1.50 to £2 each, and members of our new 'PD Club' can enjoy a 50p discount off these prices, as well as unlimited user support, product discounts and free catalogue updates.

So if you want the 'Summer '91 Double Demo Disc' and 12 page detailed catalogue just send £1 coin with your name and address to:

> SKYFALL, PO Box 2220, Birmingham, B43 5RZ.

# he Watafile 🕅



Demos - animated films - fonts Clip Art - Desktop Fun - Games Graphics - STrackers - Utilities Sound Samples plus lots more

A free bonus disc for every 10 you buy.

For our highly detailed 80 page catalogue on disc complete with some outstanding P.D. Send 11 to:

The Datafile PD 22 Duxford Drive Aldergrove, Co.Antrim V.Ireland BT29 4BG



WORD PROCESSING CORPLAN

FOR SERIOUS WORK WITH WORDWISE PLUS

Descriptive indexing for your letters & documents. Your own library of layout forms, letterheads etc. Automatic import of addresses, references, dates etc.

CORPLAN does the layout, you just type the text! Resident utilities for mailmerge, label printing etc.


Many other features, including Inter-Word link. For B, B+ & Master. Needs discs & Wordwise Plus. Pack contains disc, tutorial manual, keystrip etc.

Price £19.50, post free UK. 14 day refund. Free information sheet available.



CORPLAN Computer Systems Three Gables, 7A Talbots Drive, Maidenhead, Berks, SL6 4LZ Phone or Fax: (0628) 24591








THE BEST IN ARCHIMEDES PUBLIC DOMAIN

AND I AIN'T LION!!!





#### FACT SYSTEMS (BARROW) LTD

UNIT 19, FOCUS 303 BUSINESS CENTRE, SOUTH WAY, WALWORTH IND. EST. ANDOVER, HANTS. SP10 5NY

TO	MATE	T	PRICE	SI		GAMES	-
	DAA III	) I				Alerion	£10
			Base		our	Alien Invasion	£10
A3000	Base		£530	£7:		All in Boxing	£10
A3000	Upgraded t		£585	£78		Apocalypse	£19
A3000	Learning C		£619	£8:		Arcendium	£15
A3000	Learning C	urve 21		£87		Ball Arena	£13
410/1	Base		£899	£109		Boogie Buggy	£20
420/1	Base		£1099	£129		Break 147	£20
420/1	Learning C	urve	£1135	£13.		Bug Hunter/Moon Dash	£12.72
440/1	Base		£1449	£164		Caverns	£12.72
A540	Base		£2599	£279	94	Chocks Away MkII	£20
		1530.00	A STATE OF THE PARTY OF			Chocks Away Extra Missions	£15
	ITORS (inc lead		UTILITIE	200		Claers Arcade 3	£10
	r Monitor (AKF1		Software Developers To	olbox	£179	Drop Ship	£1
Microvitec (		£199	Twin		£28	E-Type	£1
	833 Colour MkII	£225	PC-Emulator		£89	Freddy's Folly	£1
TAXAN 775	multiscan	£475	Clares Toolkit Plus		£38	Gum Shoes	£20
	CCESSORIES		Artisan 2		£47	Holed Out	£1-
400/1 IMb R		£58	Render Bender		£61	Hostages	£15
	Hard Disk (ST506)		Hearsay		£52	IBIX the Viking	£12.72
	Hard Disk (ST506) Hard Disk (ST506)	0.0000000000000000000000000000000000000	PC-Access		£34	IBIX the Viking	£12.72
			BUSINES	c		Interdictor 2	200
A3000 1Mb		£60 £199	1st Word Plus re1.2		£62		£28
A3000 3Mb			Impression Junior		£79	Iran Lord	£13
Control of the Control of the Control	b Hard Disk (SCSI	100000000000000000000000000000000000000	Impression Junior		£149	Jet Fighter	£10
	Hard Disk (SCSI)		Schema		£105	Micro Drive, Golf	£13
A3000 Serial		£18	Pipedream 3		£127	Mad Professor Mariarti	£14
A3000 Moni		£28	Acorn DTP		£129	Nevryon	£15
ROM Expan		£41	System Delta Plus v2		£52	Overload	£10
MIDI Expan		£64			£38	Powerband MkII	£20
A3000 User	Port/Midi	£45	Alpha Base		138	Red Shift	£14.4
I.	ANGUAGES		EDUCATIO	NAL		Talisman	£10
ISO Pascal,		£85	Fun School 2	(ea)	£16	The Olympics	£14
ANSI 'C' Re		£129	Fun School 3	(ea)	£20	The Real McCoy	£20
Assembler		£179	Puncman		£20	The Real McCoy 2	£24
ABC Basic C	'ompiler	£79	Please add VAT a	17 50		Twin World	£15
- Daniel C			1.01.0000.000.000.000.000	ments in			£12.72
	OOKS (no vat)		Carriage:=			Worra Battle	£11.87
	og Ref Manual	£75	Language, Busine				
BBC Basic C	Guide	£19.95	Urils, books F			PRINTERS (free lead	-
A3000 Techr	nical Ref Manual	£29.95	Games, Educatio			STAR LC-10	£162
Assembly La	inaguage	£14.95	Other £ P.O	Α.		STAR LC-200 Colour	£212
Arc Operation	ng System	£14.95	OPEN			STAR LC24-10	£212
Archimedes	First Steps	£9.95	MON-FRI, 10AM			STAR LC24-200	£276
Archimedes	rust steps	19.95	SAT 10AM-4	PM	-94	STAR LC24-200	12

ANDOVER (0264) 334811



#### BANK MANAGER

Complete and versatile personal accounts program. Consistently acclaimed! 'data entry is a delight...professional...excellent product' Micro User April 86 Standard version: Enter cheques and receipts. Automatic date sequencing. Reconcile statements. Search, amend and delete. Analyze expenditure. Forward cash flow forecast. Budgets. Up to 36 bank accounts online, inter account transfers, 9999 standing orders, 99 analysis headings, over 4,000 postings on an 80tk diskette. Reports to screen or printer. Mix foreign currencies, graphics, password, file recovery, field editing, programmable reports.

Master/Compact version adds ADFS/hard disk support, sideways RAM, 40/80 col screen reports, and other enhancements.

Archimedes/A3000 adds high speed native mode, RAM disks, wild card analysis enquiries, sort and more. 'Impressed...ideal...easy to use' Micro User March 88

Bank Manager (all versions; disk systems only) £25.00

#### BANK MANAGER BUSINESS UTILITY

For the club accounts or small business user. From the Bank Manager data files print "trial balance" or "P&L reports" via the programmable spreadsheet generator.

\*\*Business Utility Pack (needs the Bank Manager) £12.00

#### TYPING TUTOR

Quickly learn to touch type. Over 90 smoothly graded lessons graduate you from the basic home keys to complete keyboard mastery. Word scan or exact key checking, targets may be revised, rhythm metronome, key click, free format options. Recommended for adult education.

Typing Tutor £15.00

#### SPREADSHEET MK V

Low cost, versatile spreadsheet. 26 cols, 900 (Arch/A3000) or 99 (B/Master) rows, many functions and facilities inc programmable report writer and input scripts.

Spreadsheet MK V disk £15.00

All programs available in B, Master/Compact and Archimedes/A3000 versions. Archimedes/A3000 versions are RISC OS compatible

State type of computer (eg A3000,B,Master) and disk type (eg 3½" or 5½" 40 track or 5½" 80 track). Please add £1 P&P (Overseas £3.50)

#### CONTEX COMPUTING (Ref AU), 15 Woodlands Close,

Cople, Bedford MK44 3UE





Tel: 0234 838347


#### **ACORN USER ADVERTISEMENT PAGES – JULY 1991**

AU	UKN	<b>NOEK ADAFK</b>	I 12EI	MENI PAGES	- JUI	LY 1991	
4th Dimension 1	16,124	Computeck	76	Kendal Computer		Selective Software	126
628 Software	125	Computer Concepts	60-61	Centre	100	Senlac Computing	48
Ace Computing	54	Computer Depot	48	Kudlian Software	125	Serious Statistical	
Acme PDSL	126	Contex Computing	127			Software	125
Advisory Unit for		Corplan Computer		Le Computer	125	Simtron	106
Microtechnology in		Systems	126	Lings Duplication	102,126	Softrock Software	126
Education	54	CSS	110	Longman Logotron	123	Software Bargains	78
Alpine Software	126			Loughborough		SSERC Graphics Libra	ry 125
Alsystems	48	Dabhand Computing	94-95	University	125	Star Devices	11
Ampsound	100	Datafile	126			Superior Software	OBC
Appian Way	125	David Pilling	70	Manor Court Supplies	81	Brain Anna Barrier	
Apricote Studios	48	Digital Services Ltd	IFC	Micro-Aid	96	T.M.J. Computer	
Arc Angel	126	DVS Skyfall P.D.	126	MicroPower Ltd	72	Software	106
Arcaynia P.D.	118			Minerva Software	IBC	Technomatic	30-32
Arxe Systems Ltd	75	Electronic Font Foundr	v 102	Morley Electronics	114	Telstar Public Domain	126
AS Computers	33					Terrell Electronics	33
Atomwide Ltd	26	Fact Systems Ltd	127	Northern Micromedia	125	The Data Store	106
Automatic Services	33	Fairhurst Computer	106	Northwest Semerc	118	The Serial Port	112
AVP Computing	33	rannarst computer	100	Norwich Computer		The Serial Port	67
		Cooms Commutati	110	Services	96	Timestep Weather	
B & S Computing	107	Gnome Computers Ground Control	118 33	Nova Visual Services	125	Systems	110
Beebug	6,8	Ground Control	93	45000000000000000000000000000000000000			
Broomfield Electronics	106	HGGS A	10	Oak Solutions 12,19,2		Unilab	110
		HCCS Associates	68	Orion Computers 2	8-29,82	Universal Computer	100.00
Calligraph Ltd	110	Human Computer	90			Support	125
Chameleon Computers	54	Interface	80	Portobello Trading			
Circular Triangles	125			Company	96	Vision Six	125
Clares Misro Supplies	125	Ian Copestake Software		PRES	16	W O	
Clares Micro Supplies	58	IFEL	70	Did with the		We Serve	70
College Computers Colton Software	4-5	Integrex	97	Rickett Educational	10.5	Wild Vision	100
Conon Software	2	Intelligent Interfaces	102	Media	125	WL Computer House	126
							100

#### **BBC Acorn User July 1991 Prize Jigword Competition**


The box below contains 96 three letter abbreviations, all of which have something to do with the BBC or Archimedes. This month's competition is to try and fit all of these words into the grid on the right. We have filled in some of the squares to give you a start. Note that eight words 'wrap round' off the right or bottom of the grid and their last letters appear on the left or top of the grid. When all the words have been fitted, the circled letters will form an anagram of something do to with computing. Simply write this on the back of a post card or sealed envelope and send it to 'July Competition' at the usual address. The winner will be the first correct solution out of our hat on 10th June. Good Luck!

ABS	ACC	ACS	ADC	ALU	AND	ARM	ASC	
ASL	ASN	ATN	BAU	BBC	BCC	BCD	BCS	
BMI	BNE	BNV	BPL	BRA	CAD	CFS	CGA	
CHR	CLD	CLG	CLI	CMP	CPU	CPX	CPY	
CRT	CSD	CTS	DAC	DCB	DCD	DEC	DEF	
DEY	DIR	DIV	DLI	DPI	ECF	EOR	EQU	
ERL	ERR	FIQ	FOR	IIC	INC	INT	INX	
LCD	LDA	LDR	LDX	LED	LEN	LET	MFM	
MLA	MOS	NFS	NOP	OCR	ORA	ORR	PCB	
PHX	PIN	PLA	PSU	RAD	RAM	RFS	ROL	
RSC	RTI	SBC	SID	SQR	STA	SUB	SYS	
TEQ	TSX	TTL	TXA	TXS	TYA	ULA	URD	



#### FOUR-SCORE

If each row and column adds up to the totals shown, what is the value of each symbol?



#### WORD CHAIN

Turn PAINT into TOOLS changing only one letter at a time. Each step must make a proper word.

PAINT

Crossword set by Trajanus

TOOLS

#### ONE LINE GAME

Deep within an x-radiation reprocessing plant on the distant planet of Ekans, particles of sub-molecular radioactive material are produced as a by-product of the reprocessing. These particles need to be removed from the reprocessing chamber otherwise, well, let's say it would be very messy (and rather expensive). It goes without saying that humans could not withstand the immense pressure, radiation and overpowering odour of a persistently malfunctioning 'citrus grove' airfreshening plant.

To get round this problem, a cybernetic 'snake' has been constructed, and thist is capable of entering the chamber without harm. The snake must be guided by a human to collect the radioactive material as it is produced. The snake itself cannot do anything with the material, so instead it genetically replicates enough of its 'tail' to store the dangerous by-product. For this reason, it is essential that the snake does not collide with its tail - remember what we said about 'messy' and 'expensive'?

If you would like to try your hand at x-radiation reprocessing, type in the single line opposite (which has been split at colons to aid legibility) taking care not to add any extra characters. When RUN, use Z and X to steer the snake left and right, you'll be rewarded with a fanfare for each particle safely collected. Archimedes users will have to use 65Host. You can vary the 10 in A=INKEY10 to make the game easier (or harder!)

```
10MO.7:
 REP.V.-1:
 U.VP.=22:
 V.284;20,294;12:
 S=&7D7B:
  E=S:
 T = & 70:
  !T=&275029:
  REP.REP.N=H.+RND(800):
 II. ?N=32:
  P=P+5:
 TI.=0:
  REP. A-INKEY10:
  D=(D-(A=88)+(A=90))A.3:
  S?-999=D:
  ?E=32:
  ?S=-1:
  ?N=42:
  S=S+D?T-40:
  E=E-(TI.>60)*(T?E?-999-40):
  U.?S>32:
  U.S<>N:
  P.P
```

### DESKTOP OFFICE

THE INTEGRATED SUITE FOR ARCHIMEDES

ord-p

C



WORD - PROCESSOR

0

SPREADSHEET

**GRAPHS & CHARTS** 

m

COMMUNICATIONS

m

£129-95 Incl. VAT

u



Selection of the select







At last - a fully integrated suite of database, word - processor, spreadsheet, charts and communications for the Archimedes. The database is simple to set up with a flexible card layout enabling you to design cards to suit your data. Video style controls make it easy to browse through the records. With instant search on fields, sort routines and reports available, DTOBase gives flexibility whilst remaining simple to use.

The word - processor,
DTOWord is ideal for all types
of correspondence, with the
ability to change text to bold or
condensed, indent, centre,
justify etc. DTOWord makes
every document look
professional. Text can be any
colour and even displayed in
large characters on screen
making this package ideal for
young children or those with
poor sight.

DTOSheet is fast and powerful but designed for ease of use. Columns can be held for reference and cells locked to prevent accidental deletion. With colours available to highlight negatives or formulae DTOSheet gives all the features you would expect of a high class spreadsheet. Data can be exported directly into DTOChart allowing pie charts, 3D bar charts, etc to be produced in seconds. Sections of pie charts can be highlighted and the colours changed to your requirements.

The final package in the suite is the communications program DTOComms. Multi-tasking, even on line, DTOComms supports ANSI and TV1925 emulations and is configurable for all baud rates and protocols. Text files can easily be transmitted and received.

### EAS!WORD word-processor


Easiword is simplicity in itself and ideal for everyday word-processing needs. Easiword has all the facilities of DTOWORD together with the extra facility of multiple documents.

£39-95 Incl. VAT

DeskTop Office is a fully integrated, multitasking suite of programs for the Archimedes and A3000. Data can be transferred between the programs giving the ultimate in flexibility to produce graphs from your spreadsheet data or similar applications SSOC

DeskTop Office is all you need for Education, Small Business or Home use.

+







Minerva House
Baring Crescent, Exeter, Devon, EX1 1TL
Tel.: 0392 437756 Fax: 0392 421762

# SUPERIOR SOFTWARE







#### SPEECH!

#### Give Your Computer a Voice

SPEECH! works entirely in software, no extra hardware whatsoever is required, and has an unlimited vocabulary. The program has a built-in parser which translates English words into phonemes, so it can directly speak words you input or text files. The phonemes can be used directly if you wish, so stress and intonation can be added as required and even foreign languages can be spoken. SPEECH! includes a user-friendly spelling program, which can be easily changed to include your own words.

The new A3000/Archimedes version of SPEECH! is fully RISC OS compatible and allows multitasking in Desktop. You can vary the pitch, speed, volume, and voice, both directly and in your own text files and programs, and can even 'sing' words over a four octave range! The A3000/Archimedes version also includes a program so you can alter the dictionary yourself.

BBC Micro/Master & A3000/Archimedes

#### **MASTER BREAK**

#### Snooker-Style Trivia Quiz Game for 1 to 4 Players

Six categories of questions: SCIENCE & NATURE, POP MUSIC, GEOGRAPHY. SPORTS & PASTIMES, ARTS and HISTORY. Over 1500 questions in the BBC Micro/Electron version. Over 2000 questions in the A3000/Archimedes version, including digitised picture and digitised sound questions.

In the 1 player game, try to get the highest break - you might even manage the maximum break of 147. In the 2 to 4 player game, compete against your friends and family for the highest score and highest break.


Start your frame with an easy red question, then choose your colour - have you the nerve to choose the black ball question? You've used all your PASSES and the ball is OVER THE POCKET - if you miss, it's a FOUL SHOT!

ALL THE FUN AND CHALLENGE OF A TRIVIA QUIZ AND SNOOKER MATCH ROLLED INTO ONE ENTHRALLING GAME.

BBC Micro/Master, Electron & A3000/Archimedes











A THE RESERVE THE PERSON AND PERSONS ASSESSMENT OF THE PERSONS ASSESSMENT OF THE PERSON ASSESSME

Cyborg Warriors

#### **PLAY IT AGAIN SAM 15**

#### A New Action-Packed Four-Game Compilation

#### LAST NINJA 2

The Last Ninja is back with a vengeancel Battling with fists, shuriken stars, swords and lots of other devious weapons, against the evil Shogun in downtown New York.

"Animation is excellent and there's lots of detailed scenery. The puzzles are quite flendish" ....Micro User.

#### **NETWORK**

An action-packed 'Top Ten' game by Peter Scott, featuring teleport machines, lifts, springs, strange allens and lots, lots more. Shoot your way through more than 100 different screens as you attempt to collect the twenty parts of the 'Flynche' machine. Nerve-tingling excitement.

**BBC Micro/Master & Electron** 

#### CYBORG WARRIORS

A brand-new release by Superior, A multi-level, sideways scrolling shoot-em-up, with lots lot weird robots and monsters to shoot, and lokens to collect which can give more powerful weapon systems. The BBC Micro/ Master version has a joystick option, which allows two players to battle together.

#### RICOCHET

A massive arcade adventure with brilliant graphics, as you control SPRAT, the Small Partially Robotic Allen Time-traveller. Five different levels: FORTRESS, TECHLEV, DERELICT, THE UFO and ANCIENT.

"A superb problem-solving game. A must for your games collection"....BBC Acorn User.

#### SPEECH!

#### MASTER BREAK

#### **PLAY IT AGAIN SAM 15**

BBC Micro/Electron Cassette...£12.95 BBC Micro 51/4"Disc...£14.95

Master Compact 31/2" Disc......£19.95 BBC Micro Cassettes & BBC Micro 5 1/4" Discs are compatible with BBC B, B+ & Master 128 computers. Screen pictures show the BBC Micro versions of the games, unless otherwise stated.

We have in stock over 30 different titles for the BBC Micro/Master and Acorn Electron computers including such great games as: ELITE, REVS + REVS 4 TRACKS, EXILE, HOSTAGES, A QUESTION OF SPORT, REPTON INFINITY, PERPLEXITY and SIM CITY, and the compilation titles: ACORNSOFT HITS 1 & 2, SUPERIOR COLLECTIONS 1, 2 & 3 and PLAY IT AGAIN SAMS 1 to 14. All are available for immediate despatch

Our A3000/Archimedes titles include great classics such as ZARCH, CONQUEROR and REPTON 3 (now with enhanced graphics), and the new highly praised golf simulation/designer, SUPERIOR GOLF. Also the action-packed HOSTAGES game.

Please write to the address below or telephone for a full list of Superior Software games





PLEASE MAKE CHEQUES
PAYABLE TO "SUPERIOR SOFTWARE."



24 HOUR TELEPHONE ANSWERING SERVICE FOR ORDERS

#### **OUR GUARANTEE**

- All mail orders are despatched by first-class post
   Postage and packing is free
   Cassettes and discs that are faulty on receipt will be
- replaced immediately (This does not affect your statutory rights)

(Superior Software is a trading name of Superior Microcomputing Ltd.) Dept. Q1, P.O. Box 6, Brigg, S. Humberside DN20 9NH. Tel: (0652) 58585